



MADE IN AMERICA

UNEQUALED QUALITY.

EVEN BEFORE THE FIRST KIMBER® rifle was completed some 39 years ago, manufacturing firearms of unequaled quality was already Kimber's singular goal. Do this, it was reasoned, and everything else will fall in line. On the strength of that commitment, Kimber has become the world's largest producer of 1911 pistols and the market leader in classic hunting rifles. Recent introductions of dynamic platforms like the Micro 9 and K6s handguns,



along with PepperBlaster[®] less-lethal products, have established Kimber[®] as an innovator as well; a position that will continue to solidify as new firearms and accessories are launched. Quality is the true measure of value. Whether it means accuracy or dependability, the beauty of a finish or the precise fit of wood to metal, quality is an integral part of every Kimber.

ANNONT ZE

kimberamerica.com

NEW PRODUCTS

KIMBER'S EVER-EVOLVING QUEST to build premier U.S. manufactured firearms drives us to apply our signature quality, performance and reliability into new lines of handguns and rifles, along with the expansion of existing platforms. From concealed carry and personal defense to target shooting and game hunting, our constant pursuit of perfection pushes us—being the best is not good enough. That is why Kimber is What All Guns Should Be^{TM} .

MICRO & MICRO 9

2018 BRINGS SOME of our most popular family stylings to our Micro and Micro 9 models. The Micro and Micro 9 TLE wear black and grips in the same colorway as their 1911 cousins. The Micro and Micro 9 Coverts are finshed in KimPro[®] II gray with urban camo Crimson Trace Lasergrips. Eclipse fit and finish now has a home in the Micro and Micro 9 platform, and 5 new models carrying Hogue[®] Wrap Around Grips and TRUGLO[®] TFX[™] Pro Day/Night sights have joined the platform.

CHITCH

MICRO 9 COVERT

MICRO TLE

See page 35

See page 39

HERO CUSTOM

See page 26

HERO CUSTOM

THE BOOT CAMPAIGN stands for serving those who have given so much for our country, and we couldn't be more proud to stand with them on this special edition 1911. We could not find a more fitting name for this model than Hero.

HANDGUN SELECTION GUIDE	6
1911 PISTOLS	8
TWO-TONE II	10
STAINLESS™ II	11
TLE™ II	12
<u>ECLIPSE™</u>	14
WARRIOR®	15
<u>CDP™</u>	16
SUPER CARRY™	17
CRIMSON CARRY™ II	18

AEGIS ELITE CUSTOM (01)

AEGIS ELITE

would be a long process and brings it to a dealer near

FOUNDED ON THE idea that custom work does not

have to take custom time, Kimber again takes what

you-mini red dot sight (MRDS) mounted 1911s.

See page 23

RAPTOR™ II	19
MASTER CARRY™	20
<u>COVERT™</u>	21
КНХ	22
AEGIS ELITE	23
GOLD MATCH™ II	24
RIMFIRE CONVERSION KITS	25
SPECIAL EDITIONS	26
CUSTOM SHOP	28
MICRO PISTOLS	32



HUNTER, OPEN COUNTRY, ADVANCED TACTICAL SOC II

Expanding our popular Hunter platform to include two new patterns, a low-visibility black barrel and action, and a limited Boot Campaign edition, our Hunter rifle will truly have a model for every hunter. Our Advanced Tactical SOC II is updated with a McCree stock in Sniper Gray and FDE, built for Law Enforcement and long-range precision competitors. Open Country expands to the .308 Win. and the new Granite stock with KimPro[®] II black barrel and action.





HANDGUNS

TRUST IS NOT GIVEN LIGHTLY. IT'S EARNED IN THE FIELD.





HANDGUN SELECTION GUIDE

 $MICRO^{TM}$.380 ACP pistols include many proven 1911 design elements that make them comfortable to carry, quick and safe to operate, and easy to shoot accurately. With a starting weight of 13.4 ounces and barrel length of 2.75 inches, they are well-suited for concealed carry. Mild .380 ACP recoil, smooth single-action trigger pull and well-designed sights make them a pleasure to shoot. They are also a perfect fit for any size hand.

- Short 2.75-inch barrel and thin profile ensures concealability
- With a starting weight of 13.4 ounces, Micro pistols are easy to carry
- Smaller grip dimensions provide a good fit for all hand sizes

MICRO 9^{TM} pistols bring the 9mm caliber to our popular Micro family. Continuing with the concealable size and comfortable ergonomics of the Micro pistols, the Micro 9 pistols are equally safe and easy to shoot accurately. Only a small step up in size, they have a starting weight of 15.6 ounces and a barrel length of 3.15 inches. Manageable 9mm recoil, a smooth single-action trigger pull, available in a variety of finishes and sights, there is a Micro 9 for every shooter.

- Short 3.15-inch barrel and thin profile ensures concealability
- With a starting weight of 15.6 ounces, Micro 9 pistols are easy to carry
- Smaller grip dimensions provide a good fit for all hand sizes



ULTRA+TM models combine the 3-inch barrel and light weight of Ultra models with a full-length grip for improved recoil control. They are a better fit for shooters with large hands and accept full-length magazines with additional capacity. Weighing just 27 ounces (2 ounces more than an Ultra) the increased control provided by the full-length grip is a significant advantage for many shooters, improving accuracy and reducing time between shots.

- · Barrel is just 3 inches long for easy concealment
- Full-length grip fits shooters with larger hands
- · Weighing just 27 ounces, Ultra+ pistols are easy to carry
- Available in .45 ACP





 PRO^{TM} models may be the best all-around 1911 configuration, combining a 4-inch barrel with a full-length grip. It is certain to be an ideal choice for concealed carry, personal defense or general use. Some have lightweight aluminum frames while others have heavier steel frames, and two models include the Kimber Tactical RailTM for mounting lights and accessories. All have a near-perfect balance that makes shooting them easy, accurate and fun.

- Barrel is 4 inches long to optimize balance and concealability
- Full-length grip fits shooters with larger hands
- Frame options permit a model selection that meets multiple needs
 Available in 2 calibers



Each of these pistols overlays the image of a custom-size 1911 for comparison.



 $K\,6\,s^{\circledast}$ models have a 6-round capacity, compact frame and cylinder, and a 2- or 3-inch barrel. There is an internal hammer, and edges are rounded and blended so they are less likely to hang up on clothing. For those that require power in a small package with mild recoil, the K6s fits the bill as it is designed to handle both .357 Magnum and .38 Special +P ammunition. This makes them well-suited for backup or concealed carry.

- · Compact 6-round capacity cylinder
- 2- or 3-inch barrel
- Ergonomic grip design for easy recoil control
- Available .357 Magnum/.38 Special



CUSTOM[™] models are full-size 1911 pistols featuring a 5-inch barrel and full-length grip. The most popular configuration, they are favored by law enforcement professionals and competition shooters. Slightly heavier and with a greater distance between sights, they are easier to shoot accurately and have reduced felt recoil. The slim profile and outstanding 1911 ergonomics make them well-suited for duty, personal defense and general use.

- Full-length grip fits shooters with larger hands
- Barrel is 5 inches long for optimal velocity and accuracy
- · Wide selection of models for any application
- Available in 4 calibers



Each of these pistols overlays the image of a custom-size 1911 for comparison.

 $U\,L\,T\,R\,A^{\mbox{\tiny TM}}$ models are easy to conceal and comfortable to carry with their 3-inch bull barrels and short grips. Most frames are made from aluminum rather than steel to reduce weight. While light pistols do have a slight increase in felt recoil, this is minimized by Kimber's recoil system and unequaled 1911 ergonomics. Ultra pistols are the smallest and lightest 1911 pistols offered today, but Kimber quality helps ensure this does not compromise either dependability or accuracy.

- · Barrel is just 3 inches long for easy concealment
- Short grip for concealability and comfortable carry
- Most Ultra models weigh just 25 ounces
- Available in 2 calibers



LS models are full-size 1911 pistols featuring a 6-inch barrel and full-length grip. An ideal configuration for competition or as a hunting side-arm, the Long Slide 1911s are a popular platform at the range and in the field because of their inherent accuracy and recoil reducing weight.


- Full-length grip fits shooters with larger hands
- · Barrel is 6 inches long for optimal velocity and accuracy
- · Porting, optics installed, adjustable sights, rounded heel frame are among features on these models
- Available in 2 calibers





ACCURACY, DEPENDABILITY and meaningful features determine the true quality of a pistol. On the strength of quality, Kimber[®] has become the world's largest pro-

ducer of 1911 pistols. Compare a Kimber 1911 with any other brand—or any other type of semi-automatic—and see why Kimber is What All Guns Should Be^{TM} .



Kimber[®] builds the world's finest 1911 pistols to the tightest tolerances right here in America. Moreover, each critical component is manufactured inside the Kimber factories; getting it right means doing it yourself. The finest raw materials form the foundation and Kimber does the rest, ensuring every part meets unequaled standards. America's best shooters, including legendary SWAT units and United States Marines assigned

to the U.S. Special Operations Command, have chosen Kimber for its quality, dependability and accuracy. So should you. Descriptions of each Kimber 1911 family of pistols are presented throughout the following pages. To locate your nearest Kimber Master Dealer or find complete descriptions of each model pictured in this catalog, visit kimberamerica.com.

MORE THAN A COLLECTION OF PARTS. A STATEMENT OF PRINCIPLE.

IC. IS

TWO-TONE II

Two-tone slide and frame finish

Chamber and barrel are machined from solid stainless steel to critical match grade dimensions

Brush-polished slide flats

Kimber's match grade trigger breaks crisp and clean at 4-5 pounds

Three hole trigger

The features detailed above are offered in addition to the standard features found on every kimber 1911 listed on page 8.

MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Custom II™ (Two-Tone)	3200301	.45 ACP	5	38
Custom II™ (Two-Tone)	3200334	9mm	5	38
Pro Carry II™ (Two-Tone)	3200320	.45 ACP	4	28
Pro Carry II™ (Two-Tone)	3200333	9mm	4	28
Ultra Carry II™ (Two-Tone)	3200321	.45 ACP	3	25
Ultra Carry II™ (Two-Tone)	3200332	9mm	3	25


A complete presentation of specifications and features begins on page 74.

GETTING BACK TO BASICS has never looked so good. The Kimber Two-Tone family has no-nonsense features that promote intuitive operation and dependability, including lowered and flared ejection ports, machined dovetail mounted sights and edges that are rounded and blended for comfortable

 (\mathbf{C})

ULTRA CARRY II (TWO-TONE)

carry. The classic two-tone slide and frame finish is accented by rosewood grips. Offering two caliber options in all three sizes, this Kimber 1911 is a perfect choice for concealed carry or personal defense.



ULTRA GARRY II


0

XU277080

CONSERV 11

Please note: a "II" in the

model name designates the Kimber Firing Pin Safety



THE ACCURACY, dependability and renowned Kimber features of this family set the standard against which all other 1911 brands and models are measured. Their legendary performance has made Kimber the world's largest producer of 1911 pistols. The Stainless II is built entirely from stainless steel while the Pro and Ultra models have stainless steel slides and lightweight aluminum frames. The Stainless Target (LS), new for 2018, brings the 6-inch barrel length and series I configuration to this benchmark family. Combine these foundations with the slim nature of the 1911 and you have the cornerstone in carry and concealability.





THE TLE (Tactical Law Enforcement) family of pistols is well-suited for duty carry, tactical applications and personal protection. This group of 1911s features an integrated mainspring lanyard slot, aggressive G-10 grips and a flat top slide. Created for and in cooperation with law enforcement and military experts, TLE models are professional tools outfitted with performance-enhancing features that also meet the defensive pistol needs of civilians. Available with barrels threaded for suppression, extended magwell (EM) options and a variety of rail and caliber options, the TLE family offers a configuration that meets almost any requirement. When you carry a Kimber, you carry with absolute confidence.




A complete presentation of specifications and features begins on page 74.

1911 | 13



KIMBER ECLIPSE PISTOLS feature all-steel construction with a brush-polished slide over a new charcoal gray frame while matte black small parts provide an appropriate finishing touch. Custom Shop additions include 30 lines-per-inch checkering on the front strap and a Premium Aluminum TriggerTM. While the Eclipse


finish is striking, performance is what matters. All models can be chambered in .45 ACP, and the Eclipse Custom is also available in 10mm. The Eclipse Target features adjustable target sights and is available in .38 Super and .45 ACP. All models are completed with G-10 grips. Performance has never looked so good.






WARRIOR MODELS ARE HIGHLY REFINED technical pistols loaded with features that enhance real-world performance — they are the realization of the 1911 as a tool of military and law enforcement. The Kimber Tactical Rail permits the quick and secure mounting of accessories, Tactical Wedge night sights ensure low-light performance, and new G-10 grips as well as aggresive 24 lines-per-inch front strap checkering ensure a secure grip. Standard features include a military-length guide rod for quick field takedown, tough new KimPro[®] II self-lubricating finish, ambidextrous thumb safety and a lanyard slot for additional retention options. Warrior models are offered in a variety of finish options, and two are available with barrels threaded for suppression, making this family of pistols the perfect choice for personal protection or home defense.






CDP (CUSTOM DEFENSE PACKAGE) pistols combine all the best carry features into a package that gives them their name. Adding these features during production reduces the price of these pistols by over \$600, making them an incredible value. Featuring tritium night sights dovetail mounted on a stainless steel slide, flush cut barrel, and the lightweight aluminum frame has 30 lines-per-inch checkering on the front strap and trigger guard. The frame, slide and small parts wear our KimPro[®] II finishes that are self-lubricating and resistant to moisture and salt. The Carry Melt[™] treatment rounds and blends edges so they will not hang up on clothing. The Ultra-sized pistol features a Round Heel Frame and flush-cut barrel. Available in 4 sizes and configurations for any concealed carry or personal defense application, CDP pistols have no equal for carry and defense—just what you expect from Kimber.






SUPER CARRY .45 ACP PISTOLS establish a new standard for concealed carry and personal defense. They were designed with a single purpose: to be the finest concealed carry pistols ever offered. Super Carry models have a lightweight aluminum frame specifically for lightweight carry. All have specialized features like night sights with cocking shoulder, directionally engaging slide serrations for positive operation and a Round Heel Frame for snag-free and comfortable carry. There is no better pistol to have on your side.






HAVING CONFIDENCE in a carry pistol is critical. Every Crimson Carry pistol has a lightweight aluminum frame for easy carry, and each is fitted with Crimson Trace Lasergrips® that project a bright red or green dot visible in virtually any light. Crimson Trace Lasergrips® are among the finest laser sights available, providing a significant psychological and practical application that increases both speed and accuracy under stress. The combination of Crimson Trace Lasergrips® with Kimber quality and dependability make Crimson Carry II pistols an unbeatable value. Available in three sizes, these pistols are well-suited for personal defense, concealed carry and home defense.





RAPTOR PISTOLS TAKE their name from a combination of aggressive slide and frame serrations, feathered logo grips and special scaled texturing accents. While this patented design is unique, the features, dependability and accuracy are pure Kimber. Tritium night sights, ambidextrous thumb safety and a bumped and grooved grip safety are all standard with the Raptor family. Stainless Raptors offer a choice of calibers, 9mm or .45 ACP, and all Ultra models feature a Round Heel Frame. The quality of the Kimber 1911 rivals America's finest gunsmiths; hold a Raptor and see for yourself.






THE MASTER CARRY FAMILY of .45 ACP pistols combine Kimber performance and popular concealed carry features into one extraordinary package. Tactical Wedge tritium night sights, a Round Heel Frame with serrated mainspring housing and Crimson Trace Master Series[™] Lasergrips[®] are all standard. KimPro[®] II finish on the slide provides additional resistance to


the elements, and rounded edges on the frame and slide will not snag clothing or holsters. The Master Carry Custom has a stainless steel frame, while the Master Carry Pro and the Master Carry Ultra have lightweight aluminum frames. Whichever you choose, any member of the Master Carry family is sure to meet every need.





THE NEW COVERT .45 ACP PISTOLS are the perfect combination of light weight and meaningful features. With a gray color palette, flushcut barrel and Round Heel Frame on Ultra models, Covert pistols feature both Crimson Trace Lasergrips® and Tactical Wedge tritium night sights; two sight systems that will ensure you acquire your sight picture regardless of light conditions. The 30 lines-per-inch front strap checkering with a bordered base helps ensure a positive grip even


with cold, wet or gloved hands. The Carry Melt[™] treatment contours, rounds and blends all edges so they will not snag on clothing or holsters. A bumped and grooved beavertail grip safety provides control under stress, while the mainspring housing with lanyard slot on the Custom and Pro models add an extra level of safeguard if needed. Kimber Covert quality ensures unequaled accuracy and dependability; there is no reason to be afraid of the dark.





KHX 1911s are loaded with features that set them apart. Hexagonal serrations on the slide and topstrap, Stiplex frontstrap surfacing, fiber optic ledged sights, a partnership with the industry's leading grip company, Hogue®, has all of the models wearing their MagGrip system that brings the grip surface to the mainspring housing. KHX Ultra, Pro, and Custom models wear the laser equipped MagGrips that feature a red laser.

Optics Ready (OR) models are milled to accept plates for some of the most popular mini red dot sights available today. Pro and Ultra models have a rounded heel frame for comfort and reduced printing during carry. Completely finished in KimPro® II gray with black small parts, these aggressively styled 1911s will find themselves at home on the range or on your person.





ANOTHER BRAND-NEW FAMILY making its debut in 2018 is the Aegis Elite. Rounded heel frames and two-tone styling completed with G-10 Cyclone patterned grips make these standouts in any environment. AEX pattern serrations are a stylish answer to the practical need for grip surface during reloads. Aegis Elite feature fiber optic sights on the Ultra, Pro, and Custom models, while the Optics Installed (OI) Pro and Custom models have the Vortex[®] Venom[®] Red Dot, with a 6MOA dot, milled and installed before leaving Kimber. Remaining true to Kimber's original purpose, this puts an otherwise custom gun within the reach of every shooter's hands.





GOLD MATCH PISTOLS deliver a standard of performance unequaled by any other brand or model of production 1911, and they best many full-custom pistols as well. Each Gold Match model has a stainless steel match grade barrel fitted by hand for exceptional accuracy and looks as good as it shoots, with flat surfaces polished to a high shine and contrasting satin over the curves. Features include an ambidextrous thumb safety, adjustable sights, serrated flat top slide, match grade Premium Aluminum Trigger[™], 30 lines-per-inch front strap checkering and elegant rosewood grips. Team Match[®] II wears Kimber's tough KimPro[®] II finishes on both the frame and slide, and features an engraved 24-karat gold USA Shooting logo. Designed for competition, the accuracy and dependability of Gold Match pistols have made them a favorite for all-around use.



RIMFIRE CONVERSION KITS



A complete presentation of specifications and features begins on page 75.

SHOOTING A RIMFIRE is an effective way to teach new shooters and enhance the training of others, regardless of their level of experience. Our Rimfire Target Conversion Kit[™] (fits 4- and 5-inch barrel models) and Rimfire Compact Conversion Kit[™] (fits 3- and 4-inch barrel models) are compatible with

Kimber and most other MIL-SPEC 1911 pistols. Conversion kits are designed to operate with high velocity .22 LR ammunition. Adding a Rimfire Conversion Kit to any 1911 gives you two pistols in one and pays for itself in just a few hundred rounds.

1911 | 25



KIMBER CONTINUES IN ITS TRADITION of providing custom finishes and features that stand out in a crowd. Making a statement above and beyond the ordinary, the Kimber Custom Shop offers striking gem-tone finishes with the quality and dependability you expect. Both the gemstone and precious metal collections feature polished PVD-finished slides and small parts. Slides are accented by intricate engraving and topped with tritium night sights. Coordinating grips are slim, allowing for increased hand contact for any size of hand. The RMEF[®] Camp Guard 10^{TM} , the ultimate backcountry protection, and Stainless II (Engraved Edition), a beautiful testiment to skilled engraving, find themselves in good company with the Hero Custom new for 2018 and in partnership with the Boot Campaign. With Kimber, performance and reliability are not compromised when unique finishing details are desired.



A complete presentation of specifications and features begins on page 75.

28

38

3200298

3000233

Camp Guard 10™

9mm

Amethyst Ultra™ II

Stainless™ II (Classic Engraved Edition) 3200314

1911 | 27


3200319

9mm

.45 ACF

38

CUSTOM SHOP




EACH UNIQUE MODEL found in the Kimber Custom Shop Collection is superlative in every respect, from features to accuracy to dependability. They are the finest representatives of their class. Each pistol is pictured on these pages with a list of their key features; for more information on each model, please visit kimberamerica.com or call (888) 243-4522. From the Super Jägare™ designed for hunting to the enhanced concealed carry features of the Ultra RCP™ II (LG) and every form, function and elegant style in between, these are collectively the finest 1911 pistols available today.



MODEL	ITEM	CALIBER	BARREL (Inches)	(Ounces)
Classic Carry Pro™	3000277	.45 ACP	4	35
Ultra RCP™ II (LG)*	3200302	.45 ACP	3	25
Gold Combat™ II	3200184	.45 ACP	5	39
Gold Combat RL™ II	3200186	.45 ACP	5	40
Gold Combat Stainless™ II	3200185	.45 ACP	5	39
Super Match™ II	3200309	.45 ACP	5	39
Royal™ II	3200263	.45 ACP	5	38
Super Jägare™	3000278	10 m m	6	42

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 75.

1911 | 29






DETAILS THAT SET US APART.

a statestic

handguns | 31






With a starting weight of 13.4 ounces and a barrel length of 2.75 inches, Kimber Micro[™] .380 ACP and 9mm pistols are easy to carry and conceal. Micro barrels are machined from stainless steel for superior resistance to moisture, and all Micro frames are shaped from the finest aluminum for integrity and strength. In many respects a miniature 1911, the Micro offers important design advantages like a single-action trigger with a short, smooth pull that ensures accuracy and builds confidence. Its thumb safety, slide stop and magazine release are pure 1911 as well. Standard features include a lowered and flared ejection port for flawless ejection and a beveled magazine well for fast, positive loading. Sights are steel – not plastic – and mounted in machined dovetails for additional integrity. Each Micro includes an extended 7-round magazine; flush-fitting 6-round magazines are available. Well-suited for all shooters, including those with small hands and those who insist on mild recoil, Micro provides power for concealed carry, home protection and many other applications in our smallest platform yet. Best of all, they offer unequaled Kimber quality, dependability and performance.

MICRO PISTOLS



CLASSIC, COMPACT AND ELEGANT PROTECTION.





recoil and simple operation for the hands of shooters with no sacrifice on quality and performance. For 2018, we have extended to our .380 ACP models three of our popular 1911 Eclipse, and the Micro TLE. Collectively these are the most refined, ultra-compact .380 ACPs available today.

MICRO PISTOLS





MICRO PISTOLS





THE MICRO 9[™] GROUP of pistols put legendary Kimber dependability into a small 1911-like platform. 9mm power and simple operation make these pistols an ideal choice for many shooters. Twenty-one models are available, providing a selection of features that meet virtually any need. For 2018, the Micro 9 welcomes eight new model options with features found on some of our most popular 1911 families. Collectively, they are among the finest ultra-compact 9mm hammer-fired pistols anyone can carry.

MICRO PISTOLS



	MODEL	ITEM	CALIBER	BARREL (Inches)	(Ounces)
NEW	Micro 9™ Eclipse	3300189	9mm	3.15	15.6
NEW	Micro 9™ Covert*	3300187	9mm	3.15	15.6
NEW	Micro 9™ TLE	3300191	9mm	3.15	15.6
	Micro 9™ (LG)*	3300176	9mm	3.15	15.6
	Micro 9™ Woodland Night*	3300110	9mm	3.15	15.6

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 76.



MODEL	ITEM	CALIBER	BARREL (Inches)	(Ounces)
Micro 9™ Desert Tan (LG)*	3300168	9mm	3.15	15.6
Micro 9™ Stainless Raptor	3300109	9mm	3.15	15.6
Micro 9™ Sapphire	3300111	9mm	3.15	15.6
Micro 9™ Rose Gold	3300174	9mm	3.15	15.6

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 76.

MICRO PISTOLS



	MODEL	ITEM	CALIBER	BARREL (Inches)	(Ounces)
	Micro 9™ Bel Air	3300110	9mm	3.15	15.6
	Micro 9 Crimson Carry*	3300101	9mm	3.15	15.6
	Micro 9™ Two-Tone	3300099	9mm	3.15	15.6
NEW	Micro 9™ Two-Tone (DN)	3300195	9mm	3.15	15.6

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 76.

micro | 41



	MODEL	ITEM	CALIBER	BARREL (Inches)	(Ounces)
	Micro 9 Desert Night (LG)*	3300175	9mm	3.15	15.6
EW	Micro 9 Desert Night (DN)	3300197	9mm	3.15	15.6
	Micro 9™ Stainless	3300158	9mm	3.15	15.6
EW	Micro 9™ Stainless (DN)	3300193	9mm	3.15	15.6

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 76.

MICRO PISTOLS



	MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
	Micro 9™ CDP (LG)*	3300098	9mm	3.15	15.6
	Micro 9™ CDP	3300097	9mm	3.15	15.6
NEW	Micro 9™ CDP (DN)	3300196	9mm	3.15	15.6
NEW	Micro 9™ Nightfall (DN)	3300194	9mm	3.15	15.6


*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 76.

micro | 43





KIMBER K6s[™] REVOLVERS set the bar for concealed carry revolvers by bringing an unmatched level of performance and shootability to concealed carry. Compact and light with the smallest .357 Magnum cylinder ever offered and a light, no-stack trigger, the K6s blends superior ergonomics and simple operation. Kimber K6s is the revolver of the next generation.




THE KIMBER K6s[™] IS AMONG THE MOST ACCURATE, shootable and dependable compact revolvers available today. Delivering on size and power, the K6s is the smallest 6-shot revolver on the market today that is specifically designed to fire .357 Magnum defensive

ammunition. Mild recoil and a smooth double-action trigger pull make these revolvers a pleasure to shoot. Kimber engineers pushed the envelope to create the smallest and most comfortable .357 Magnum ever.

K6s REVOLVER

EVOLVING THE REVOLVER.



K6s REVOLVERS



With the smallest cylinder capable of holding 6 rounds of .357 Magnum (also compatible with .38 Special) offered today, K6s™ compact revolvers are well-suited for backup, concealed carry and home defense. The small frame, 2- and 3-inch barrel and 1.39-inch diameter cylinders are machined from the finest stainless steel for superior integrity, strength and resistance to moisture. The K6s offers important design features, including an advanced double-action trigger with a short, smooth, no-stack trigger that creates confidence while ensuring accuracy. The hammer is internal and edges are rounded and blended to prevent hang up when the revolver is removed from concealment. 2018 brings the addition of the first 3-inch barrel for the K6s family, the K6s Stainless (3"), as well as two 2-inch barreled models, the classic K6s CDP and the sleek K6s DC. For those who require a small package with mild recoil, K6s provides the power needed for concealed carry, home protection and many other applications. Best of all, they offer unequaled Kimber quality, dependability and performance.

K6s REVOLVER







RIFLE SELECTION GUIDE

CUSTOM DETAILS AND FEATURES FOUND STANDARD ON ALL KIMBER RIFLES:

Straight comb stock design projects recoil into the shoulder, not up and over or into the cheekbone Positive 3-position wing safety with serrated lever is the finest ever designed Full-length Mauser claw extractor delivers superior controlled round feeding and extraction Crisp, factoryset matchgrade trigger Four actions are designed around caliber families so you never have to carry more weight than you need


On the following pages you will find model details unique to each model in addition to the features outlined on this page.

THE KIMBER BRAND GOES BACK TO 1979, and its rifles have been favored by discriminating hunters and shooters ever since. Kimber offers a wide selection of classic sporting, hard-core hunting, unique varmint and no-compromise tactical rifles. Each is based on an action size designed with minimal dimensions for the cartridge's family. Accuracy is the best measure of rifle quality, and reliability follows. Each rifle is guaranteed under the Kimber SUB MOA Accuracy Standard.



KIMBER RIFLES OFFER A COMBINATION OF FEATURES that set them apart from other production brands. Barrels, chambers and triggers are crafted with critical match grade dimensions for unmatched accuracy. All of Kimber's rifles are controlled round feed. Pillar and glass bedding add strength and ensure that nothing shifts under recoil or during rough use. Walnut stocks are finished and checkered by hand, and reinforced carbon fiber stocks are the

RIFLES



84M 84M ACTION FEATURES

• The 84M (Medium) action has minimal dimensions for cartridges ranging from .204 Ruger to .308 Win.

- As part of the lightest production rifles available today, this action is built for short bolt travel and allows for faster operation
- Barrel is an optimal length for the flattest trajectory and superior accuracy
- Magazine capacity is 3-6 rounds, depending on caliber chambering
- Available in 19 models and 9 calibers



- The 84L (Long) action has the minimal diameter of the 84M but is slightly longer to fit America's most popular and powerful hunting cartridges, such as the .270 Winchester and .30-06 Springfield
- The lightest rifle in its class
- Barrel is an optimal length for the flattest trajectory and superior accuracy
- Magazine capacity is 3-5 rounds, depending on caliber chambering
- Available in 9 models and 4 calibers

Barrel and chamber machined to critical match grade dimensions with rigid quality control ensures exceptional accuracy

*This dimension is 2.40 inches in actions chambered for .204 Ruger and .223 Rem.



- The 8400 SM (Short Magnum) action sized for Short Magnum cartridges has a greater diameter but remains as short as possible to reduce weight and ensure proper balance
- · Barrel is the proper length for maximum velocity and flat trajectory
- Ideal for almost any North American big game
- Magazine capacity is 3-4 rounds, depending on caliber chambering
- Available in 8 models and 4 calibers




- The 8400 LM (Long Magnum) action has the additional length required by some of the world's most powerful cartridges, such as .300 Winchester Magnum and .458 Lott
- Suitable for hunting both large and dangerous game
- Barrel is the proper length for maximum velocity and balance
- Magazine capacity is 3-5 rounds, depending on caliber chambering
- Available in 8 models and 6 calibers

finest worn by any production rifle. Descriptions of each rifle family are presented throughout the following pages, and more than 2,000 Kimber Master Dealers across America stand ready to assist in the selection of a model that will meet your needs. To locate your nearest Kimber Master Dealer, find complete information on each model or view product videos, please visit kimberamerica.com.

rifles | 51

TRADITIONAL



KIMBER'S TRADITIONAL BIG-GAME RIFLES offer an unequaled combination of features, elegance and performance. All actions have minimal dimensions for the cartridges they chamber, permitting a trim overall profile that reduces weight by as much as two pounds. All traditional rifles include critical design features that ensure performance and dependability. Stocks are born of fine walnut and then checkered and finished by hand. The elegant pillar and glass bedded sporter stock is carefully shaped and dimensioned from fine walnut for both recoil control and quick pointability. This properly dimensioned classic stock and recoilabsorbing 1-inch Pachmayr Decelerator® recoil pad diminish felt recoil. The Kimber-designed straight comb stock slides back into the shoulder, not up into the cheekbone. A sculpted steel bottom metal has a floorplate release inside the trigger bow that prevents accidental opening. Just as hunting is more than a sport, a Kimber traditional rifle is more than just a rifle.

RIFLES



HUNTER



A complete presentation of specifications and features begins on page 77.

RIFLES



THE KIMBER HUNTER offers our legendary accuracy and performance paired with a patent-pending synthetic stock and removeable box magazine. Three new models join the original Hunter rifle, with barrel and receiver now being available in low-profile, matte-black KimPro® II finish, and stocks available in Realtree Edge[™] pattern and Kryptek Highlander[™]. Paired with a barrel and action in finish that controls light reflection and an incredibly popular pattern, the Hunter (Realtree $Edge^{TM}$) is a winning combination for our Northeastern hunters. Our Boot Campaign rifle carries the Boot Campaign logo engraved on the barrel, and a portion of the proceeds go directly to this charity that works to help veterans across the United States. Chambered in a wide selection of calibers, this rifle family offers the ideal combinations for any type of game.

hunter | 55




MOUNTAIN




*Barrel not threaded A complete presentation of specifications and features begins on page 77.

Montana™

A C C U R A C Y S T A N D A R D




A TRUE MOUNTAIN RIFLE must be light and accurate—hardcore hunters understand. Montana[™], Adirondack[™], Mountain Ascent[™], and Subalpine models are the lightest production biggame rifles ever offered, delivering legendary Kimber accuracy yet still weighing as little as 4 pounds, 13 ounces. Reinforced carbon fiber stocks add strength, and stainless steel shrugs the elements. All Kimber Mountain rifles offer a threaded barrel for optional use of muzzle brakes and suppressors. Montana and Subalpine rifles combine all the best Kimber features in a lightweight, stainless steel and reinforced carbon fiber package that helps ensure performance. Adirondack and Mountain Ascent models go even further. Featuring a combination of spiral fluted bolt body and hollow bolt knob, the Adirondack is compact for fast maneuvering. The Mountain Ascent has additional custom features, including a fluted barrel and muzzle brake to reduce felt recoil. Both wear Gore™ Optifade™ soft-touch stock treatments that blend into any environment and ship with matte black ring mounts. Optifade ring mounts and muzzle brake accessories are available separately. These rifles have no equal.




RIFLES



DANGEROUS GAME





KIMBER DANGEROUS GAME rifles deliver unwavering reliability and charge-stopping energy. Equally important, they have critical features absent from other production rifles in heavy calibers. The Caprivi™ is designed for Africa and the Talkeetna™ is ready for the unpredictable weather of Alaska — places were Kimber quality takes on a whole new level of importance. The Model 8400 Caprivi has a AA-grade French walnut stock with a hand-rubbed oil finish, 24 lines-per-inch wrap-around checkering, ebony forend tip and traditional pancake cheek piece. It also has a 3-leaf island express sight with the fixed leaf regulated for 50 yards. The Talkeetna has a stainless steel barreled action and reinforced carbon fiber stock — the finest ever offered in a production dangerous game rifle — and is mounted with a single-leaf express sight. Both the Caprivi and Talkeetna have a full-length Mauser claw extractor for true controlled-round feeding and extraction, plus a 3-position safety that is positive, quiet and fast. A barrel band sling swivel stud will not contact the forward hand during recoil. Front sights on both of these rifles are hooded and adjustable for elevation, and both folders remain green for custom regulation. These are the best production dangerous game rifles available, and the game they were designed to hunt deserve nothing less.



OPEN RANGE

NEW OPEN COUNTRY (GRANITE)

> Custom carbon fiber stock has pillar bedding in a textured granite color

Full-length Mauser claw extractor delivers superior controlled round feeding and extraction Stainless steel barrel, action and bottom metal wear a KimPro® II black finish

OPEN COUNTRY








NEW NEW NEW

	MODEL	ITEM	CALIBER
	Open Country	3000782	6.5 Creedmoor
1	Open Country	3000862	.308 Win.
1	Open Country (Granite)		6.5 Creedmoor
1	Open Country (Granite)	3000860	.308 Win
	LongMaster® Classic™	3000641	.223 Rem.
	LongMaster® Classic™	3000410	.308 Win.

A complete presentation of specifications and features begins on page 77.

RIFLES



The features detailed on these pages are offered in addition to the standard features found on every rifle listed on page 50.

OUR OPEN RANGE rifles come with fluted, heavy barrels, in both wood and carbon fiber stocks, giving you all the advantages a hunter would demand for accuracy in that environment. The Longmaster Classic keeps with tradition and offers the heavy, contoured barrel in a beautiful A-grade walnut stock. Open Country delivers tack-driving performance in a manageable long-range rifle. The Open Country's hand laid carbon graphite stock lends strength without excessive weight. The finish on the new Open Country (Granite) stock gives a slight texture to help weld grip and give confidence in feel no matter the conditions. For our hunters interested in a patterned rifle, the Open Country stock has a soft touch finish in Gore[™] Optifade[™] Open Country. Threaded barrels give shooters the option to add accessories of their choice. Now available in .308 Win. and 6.5 Creedmoor in both models, the Open Country rifle is an ideal choice for those long-distance, open-range hunts.

VARMINT



The features detailed on these pages are offered in addition to the standard features found on every rifle listed on page 50.



MODEL	ITEM	CALIBER
Varmint™	3000650	.204 Ruger
Varmint™	3000601	.22-250 Rem.
Pro Varmint™	3000671	.204 Ruger
Pro Varmint™	3000638	.223 Rem.
Pro Varmint™	3000639	.22-250 Rem.
SVT TM	3000647	.223 Rem.
LongMaster® VT™	3000409	.22-250 Rem.

A complete presentation of specifications and features begins on page 77.

RIFLES



VARMINT AND HEAVY BARRELED RIFLES MUST DELIVER pinpoint accuracy with absolute consistency regardless of field conditions. This group of Kimber rifles ensures this level of performance through a combination of match grade components, careful bedding and proper design. Light to heavy, there is a Kimber varmint rifle for any type of predator hunting or varmint shooting. Varmint[™] and Pro Varmint[™] models are perfect for hunters who move and call. SVT[™] (Short Varmint/ Target) and LongMaster[®] VT[™] (Varmint Target) are best suited for a day overlooking a prairie dog town. The Varmint configuration has a heavy target stock shaped from ultra-stable laminated wood blanks. A high comb and deep pistol grip with palm swell is well-suited for shooting prone or from a bench. All models have sculpted steel bottom metal with a floorplate release inside the trigger guard, which is both functional and elegant. Four specialized models cover it all, from predator calling to working from a stand.



TACTICAL






KIMBER BUILDS NO-COMPROMISE tactical rifles to help meet the requirements of military or law enforcement professionals. In these arenas, the need for accuracy and dependability takes on a new meaning. Kimber tactical rifles have match grade barrels, chambers and triggers for the highest degree of accuracy. Each action features a full-length Mauser claw extractor for the superior dependability of controlled-round feeding plus an extended bolt handle with an oversized bolt knob for positive operation regardless of field conditions. The Model 84M LPT™ (Light Police Tactical) is a light urban tactical rifle offering the advantages of short-barreled portability. The Patrol Tactical™ is a tough, full-sized model with a reinforced carbon fiber stock configured for optimum stability from any position. Advanced Tactical SOC II rifles received a complete update to their chassis. Now shipping with a McRees Precision custom stock for Kimber in two color options—FDE and Sniper Gray—they feature a left folding stock that allows for bolt manipulation while folded, a 4-point adjustable cheek weld for a versatile level of personalization, M-LOK® slots, tripod mount, and stock pack. The match grade dimensions of the Advanced Tactical[™] SOC II and Advanced Tactical SRC II barrels are verified with an air gauge to ensure accuracy, and every rifle is built by hand, guaranteeing each to have fired a 3-shot group measuring .5 MOA prior to shipping. From a short, light configuration for fast deployment to heavier models with advanced features for long-range precision, Kimber tactical rifles are ready for anything.

tactical | 67





A RIFLE FOR EVERY JOURNEY.

O P T I C S

A PERFECT MATCH for the Kimber Mountain Ascent[™] and Adirondack[™] rifles, the Zeiss Conquest V6 (offered in Gore[™] Optifade[™] Open Country and Elevated patterns) offers premium German optical performance and field versatility in a compact, lightweight yet rugged body. The newly enhanced optical design provides extremely bright images and contrast for precision shooting, even at high magnifications and in low light conditions.



OPTICS

AN EXCELLENT CHOICE for the Kimber Subalpine rifle, the Leupold VX[®]-6HD is begging to go where other scopes can't, featuring new High-Definition lenses for sharpened clarity, and the Twilight MaxTM Light Management System for even

greater low-light performance. An in-scope cant indicator, throw lever for fast magnification changes and a robust erector system makes the VX-6HD ready for almost anything and everything.

terve lens diameter 42mm 42mm 42mm 42mm 42mm 42mm 42mm 42mm 42mm 42mm 42mm 42mm 24mm 24mm 24mm 47m 42m	2X 12X 3X 1aX re lens diameter 42mm 44mm 44mm ge lens diameter 42mm 142mm 24mm 00 yds 575 102 382 69 32 ln. 337 ln. 337 ln. 17000000000000000000000000000000000000	JPOLD VX®-6HD	2-12 x 4 (30m CDS-	nm)	3-18 x (30r CDS	nm)
neter 21mm 3.5mm 14.7mm 2.4mm it to oyds 575 102 38.2 69 3.8 In. 3.7 In. 3.8 In. 3.7 In. ent to oyds 120 MOA 75 MOA er click 1.4 MOA 1.4 MOA 9 20 10 38.0 In 30 In er click 1.6 MOA 1.9 Ge 16.8 oz 1.7 J9 Ze rs 17.255 17.209 OPTIFADE TM INE PATTERN Guard-ION hydrophobic lens coating protects lenses from	inter 21mm 35m 147mm 24mm 69 yis 975 102 69 38 m. 37m. 37m. 120 MOA 120 MOA 120 MOA 121 MOA 30mn Agen/Krystein Agen/Krystein Agen/Krystein Agen/Krystein Agen/Krystein 122 Sin 132 Sin 132 Sin 132 Sin 122 Sin 132 Sin 132 Sin 132 Sin 133 Sin 132 Sin 147 Circle Sin Sin 147 Sin Sin 150 Sin Circle Sin Sin Sin 11 Sin 160 Circle Sin	ification	2X	12X	ЗX	18X
tered 2.4mm 2.4mm 2.4mm 2.4mm 2.4mm 2.4mm 4.4mm	me Linim Linim Linim Linim 00 yds 975 102 382 69 38 nc 32 nc 37 nc 120 wold 12 MAA 75 MOA itter 30 nm Aggen/Kygton Aggen/Kygton Aggen/Kygton yst yst 12251 1351n 168 oz 19 oz 172955 173295	objective lens diameter	42mm	42mm	44mm	44mm
ht rubyes 5/5 102 382 0.9 3.8 in. 3.7 in. 3.8 in. 3.7 in. 3.8 in. 3.7 in. 3.8 in. 3.7 in. 3.0 m ret rubyed 1/4 MOA reter 30mm Nygon Krypton yes yes yes 125 in 135 in 16.6 oz 19 oz 17255 172209 OPTIFADE™ INE PATTERN Guard-1ON hydrophobic lens coating protects lenses from	bu yes 5/3 10,2 33 in. 37 in. 33 in. 37 in. 30 MOA 75 MOA the 10 MOA 11/4 MOA the 30 mm 30 mm 30 mm 4 agon/Kypton Aggon/Kypton yes yes 125 in 135 in 168 ago 19 ogo 172955 173209 PPTIFADE™ FE PATTERN Guard-10N hydrophobic lens coating protects lenses from the elements MODEL LEME	meter	21mm	3.5mm	14.7mm	2.4mm
avel 120 M0A 75 M0A t 1/4 M0A 1/4 M0A Agon/Krypton Argon/Krypton ys ys ys 125 in 135 in 16.6 ac 19 ac 172955 173209 TIFADE TM E PATTERN Guard-10N hydrophobic lens coating protects lenses from	avel 120 MOA 75 MOA ik 114 MOA 114 MOA 30mm 30mm 30mm Ageor/Krypton Ageor/Krypton Ageor/Krypton yes yes 125 in 135 in 168.02 19 oz 172309 Inscription PTIFADETM Trans Inscription Inscription Cuard-10N hydrophobic lens coating protects lenses from the elements Inscription All VX*-6HD MODEL MODEL Item	yds	57.5	10.2	38.2	6.9
1/4 MOA 1/4 MOA 30mm 30mm Argon/Krypton Argon/Krypton ys ys 125 in 135 in 16.8 oz 19 oz 172955 173209	1/4 MOA 1/4 MOA 30mn 30mn Agon/Kypton Agon/Kypton yes yes 125in 135in 168 zz 19 zz 172955 173209 FIFADE ^M PATTERN Guard-ION hydrophobic lens coating protects lenses from the elements MODEL MODEL IMAGE </td <td></td> <td>3.8 i</td> <td>in.</td> <td>3.7</td> <td>in.</td>		3.8 i	in.	3.7	in.
30mm 30mm Argon/Krypton Argon/Krypton yes yes 125in 135in 16.8oz 19oz 172955 173209	Somm Somm Agon/Krypton Agon/Krypton YS YS 125 in 135 in 168 ac 19 cz 172955 17309 Itabers Stratem Guard-ION hydrophobic lens coating protects lenses from the elements MODEL	avel	120 M	IOA	75 N	IOA
Argon/Krypton Argon/Krypton yes yes 12.5 in 13.5 in 16.8 oz 19 oz 172955 173209	Argon/Krypton Argon/Krypton ys ys 125 in 135 in 168 az 19 az 172955 173209 IFADE™ PATTERN Guard-ION hydrophobic lens coating protects lenses from the elements MODEL IDEL		1/4 M	10A	1/4 M	NOA
yes yes 125 in 135 in 168 oz 19 oz 172955 173209	ys ys 125in 135in 166α 1902 17255 17329 IFADE™ PATTERN Guard-ION hydrophobic lens coating protects lenses from the elements MODEL IEM		30m	ım	30r	nm
125 in 135 in 168 oz 19 oz 17295 17209	125 in 135 in 168 oz 19 oz 17295 173209 IFADE™ PATTERN Guard-ION hydrophobic lens coating protects lenses from the elements MODEL It is the element of the e		Argon/Ki	rypton	Argon/ł	Grypton
168 oz 19 oz 172955 173209 IFADE™ In-scope cant indicator reticle blinks when the level, for precise moun long-range accuracy IFADE™ Guard-10N hydrophobic lens coating protects lenses from	18.8∞ 19.∞ 17295 17329 IFADE™ In-scope cant indicator PATTERN In-scope cant indicator Guard-10N hydrophobic lens In-scope cant indicator coating protects lenses from In-scope cant indicator MODEL ITEM		yes	s	ye	es
17295 173209 ITFADE™ PATTERN Guard-ION hydrophobic lens coating protects lenses from	17255 17200 ITFADE™ In-scope cant indicator FIFADE™ In-scope cant indicator PATTERN In-scope cant indicator Guard-10N hydrophobic lens In-scope cant indicator coating protects lenses from In-scope cant indicator MODEL ITEM		12.5	in	13.5	5 in
PTIFADE™ E PATTERN Guard-ION hydrophobic lens coating protects lenses from	TIFADE™ E PATTERN Guard-ION hydrophobic lens coating protects lenses from the elements MDEL IEM		16.8	oz	19	oz
TIFADE™ PATTERN Guard-ION hydrophobic lens coating protects lenses from	TIFADE™ PATTERN Guard-ION hydrophobic lens coating protects lenses from the elements MODEL ITEM		1729	955	173	209
	MODELITEMLeupold Scope: 2-12X42mm / Firedot Triton / Subalpine4100178Leupold Scope: 3-18X44mm / Firedot Triton / Subalpine4100179	M OPTIFADE™	ÖZ			

PEPPERBLASTER II

STOP THREATS AT A DISTANCE



Technology, ergonomics and unmatched performance make PepperBlaster[®] II the most effective less-lethal protection

- A powerful solution of 10% Oleoresin Capsicum (OC) combines with benzyl alcohol to create the most effective inflammatory agent available. Effects are immediate and last up to 60 minutes.
- PepperBlaster[®] II uses patented Jet Protector Technology to propel two separate blasts of potent OC at 112 mph. This speed keeps each blast on target and reduces the risk of blowback or drift. Unlike sprays, PepperBlaster does not lose pressure over time.

available today. PepperBlaster isn't spray, it's better. Don't spray...shoot.

- PepperBlaster II has an effective range of up to 13 feet, stopping threats at a distance. The unit does not have to be vertically indexed like sprays and can be fired from any angle or position.
- The non-aerosol pyrotechnic delivery system is not affected by cold or heat and blasts straight through wind and rain. This delivery system is capable of accurate placement and enough force to wrap around glasses or penetrate masks.

ACCESSORIES



MAGAZINES

Kimber[®] pistol magazines are available in an assortment of finishes, sizes and calibers. 1911 magazines fit Kimber pistols, plus almost any brand and model of MIL-SPEC 1911. The KimPro® Tac-Mag[®] is the finest 1911.45 ACP magazine

available today. Each has a quick-change system that permits immediate attachment of three included bases, along with large round count holes that read at a glance. Two sizes of Micro[™] and Micro 9[™] magazines are available. Standard and extended options available for both.



KIMBER CUSTOM SHOP

The Kimber Custom Shop[™] can guickly and professionally modify or personalize any Kimber pistol. Services include installation of night sights, custom finishes, part replacement, checkering, melts, custom parts and tuning.



GRIPS

Kimber offers a full selection of premium grips and Crimson Trace Lasergrips® that fit almost any brand of 1911 pistol, regardless of caliber. Many feature hand-cut checkering and hand finishing. Crimson Trace Lasergrips[®] are also available for Micro[™] and Micro 9[™] pistols. Premium hex head grip screw sets are offered separately and add a finishing touch.




LOGO GEAR

Kimber offers a wide variety of logo apparel and gear, and the selection is always growing. Visit store.kimberamerica.com for a complete presentation.



HOLSTERS

An assortment of fine leather holsters and magazine carriers with the Kimber logo are available for Kimber 1911, Micro™ and Micro 9[™] pistols. Kimber holsters also may fit other brands of MIL-SPEC 1911 pistols.



A selection of scopes, mounting systems for any application, along with extended bolt handles, leather logo slings, patterned slings to match your rifles, and other items are available to complete your rifle set up.

Kimber® pistols and rifles are shipped with a California-approved cable lock as a safety measure. Additionally, 1911 pistols are shipped in a lockable high-impact case, and both Micro and Solo® pistols are shipped in a lockable soft case. Use of the cable lock is encouraged at all times when a firearm is in storage. Kimber owners may request a free cable lock by mail. Please contact our customer service department at 888-243-4522.

Kimber firearms and less-lethal products should only be purchased and used in complete compliance with all laws; national, state and local. All suggestions for use in this catalog, or in any Kimber litera-ture, must be taken within the context of these laws. Customers and dealers are required to comply with all applicable laws.

All Kimber centerfire 1911 and Solo pistols now include the Loaded Chamber Indicator Port[®] feature. When a round is in the chamber and light is available, the brass or silver color of the shell casing should be visible through the port in the barrel hood. This feature is another example of Kimber's commitment to firearm safety. However, one must never assume a firearm is unloaded until both the chamber and magazine are empty and the magazine is removed. Even then, all established rules of firearm safety must always be followed. Micro pistols do not have the Loaded Chamber Indicator Port[®] feature.

Firearm safety is every gun owner's responsibility. Use and store all firearms safely. Teach everyone in your home, especially children, proper firearm safety.

Kimber less-lethal products contain a strong irritant (inflammatory agent) derived from cayenne peppers. Avoid contact with skin and eyes. In case of contact, flush with water for at least 15 minutes. Seek immediate medical attention if symptoms persist or worsen. Always keep Kimber less-lethal products out of the reach of children. There is risk of injury to eyes if used at less than the minimum saf distances specified in the product instruction manual. Kimber less-lethal products may be unlawful to own or possess in some states and jurisdictions. Check with your state and local authorities. Use of Kimber less-lethal products for any purpose except lawful self-defense may be a crime. U.S. PAT. 6,951,070B2. n safe

Certain products may not be available for sale in certain states.

©2018, Kimber Mfg., Inc. All rights reserved. The absence herein of any product name, mark, logo, etc. does not constitute a waiver by Kimber Mfg., Inc. of any intellectual property rights that Kimber Mfg., Inc. may own. Information and specifications presented are for reference only and subject to change without notice at any time. Company names other than Kimber Mfg., Inc. mentioned herein, and such other companies' respective product names, may be trademarks of such respective companies.

accessories | 73

	1911 PIST Specificat				Γ				magazine							ty	safety	Frame	ard (LPI)		rd				Slide				:	Barrel				Sights		Grij	os	Trig	ger (spi
	SPECIFICAI	10	113		California*	es)	les)	(Si	w/empty.	capacity	(spunod) f		ent			us thumb safety	grooved grip s	checkering (LPI)	inder trigger gua	magazine well	der trigger gua	Frame	ıny rail			ions		les)			(left hand)			nt Sights	es)				ing (appx. pour
	Model	Page	Footnotes	Caliber	Available in	Height (inches)	Length (inches)	Width (inche	Weight (ounces)	Magazine c	Recoil spring	Guide rod	Melt treatm	Material	Einish	Ambidextro	Bumped & g	Front strap	Checkering u	Extended m	High cut un	Round Heel	1913 Picatinny	a Material	Finish	Front serrat	Flat top	Length (inch	Material*	Bushing	Twist rate	Ramped	Black	Tritium Night Sigh	Radius (inch	Material	Kimber logo	Type	Factory sett
	Ultra Carry™ II (Two-Tone) Ultra Carry™ II (Two-Tone)	10		.45 ACP 9mm		4.75 4.75	6.8 6.8	1.28 1.28	25 25	7	18 16	FG FG		AL	SIL									ST ST	MB, BP MB, BP		-	3	SS SS		16 16	•	FLP FLP		4.8 4.8	RW		AL AL	4-5 4-5
	Pro Carry™ II (Two-Tone)	10		.45 ACP		5.25	7.7	1.28	28	7	22	FG		AL	SIL									ST	MB, BP			4	SS		16		FLP		5.7	RW		AL	4-5
	Pro Carry™ II (Two-Tone) Custom II™ (Two-Tone)	10		9mm .45 ACP		5.25 5.25	7.7 8.7	1.28	28 38	9	14 16	FG FG		AL SS	SIL SIL, BP					-	-	_	-	ST ST	MB, BP MB, BP		-	4	SS SS		16 16	•	FLP FLP		5.7 6.8	RW	-	AL AL	4-5 4-5
	Custom II™ (Two-Tone)	10		9mm		5.25	8.7	1.28	38	7	12	FG		SS	SIL, BP									ST	MB, BP	•		5	SS		16	•	FLP		6.8	RW		AL	4-5
	Stainless Ultra Carry™ II	11		.45 ACP		4.75	6.8	1.28	25	7	18	FG		AL	SIL									SS	SIL			3	SS		16	•	FLP	FO	4.8	RW	·	AL	4-5
	Stainless Ultra Carry™ II Stainless Pro Carry™ II	11		9mm .45 ACP		4.75 5.25	6.8 7.7	1.28	25 28	8	16 22	FG FG		AL	SIL					-	-	-	-	SS SS	SIL		-	3	SS SS		16 16	•	FLP FLP	F0 F0	4.8 5.7	RW	•	AL AL	4-5 4-5
	Stainless Pro Carry™ II	11		9mm		5.25	7.7	1.28	28	9	14	FG		AL	SIL									SS	SIL			4	SS		16	•	FLP	FO	5.7	RW	•	AL	4-5
	Stainless™ II	11		.45 ACP		5.25	8.7	1.28	38	7	16	FG		SS	SIL									SS	SIL	•		5	SS	•	16		FLP	FO	6.8	RW	•	AL	4-5
NEW	Stainless™ II Stainless Target™ (LS)	11		9mm .45 ACP	-	5.25 5.25	8.7 9.7	1.28	38 42	9 7	12 16	FG SL		SS SS	SIL SIL				_	-	-	-	-	SS SS	SIL SIL	•	-	5	SS SS	•	16 16	•	FLP KA	FO	6.8 7.8	RW	•	AL AL	4-5 4-5
NEW	Stainless Target™ (LS)	11		10mm	1	5.25	9.7	1.28	42	8	18.5	SL		SS	SIL									SS	SIL			6	SS	•	16		KA		7.8	RW	•	AL	4-5
	Stainless Target™ II	11		.45 ACP		5.25	8.7	1.28	38	7	16	FG		SS	SIL									SS	SIL	•		5	SS	•	16		KA	FO	6.8	RW	•	AL	4-5
	Stainless Target™ II Ultra TLE™ II	11		9mm .45 ACP	-	5.25 4.75	8.7 6.8	1.28 1.28	38 25	9	12 18	FG FG		SS AL	SIL MB			30		_	-		-	SS ST	SIL MB	•	_	5	SS SS	•	16 16	•	KA	F0 FLP	6.8 4.8	RW GT	· ·	AL AL	4-5 4-5
	Pro TLE™ II	13		.45 ACP		5.25	7.7	1.28	35	7	22	FG		ST	MB			30						ST	MB			4	55		16	·		FLP	4.8	GT		AL	4-5
	Pro TLE™ II (EM)	13		.45 ACP		5.5	7.7	1.28	35	7	22	FG		ST	MB			30		•				ST	MB		·	4	SS		16			FLP	5.7	GT		AL	4-5
	Pro TLE/RL™ II	13		.45 ACP .45 ACP		5.25	7.7	1.28	36	7	22	FG		ST ST	MB			30		_	-	-	·	ST ST	MB		·	4	SS SS		16			FLP	5.7	্ব ব		AL AL	4-5 4-5
	Custom TLE™ II Custom TLE™ II (EM)	13		.45 ACP		5.25	8.7 8.7	1.28 1.28	38 38	7	16 16	FG FG		ST	MB MB			30 30		•				ST	MB MB	•	·	5	SS	•	16 16			FLP	6.8 6.8	त ज		AL	4-5
	Custom TLE™ II	13		10mm		5.25	8.7	1.28	38	8	18.5	FG		ST	MB			30						ST	MB	•	·	5	SS	•	16	•		FLP	6.8	GT		AL	4-5
	Custom TLE/RL™ II Custom TLE/RL™ II (EM)	13		.45 ACP .45 ACP	-	5.25	8.7 8.7	1.28	39 39	7	16	FG FG		ST ST	MB MB			30 30			_		·	ST ST	MB MB	•	·	5	SS SS	•	16 16			FLP FLP	6.8 6.8	GT GT		AL AL	4-5 4-5
	Custom TLE/RL™ II (EM)	13		.45 ACP		5.25	8.7	1.28	39	8	16 18.5	FG		ST	MB			30		·		-	·	ST	MB	•	·	5	SS	•	16			FLP	6.8	GT		AL	4-5 4-5
	Custom TLE/RL [™] II (TFS)	13	9	.45 ACP		5.25	9.19	1.28	39	7	16	FG		ST	MB			30					·	ST	MB	•	·	5.5	SS	•	16			FC, SH	6.8	GT		AL	4-5
	Custom TLE/RL™ II (TFS)	13	9	9mm	_	5.25	9.19	1.28	39	9	12	FG		ST	MB			30			_	_	•	ST	MB	•	•	5.5	SS	•	16	•		FC, SH	6.8	ଗ		AL	4-5
	Stainless Ultra TLE™ II Stainless Pro TLE™ II	13		.45 ACP .45 ACP		4.75	6.8 7.7	1.28	25 35	7	18 22	FG FG		AL SS	SIL			30 30						SS SS	SIL		·	3	SS SS		16 16			FLP	4.8 5.7	GT GT		AL	4-5 4-5
	Stainless Pro TLE/RL™ II	13		.45 ACP		5.25	7.7	1.28	36	7	22	FG		SS	SIL			30					·	SS	SIL		·	4	SS		16			FLP	5.7	GT		AL	4-5
	Stainless TLE™ II	13		.45 ACP		5.25	8.7	1.28	38	7	16	FG		SS	SIL			30						SS	SIL	•	•	5	SS	•	16			FLP	6.8	GT		AL	4-5
	Stainless TLE/RL™ II Eclipse Pro™	13		.45 ACP .45 ACP	-	5.25	8.7 7.7	1.28	39 35	7	16 22	FG FG		SS SS	SIL			30 30					·	SS SS	SIL CG, BP	·	·	5	SS SS	·	16 16			FLP FLP	6.8 5.7	GT GT		AL PA	4-5 4-5
	Eclipse Custom™	14		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	G			30						SS	CG, BP	•		5	SS	•	16			FLP	6.8	GT		PA	4-5
	Eclipse Custom™	14		10mm		5.25	8.7	1.28	38	8	18.5	FG		SS	G			30						SS	CG, BP	•		5	SS	•	16	•		FLP	6.8	GT		PA	4–5
	Eclipse Target™ Eclipse Target™	14		.45 ACP .38 Super		5.25	8.7 8.7	1.28	38 38	8	16 16	FG FG		SS SS	G			30 30		_	-	-	-	SS SS	CG, BP CG, BP	•	-	5	SS SS	•	16 16			KA B/D KA B/D	6.8 6.8	র র		PA	4-5 4-5
	Warrior*	15	4, 10	.45 ACP		5.25	8.7	1.28	40	7	16	SL		ST	MB, KP	•	•	24					·	ST	DT, KP	•		5	SS	•	16			TW	6.8	GT		SA	4-5
	Desert Warrior*	15	4	.45 ACP		5.25	8.7	1.28	40	7	16	SL	SM	ST	DT, KP	•	•	24					•	ST	DT, KP	•		5	SS	•	16			TW	6.8	GT		SA	4-5
	Desert Warrior® (TFS) Warrior® SOC	15	4, 9 1, 4	.45 ACP .45 ACP	-	5.25	9.19 8.7	1.28 1.28	40 40	7	16 16	SL SL	SM SM	ST ST	DT, KP DE/DG, KP	•	•	24 24		_	_	_	÷	ST ST	DT, KP DE/DG, KP	•	-	5.5 5	SS SS	•	16 16			FC, SH TW	6.8 6.8	GT GT		SA SA	4-5 4-5
	Warrior® SOC (TFS)	15	1, 4, 9	.45 ACP	1	5.25	9.19	1.28	40	7	16	SL	SM	ST	DE/DG, KP	•	•	24					•	ST	DE/DG, KP	•		5.5	SS	•	16			FC, SH	6.8	GT		SA	4-5
	Ultra CDP™	16		.45 ACP		4.75	6.8	1.28	25	7	18	FG	CM	AL	CG, KP	•		30	30		•			SS	SIL, KP		·	3	SS		16	•		FLP	4.8	RW		PA	4–5
	Ultra CDP™ (LG) Ultra CDP™	16 16		.45 ACP 9mm	-	4.75 4.75	6.8 6.8	1.28 1.28	25 25	7	18 16	FG FG	CM CM	AL	CG, KP CG, KP	•		30 30	30 30		•	_	-	SS SS	SIL, KP SIL, KP		· ·	3	SS SS		16 38	•		FLP	4.8 4.8	RW, LG RW	· ·	PA PA	4-5 4-5
	Ultra+ CDP™	16		.45 ACP		5.25	6.8	1.28	27	7	16	FG	CM	AL	CG, KP	•		30	30		•			SS	SIL, KP		•	3	SS	-	16	•		FLP	4.8	RW		PA	4-5
	Pro CDP™	16		.45 ACP		5.25	7.7	1.28	28	7	22	FG	CM	AL	CG, KP	•		30	30		•			SS	SIL, KP		•	4	SS		16			FLP	5.7	RW		PA	4–5
	Pro CDP™ Custom CDP™	16 16		9mm .45 ACP	-	5.25	7.7 8.7	1.28 1.28	28 31	9	14 16	FG FG	CM CM	AL	CG, KP CG, KP	•		30 30	30 30	_	·	_	-	SS SS	SIL, KP SIL, KP		·	4	SS SS		16 16	ŀ		FLP	5.7 6.8	RW		PA PA	4-5 4-5
	Super Carry Ultra™	10	8	.45 ACP	1	4.75	6.8	1.20	25	7	18	FG	CM	AL	SIL	•		SC	50		•			SS	MB, KP		sc	3	55		16	•		FLP, CS	4.8	LW,MI		SA	4-5
	Super Carry Ultra+™	17	8	.45 ACP		5.25	6.8	1.28	27	8	18	FG	CM	AL	SIL	•		SC			•			SS	MB, KP		SC	3	SS		16	•		FLP, CS	4.8	LW,MI		SA	4-5
	Super Carry Pro™ Super Carry Custom™	17	8	.45 ACP .45 ACP		5.25	7.7 8.7	1.28 1.28	28 31	8	22 16	FG SL	CM CM	AL AL	SIL	•		SC SC			•			SS SS	MB, KP MB, KP	SC	SC SC	4	SS SS		16 16			FLP, CS FLP, CS	5.7 6.8	LW,MI LW,MI		SA SA	4-5 4-5
	Ultra Crimson Carry™II	17	o 3, 8	.45 ACP	1	4.75	6.8	1.28	25	° 7	18	FG	Cit	AL	SIL									ST	MB, NP MB	~	_	3	55		16	Ŀ	FLP	,.	4.8	RW, LG	·	AL	4-5
	Pro Crimson Carry™ II	18	3, 8	.45 ACP		5.25	7.7	1.28	28	8	22	FG		AL	SIL									ST	MB		1	4	SS		16		FLP		5.7	RW, LG	•	AL	4–5
	Custom Crimson Carry™ II Ultra Crimson Carry™ II	18	3, 8 3, 8	.45 ACP .45 ACP		5.25 4.75	8.7 6.8	1.28 1.28	31 25	8	16 18	FG FG		AL	SIL									ST ST	MB MB	•		5	SS SS	•	16 16		FLP FLP		6.8 4.8	RW, LG RW, LG	•	AL	4-5 4-5
	Pro Crimson Carry™ II	18	3, 8 3, 8	.45 ACP		5.25	7.7	1.28	23	8	22	FG		AL	SIL									ST	MB			4	55		16		FLP		4.0	RW, LG	•	AL	4-5
	Custom Crimson Carry™ II	18	3, 8	.45 ACP		5.25	8.7	1.28	31	8	16	FG		AL	SIL									ST	MB	•		5	SS	•	16		FLP		6.8	RW, LG	•	AL	4–5
	Ultra Raptor™ II Pro Raptor™ II	19 19		.45 ACP .45 ACP	·	4.75	6.8 7.7	1.28 1.28	25 35	7	18 22	FG FG		AL ST	MB MB	•	•	SR SR						ST ST	MB MB		BC BC	3	SS SS		16 16	·		TW TW	4.8	ZW ZW	•	AL AL	4-5 4-5
	Raptor [™] II	19		.45 ACP .45 ACP	1.	5.25	8.7	1.28	35	8	16	FG		21	MB MB, BP	•	•	SR SR						ST	MB, BP	SR	BC	4	55 55		16			TW	5./ 6.8	ZW	•	AL	4-5
	Stainless Ultra Raptor™ II	19		.45 ACP		4.75	6.8	1.28	25	7	18	FG		AL	SIL	•	•	SR						SS	SIL		BC	3	SS		16	•		TW	4.8	ZW	•	AL	4–5
	Stainless Ultra Raptor™ II	19		9mm		4.75	6.8	1.28	25	8	14	FG		AL	SIL	·	•	SR		_				SS	SIL		BC	3	SS		16	·		TW	4.8	ZW	L ·	AL	4-5
	Stainless Pro Raptor™ II Stainless Pro Raptor™ II	19 19		.45 ACP 9mm		5.25 5.25	7.7 7.7	1.28 1.28	35 35	8	22 14	FG FG		SS SS	SIL	•	•	SR SR						SS SS	SIL		BC BC	4	SS SS		16 16			TW	5.7 5.7	ZW ZW	•	AL AL	4-5 4-5
	Stainless Raptor™ II	19		.45 ACP	·	5.25	8.7	1.28	38	8	16	FG		SS	SIL, BP	•	•	SR						SS	SIL, BP	_	BC	5	SS		16			TW	6.8	ZW	•	AL	4–5
	Stainless Raptor™ II Grand Pantor™ II	19		9mm		5.25	8.7 9.7	1.28	38	8	12	FG		SS	SIL, BP	•	•	SR		_	_		4	SS	SIL, BP		BC	5	SS	•	16	$ \cdot $		TW	6.8	ZW	•	AL	4-5
	Grand Raptor™ II Master Carry Ultra™	19 20	7,8	.45 ACP .45 ACP		5.25 4.75	8.7 6.8	1.28 1.28	38 25	8 7	16 18	FG FG		SS AL	SIL SIL	-	•	SR		-	-		\neg	ST	MB, HP MB, KP	SR	BC	5	SS SS		16 16		FLP	KA B/D	6.8 4.8	RW MS	<u> </u>	AL AL	4-5 4-5
	Master Carry Pro™	20	7,8	.45 ACP	1	5.25	7.7	1.28	28	8	22	FG		AL	SIL									SS	MB, KP			4	SS		16		FLP		5.7	MS		AL	4–5
	Master Carry Pro™	20	7,8	9mm		5.25	7.7	1.28	28	9	14	FG		AL	SIL					-	_	_	[SS	MB, KP		_	4	SS		16		FLP		5.7	MS		AL	4-5
	Master Carry Custom™ Ultra Covert™	20	7,8	.45 ACP .45 ACP	1	5.25 4.75	8.7 6.8	1.28 1.28	38 25	8	16 18	FG FG	CM	SS AL	SIL CG, KP		•	30		-	-			SS SS	MB, KP CG, KP	•	\neg	5	SS SS	•	16 16		FLP	TW	6.8 4.8	MS UC, LG	· ·	AL AL	4-5 4-5
	Pro Covert™	21	4	.45 ACP		5.25	7.7	1.28	28	7	22	FG	CM	AL	CG, KP		•	30						SS	CG, KP			4	SS		16			TW	5.7	UC, LG	•	AL	4–5
	Custom Covert™	21	4	.45 ACP	1	5.25	8.7	1.28	31	7	16	SL	CM	AL	CG, KP		•	30						SS	CG, KP	•		5	SS	•	16			TW	6.8	UC, LG	•	AL	4-5

					_													Frame	2				_	_	Slid	e			B	arrel			Sights		Grip	s	Trig	ger
	1911 PISTOI Ecificatio		5		lifornia*	(9	s)) w/ empty magazine	acity	(spunod)		ıt			trous thumb safety	ooved gripsafety	checkering (LPI)	Checkering under trigger guard (LPI)	gazine well	er trigger guard	Frame	y rail			ns		es)			t hand)		Sights	(9				ig (appx. pounds)
	Model	Page	Footnotes	Caliber	Available in Califor	Height (inches)	Length (inche	Width (inches	Weight (ounces)	Magazine capa	Recoil spring	Guide rod	Melt treatme	Material	Finish	Ambidextrou	Bumped & grooved	Front strap ch	Checkeringun	Extended magazine	High cut under trigger	Round Heel F	1913 Picatinny	Material	Finish	Front serrations	Flat top	Length (inche	Material*	Bushing	Twist rate (left		Tritium Night	Radius (inche	Material	Kimber logo	Type	Factory setting (appx.
	Gold Match™ II	24		.45 ACP		5.25	8.7	1.28	38	8	16	FG		ST	MB, KP									ST	MB, KP		•	5	SS	•	16	KA		6.8	RW		PA	4–5
	Stainless Gold Match™ II	24		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	SIL, KP									SS	SIL, KP		•	5	SS	•	16	KA		6.8	RW		PA	4-5
	Team Match® II	24	2	.45 ACP		5.5	8.7	1.28	39	8	16	FG		SS	SIL, KP	•		30		·				SS	MB, KP	•		5	SS	•	16	KA		6.8	RW, LA	\square	PA	4-5
	Team Match® II	24	2	9mm		5.5	8.7	1.28	39	9	12	FG		SS	SIL, KP	•		30		•			_	SS	MB, KP	•		5	SS	•	16	KA		6.8	RW, LA	\square	PA	4-5
	Rimfire Compact Conversion Kit™	25		.22 LR			7.7		13	10		FG			_				_			_	_	AL	SIL			4	ST	•	16	FLP		5.7	_	\square	_	-
	Rimfire Compact Conversion Kit™	25		.22 LR			7.7		13	10		FG			-									AL	MB			4	ST	•	16	FLP		5.7	_	\square	_	-
	Rimfire Target Conversion Kit™	25		.22 LR			8.7		15	10		FG			-									AL	SIL	·		5	ST	·	16	KA		6.8	-	\square	-	-
	Rimfire Target Conversion Kit™	25		.22 LR			8.7		15	10		FG			_									AL	MB	•		5	ST	•	16	KA		6.8	_	$ \longrightarrow $	_	-
NEW	KHX Ultra	22		.45 ACP		4.75	6.8	1.28	25	7	18	FG		AL	KP			SP				·	_	SS	KP		·	3	SS		16	FO		4.8	GTMG, LEG		PA	4–5
NEW	KHX Ultra	22		9mm		4.75	6.8	1.28	25	8	16	FG		AL	KP			SP				•		SS	KP		•	3	SS		16	FO		4.8	GTMG, LEG		PA	4-5
NEW	KHX Pro	22		.45 ACP		5.25	7.7	1.28	35	7	22	FG		SS	KP			SP	_			•	_	SS	KP		·	4	SS	_	16	FO		5.7	GTMG, LEG		PA	4-5
NEW	KHX Pro	22		9mm		5.25	7.7	1.28	28	9	14	FG		SS	KP			SP				•		SS	KP		•	4	SS		16	FO		5.7	GTMG, LEG		PA	4-5
NEW	KHX Pro (OR)	22		.45 ACP		5.25	7.7	1.28	35	7	22	FG		SS	KP			SP	_			•	_	SS	KP		·	4	SS	_	16	OR/WD		5.7	GTMG		PA	4-5
NEW	KHX Pro (OR)	22		9mm		5.25	7.7	1.28	28	9	14	FG		SS	KP			SP				•		SS	KP		•	4	SS		16	OR/WD		5.7	GTMG		PA	4-5
NEW	KHX Custom	22		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	KP			SP		•				SS	KP	·	·	5	SS	·	16	FO		6.8	GTMG, LEG		PA	4–5
NEW	KHX Custom	22		9mm		5.25	8.7	1.28	38	9	12	FG		SS	KP			SP		•				SS	KP	•	•	5	SS	•	16	FO		6.8	GTMG, LEG		PA	4-5
NEW	KHX Custom (OR)	22		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	KP			SP		•				SS	KP	·	·	5	SS	·	16	OR/WD		6.8	GTMG		PA	4-5
NEW	KHX Custom (OR)	22		9mm		5.25	8.7	1.28	38	9	12	FG		SS	KP			SP		·			_	SS	KP	•	·	5	SS	•	16	OR/WD		6.8	GTMG		PA	4-5
NEW	Aegis Elite Ultra	23		.45 ACP		4.75	6.8	1.28	25	7	18	FG		AL	SIL			24				·		SS	KP			3	SS	_	16 •	FO		4.8	GT		PA	4-5
NEW	Aegis Elite Ultra	23		9mm		4.75	6.8	1.28	25	8	16	FG		AL	SIL			24				•		SS	KP			3	SS		16	FO		4.8	GT		PA	4-5
NEW	Aegis Elite Pro	23		.45 ACP		5.25	7.7	1.28	35	7	22	FG		SS	SIL			24	_			•	_	SS	KP			4	SS	_	16	FO		5.7	GT		PA	4-5
NEW	Aegis Elite Pro	23		9mm		5.25	7.7	1.28	28	9	14	FG		SS	SIL			24				•		SS	KP			4	SS		16	FO		5.7	GT		PA	4-5
NEW	Aegis Elite Pro (OI)	23		.45 ACP		5.25	7.7	1.28	35	7	22	FG		SS	SIL			24	_			•	_	SS	KP			4	SS		16	V			GT		PA	4-5
NEW	Aegis Elite Pro (OI)	23		9mm		5.25	7.7	1.28	28	9	14	FG		SS	SIL			24				•		SS	KP			4	SS		16	V			GT		PA	4-5
NEW	Aegis Elite Custom (OI)	23		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	SIL			24	_			•	_	SS	KP	·		5	SS	·	16	V			GT		PA	4-5
NEW	Aegis Elite Custom (OI)	23		9mm		5.25	8.7	1.28	38	9	12	FG		SS	SIL			24				•	_	SS	KP	·		5	SS	•	16	V			GT		PA	4-5
NEW	Aegis Elite Custom	23		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	SIL			24				•		SS	KP	•		5	SS	•	16	FO		6.8	GT		PA	4-5
NEW	Aegis Elite Custom	23		9mm		5.25	8.7	1.28	38	9	12	FG		SS	SIL			24				•	_	SS	KP	•		5	SS	•	16	FO		6.8	GT	\square	PA	4-5
	Sapphire Ultra™ II	27		9mm		4.75	6.8	1.15	25	8	16	FG	_	AL	SIL	·		BM	_	_	_	·		SS	BB			3	SS	_	16	_	TW	4.8	GT	\square	SA	4-5
	Sapphire Ultra™ II	27		.45 ACP		4.75	6.8	1.15	25	7	18	FG		AL	SIL	•		BM				•		SS	BB			3	SS	_	16		TW	4.8	GT	\leftarrow	SA	4-5
	Sapphire Pro™ II	27		9mm		5.25	7.7	1.28	28	9	14	FG		AL	SIL	•		BM	_	_	_	•		SS	BB			4	SS	_	16 •	_	TW	5.7	GT		SA	4-5
	Amethyst Ultra™ II	27		.45 ACP	-	4.75	6.8	1.15	25	7	18	FG		AL	SIL	•		BM				•		SS	AP			3	SS		16		TW	4.8	GT		SA	4-5
	Amethyst Ultra™ II	27		9mm		4.75	6.8	1.15	25	8	16	FG		AL	SIL	·		BM	_	_	_	·		SS	AP			3	SS	_	16 •	_	TW	4.8	GT		SA	4-5
	Rose Gold Ultra™ II	27		.45 ACP		4.75	6.8	1.15	25	7	18	FG		AL	MB, KP	•		BM			_	•		SS	RG			3	SS		16		TW	4.8	GT		SA	4-5
	Rose Gold Ultra™ II	27		9mm		4.75	6.8	1.15	25	8	16	FG		AL	MB, KP	·		BM	_	_	_	·		SS	RG			3	SS	_	16 •	_	TW	4.8	GT		SA	4-5
	Stainless™ II (Classic Engraved)	27		.45 ACP		5.25	8.7	1.28	38	7	16	FG		SS	SIL								_	SS	SIL	·		5	SS	•	16	FLP		6.8	W/MI		PA	4-5
	Camp Guard 10™	27		10mm		5.25	8.7	1.28	38	8	18.5	SL		SS	SIL			30				•	_	SS	MB, KP	·		5	SS	•	16		TW	6.8	RW		PA	4-5
NEW	Hero Custom	26	13	.45 ACP		5.25	8.7	1.28	38	8	16	FG																5	SS	•	16				GT			
	Super Jägare™	28	12	10mm		5.25	9.7	1.28	42	8	18.5	SL	СМ	SS	CG, KP	· ·		SC			·	·	_	SS	DLC		SC	6	SS	•	16	DP			MI		PA	4-5
	Super Match™ II	29	6, 11	.45 ACP		5.5	8.7	1.28	39	8	16	FG		SS	SIL	•		30	30	•	•			SS	MB, KP	FL	SE	5	SS	•	16	KA		6.8	W		PA	4-5
	Ultra RCP™ II (LG)	29		.45 ACP		4.75	6.8	1.28	25	7	18	FG	СМ	AL	CG, KP			BM				•			MB, KP						16			4.8	RW, LG		SA	4-5
	Classic Carry Pro™	29		.45 ACP		5.25	7.7	1.28	35	8	22	FG		ST	CB, BP										CB, BP						16		FLP, CS	5.7	GT		SA	4-5
	Royal™II	29		.45 ACP		5.25	8.7	1.28	38	7	16	FG		ST	CB, BP								_	ST	CB, BP	•		5	ST	•	16	FLP		6.8	BO	\square	SA	4-5
	Gold Combat™ II	29	6	.45 ACP		5.5	8.7	1.28	39	8	16	FG		SS	MB, P, KP	•		24	30	•	•			SS	MB, KP	FL	SE	5	SS		16		FLP, CS	6.8	GT		PA	4-5
	Gold Combat RL™ II	29	6	.45 ACP		5.5	8.7	1.28	40	8	16	FG		SS	MB, P, KP	•		24	30	•	•		_	SS	MB, KP	FL	SE	5	SS		16		FLP, CS	6.8	GT		PA	4–5
	Gold Combat Stainless™ II	29	6	.45 ACP		5.5	8.7	1.28	39	8	16	FG		SS	SIL, P, KP	•		24	30					SS	SIL, KP	FL	SE	5	SS		16		FLP, CS	6.8	GT		PA	4–5

*Barrel material for 1911 pistols available in California may be carbon steel rather than stainless steel where indicated.

FEATURE KEY

AL	Aluminum	FLP	Fixed low profile	Р	Polished flats
AP	Amethyst purple PVD finish	FLP, CS	Fixed low profile, cocking shoulder	PA	Premium Aluminum
BA	Bel Air Blue™ finish	FO	Fiber optic front sight	PF	Pau Ferro
BB	Bright blue PVD finish	FW	French walnut	RG	Rose gold PVD finish
BC	Back-cut serrations	GM	Gunmetal PVD finish	RW	Rosewood
BM	Ball-milled front strap	GRU	Gray Rubber	SA	Solid aluminum
BO	Bone	GT	G-10	SC	Super Carry [™] pattern
BP	Brush polished flats	GTMG	Hogue Magrip™ G-10 Mag Grip	SE	Serrations
BR	Black rubber	HF	Highly polished flats	SIL	Satin Silver
BRS	Brushed stainless finish	HP	High polish	SL	Standard or military-length guide rod
BS	Black synthetic	HS	Horizontal serrations	SM	Service Melt [™] treatment
CB	Charcoal blue	KP	KimPro® II	SP	Stiplex pattern
CG	Charcoal gray	KA	Kimber adjustable	SR	Scaled Raptor [™] pattern
СМ	Carry Melt [™] treatment	KA B/D	Kimber adjustable bar/dot	SS	Stainless steel
DE/DG	Dark earth/dark green	LG/LEG	Crimson Trace Lasergrips®/Hogue® Laser Enhanced Grip	ST	Steel
DLC	Diamond-Like Carbon coating	LW	Laminated wood	TW	Tactical Wedge
DT	Desert Tan	MB	Matte black	TL	Tactical Ledge
DP	DeltaPoint Pro optic	MI	Micarta	UC	Urban camouflage
FC, SH	Fixed cocking shoulder, suppressor height	MP	Mirror polished	V	Venom Optic
FG	Full-length guide rod	MS	Crimson Trace Master Series™ Lasergrips®	W	Walnut
FL	Fine line	OR	Optics ready	ZW	Zebrawood

FOOTNOTES

- The Warrior* SOC features a dark earth KimPro* II slide finish and dark green KimPro* II frame finish, Crimson Trace Rail Master[™] laser sight, lanyard slot and special grips with an aggressive texture.
 Team Match* II features a 24K gold U.S.A. Shooting Team logo on the slide.
- Team Match* II features a 24K gold U.S.A. Shooting Team logo on the slide.
 Crimson Carry models with Crimson Trace Lasergrips* that project a green
- beam are also available. 4. Warrior* models, along with the Pro Covert and Custom Covert, have a
- lanyard slot. 5. Ultra RCP II (LG) has a bobbed grip safety and thumb safety, smooth
- Gold Combat models, Super Match, Classic Carry Elite and the Classic Carry Pro have scalloped French shoulders that elegantly blend the slide to the
- frame. 7. Master Carry models have Crimson Trace Master Series[™] Lasergrips[®].
- 8. All Crimson Carry, Master Carry, and Super Carry models, along with the Classic Carry Pro, have a recessed slide stop pin.
- TFS models are threaded for suppression and include a removable thread protector cap.
 The Warrior* II is approved for sale in California and also available in other
- states. Similar to the Warrior*, it has a carbon steel barrel and the Kimber Series II Safety.™
- 11. Super Match has serrated rear of slide, flush magwell and flush fit barrel crown.
- 12. Super Jägare[™] has a ported barrel.
- Hero Custom features an American Flag engraving on the slide and Kryptek[®] Highlander[™] grips.

REVOLVER, MICRO & MICRO 9 SPECIFICATIONS

NEW

NEW

NEW

FEATURE KEY



ATIONS	-										Frame		Cy	/linder		Bar	rel		Sig	hts		Gri	ips	Trigger
Model	Page	Caliber	Available in California*	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) w/ empty cylinder	Cylinder capacity	Action	Material	Finish	Backstrap	Material	Finish	Length (inches)	Material	Finish	Black serrated	Tritium Night Sights	Fiber Optic	Radius (inches)	Material	Kimber logo	Factory setting (appx. pounds)
K6s® Stainless™	47	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS	•			4.1	BR	•	9.5-10.5
K6s® Stainless™ (LG)	47	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS	•			4.1	MS	•	9.5-10.5
K6s® Stainless™ (NS)	47	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS	•	•		4.1	BR	•	9.5-10.5
K6s® Stainless™ (3")	46	.357 Mag.	•	5	7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS	•			5.1	W		9.5-10.5
K6s® DCR™	47	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	SIL	SE	SS	SIL	2	SS	SIL			•	4.1	LW	•	9.5-10.5
1/4	47	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS/DLC	SE	SS	BRS/DLC	2	SS	BRS/DLC		•		4.1	GT	•	9.5-10.5
K6s® DC™																								

														Fran	ne		1	Slide		Barr	el			Sig	hts		Grip	os	Trig	ger
	Model	Bage 35	Footnotes	Caliber 40A 085:	 Height (inches) 	රි Length (inches)	Vidth (inches)	Weight (ounces) w/empty magazine	Magazine capacity	Recoil spring (pounds)	전 Guide rod	Melt treatment	P Material	2 Finish	Ambidextrous thumb safety	Front strap checkering (LPI)	ର Material	2 Finish	Length (inches)	S Material	ज Twist rate (left hand)	Ramped	White Dot Sights	Tritium Night Sights	TRUGLO TFX Pro Day/Night Sights	Radius (inches)	e Material	Kimber logo	Type VS	 Factory setting (appx. pounds)
	Micro Stainless Rosewood™		1,2			_				-	_	au		SIL	_	20		SIL	2.75			•	·			3.9	RW	•	\rightarrow	
	Micro CDP™	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB	•	30	SS	SIL	2.75	SS	16	•		•		3.9	RW		SA	7
	Micro CDP™ (LG)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB	_	30	SS	SIL	2.75	SS	16	•		•		3.9	RW, LG		SA	7
ł	Micro Raptor™	36 36	1,2	.380 ACP	4	5.6 5.6	1.07	13.4 13.4	7	8	FG FG		AL AL	MB SIL	•	SR SR	SS SS	MB	2.75	SS SS	16	•		•		3.9 3.9	ZW ZW		SA SA	7
	Micro Raptor Stainless™ Micro Carry Advocate™	37	1,2	.380 ACP .380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL	·	nc	SS	MB	2.75	SS	16 16	•		•		3.9	GT	Ŀ	SA	7
ł		37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL			55	MB	2.75	SS	16	•		•		3.9	GT		SA	7
ł	Micro Carry Advocate [™] purple/black grips Micro Crimson Carry [™]	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL			55	MB	2.75	SS	16	•		•		3.9	RW, LG		SA	7
	Micro Sapphire™	36	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL	•	BM	SS	BB	2.75	SS	16					3.9	GT	H	SA	7
ł	Micro Rose Gold	36	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL	•	BM	SS	RG	2.75	SS	16	•		•		3.9	GT		SA	7
	Micro Amethyst™	36	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL		BM	SS	AP	2.75	SS	16					3.9	GT		SA	7
h	Micro Bel Air™	36	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	BA		DIVI	SS	MP	2.75	SS	16			•		3.9	GT	H	SA	7
ł	Micro BCP™	30	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB	•	BM	SS	KP	2.75	SS	16		· ·	-		3.9	RW		SA	7
	Micro RCP™ (LG)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB		BM	SS	KP	2.75	SS	16	•				3.9	RW, LG		SA	7
ł	Micro DC [™]	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB		Dm	SS	MB	2.75	SS	16		-			3.9	GT		SA	7
	Micro DC™ (LG)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	MB			SS	MB	2.75	SS	16	•				3.9	BLK.LG		SA	7
ł	Micro™Two-Tone	36	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL	-		SS	MB	2.75	SS	16			-		3.9	RW		SA	7
ł	Micro Desert Night	35	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	DT, KP	_		SS	MB, KP	2.75	SS	16	•				3.9	GT		SA	7
ł	Micro Desert Tan (LG)	35	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	MB			SS	DT, KP	2.75	SS	16			_		3.9	DT, LG		SA	7
NEW	Micro Covert	34	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	CG		30	SS	CG, KP	2.75	SS	16	•				3.9	UC, LG		SA	7
NEW	Micro Eclipse	35	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	G	_	30	SS	P	2.75	SS	16					3.9	GT		SA	7
NEW	Micro TLE	35	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	MB		30	SS	MB	2.75	SS	16					3.9	GT		SA	7
	Micro 9™ Sapphire	40	1,2		4.07	6.1	1.08	15.6	7	16	FG	_	AL	SIL	•	BM	SS	BB	3.15	SS	16			•		4.3	GT	┝━┦	SA	7
ł	Micro 9™ Rose Gold	40	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL		BM	SS	RG	3.15	SS	16	•				4.3	GT		SA	7
ł	Micro 9™ Two-Tone	41	1,2	9mm	4.07	6.1	1.00	15.6	7	16	FG		AL	SIL	-	Dm	SS	MB	3.15	SS	16	•				4.3	RW		SA	7
	Micro 9™ Crimson Carry	41	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL, KP	_		SS	MB	3.15	SS	16					4.3	RW, LG	H	SA	7
ł	Micro 9™ Stainless	42	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL	_		SS	SIL	3.15	SS	16	•		-		4.3	RW		SA	7
ŀ	Micro 9™ CDP	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	CM	AL	MB		30	SS	SIL	3.15	SS	16			•		4.3	RW		SA	7
ł	Micro 9™ CDP (LG)	43	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG	CM	AL	MB	•	30	SS	SIL	3.15	SS	16	•		•		4.3	RW,LG		SA	7
ł	Micro 9 [™] Stainless Raptor	40	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL, KP	•	SR	SS	SIL	3.15	SS	16					4.3	ZW		SA	7
1	Micro 9™ Bel Air	41	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG	_	AL	BA	_		SS	MP	3.15	SS	16	•	•			4.3	GT		SA	7
Ì	Micro 9™ Desert Night (LG)	42	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	DT			SS	MB	3.15	SS	16	•	•			4.3	BLK, LG		SA	7
1	Micro 9™ (LG)	39	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB			SS	MB	3.15	SS	16	•	•			4.3	DT, LG		SA	7
Ì	Micro 9™ Desert Tan (LG)	40	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB			SS	DT, KP	3.15	SS	16	•	•			4.3	DT, LG		SA	7
i i	Micro 9™ Woodland Night (LG)	39	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	CG	_		SS	MB	3.15	SS	16	•	•			4.3	DG, LG		SA	7
NEW	Micro 9™ Stainless (DN)	42	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL			SS	SIL	3.15	SS	16				•	4.1	WG	•	SA	7
NEW	Micro 9™ Two-Tone (DN)	41	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL			SS	MB	3.15	SS	16	•			•	4.1	WG	•	SA	7
NEW	Micro 9 [™] Nightfall (DN)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB			SS	MB	3.15	SS	16	•			•	4.1	WG	•	SA	7
NEW	Micro 9 [™] Desert Night (DN)	42	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	DT			SS	MB	3.15	SS	16	•			•	4.1	WG	•	SA	7
NEW	Micro 9™ CDP (DN)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	CM	AL	MB	•	30	SS	SIL	3.15	SS	16	•			•	4.1	WG	•	SA	7
NEW	Micro 9™ Covert	39	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	CG		30	SS	CG, KP	3.15	SS	16	•		•		4.3	UC, LG		SA	7
NEW	Micro 9™ Eclipse	38	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	CG		30	SS	P	3.15	SS	16	•		•		4.3	GT		SA	7
NEW	Micro 9™ TLE	39	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB		30	SS	MB	3.15	SS	16	•		•		4.3	GT		SA	7
																											ن		لمست	

FEATURE KEY

AL	Aluminum	CG	Charcoal gray	FW	French walnut	MB	Matte black	SIL	Satin Silver
AP	Amethyst purple PVD finish	CM	Carry Melt [™] treatment	GM	Gunmetal PVD finish	MI	Micarta	SL	Standard or military-length guide rod
BA	Bel Air Blue™ finish	DE/DG	Dark earth/dark green	GRU	Gray Rubber	MP	Mirror polished	SM	Service Melt [™] treatment
BB	Bright blue PVD finish	DLC	Diamond-Like Carbon coating	GT	G-10	MS	Crimson Trace Master Series [™] Lasergrips [®]	SR	Scaled Raptor™ pattern
BC	Back-cut serrations	DT	Desert Tan	HF	Highly polished flats	Р	Polished flats	SS	Stainless steel
BM	Ball-milled front strap	DP	DeltaPoint Pro optic	HP	High polish	PA	Premium Aluminum	ST	Steel
BO	Bone	FC, SH		HS	Horizontal serrations	PF	Pau Ferro	TW	Tactical Wedge
BP	Brush polished flats	FG	Full-length guide rod	KP	KimPro® II	RG	Rose gold PVD finish	TL	Tactical Ledge
BR	Black rubber	FL	Fine line	KA	Kimber adjustable	RW	Rosewood	UC	Urban camouflage
BRS	Brushed stainless finish	FLP	Fixed low profile	KA B/D	Kimber adjustable bar/dot	SA	Solid aluminum	W	Walnut
BS	Black synthetic	FLP, CS	Fixed low profile, cocking shoulder	LG	Crimson Trace Lasergrips®	SC	Super Carry™ pattern	WG	Hogue Wraparound Grip
CB	Charcoal blue	FO	Fiber optic front sight	LW	Laminated wood	SE	Serrations	ZW	Zebrawood

FOOTNOTES

1. All magazine capacities are given with the extended magazines. Flush fit magazines capacity for both Micro 9™ and Micro are 6 rounds.

2. All Crimson Carry, Master Carry, Super Carry and Micro models, along with the Classic Carry Pro, have a recessed slide stop pin.

RIFLE SPECIFICATIONS CALIBER-SPECIFIC INFORMATION

						Stock			Barrel											Stock			Barrel				
Model	Caliber	Action	Page	Foo th otes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazin e capacity	Approx. weight (pounds/ounces) ¹	Overall length (inches)	Model	Caliber	Action	Page	Foo th otes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounces) ¹	Overall length (inches)
	.223 Rem.	84M	52	1	13.7	0.54	0.43	22	0.56	9	6	5/13	41.25		7mm-08 Rem.	84M	58	2	13.7	0.54	0.43	22	0.56	9	4	4/13	41.25
	.243 Win.	84M	52	1	13.7	0.54	0.43	22	0.56	10	5	5/13	41.25		.308 Win.	84M	58	2	13.7	0.54	0.43	22	0.56	10	4	4/13	41.25
	.257 Roberts	84M	52	1	13.7	0.54	0.43	22	0.56	10	5	5/12	41.25		6.5 Creedmoor	84M	58	2	13.7	0.54	0.43	22	0.56	8	4	4/14	41.25
	7mm-08 Rem.	84M	52	1	13.7	0.54	0.43	22	0.56	9	5	5/10	41.25		.270 Win.	84L	58	2	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75
	.308 Win.	84M	52	1	13.7	0.54	0.43	22	0.56	10	5	5/10	41.25	Mountain Ascent™	.280 Ack. Imp.	84L	58	2	13.8	0.54	0.43	24	0.56	9	4	5/6	43.75
	.25-06 Rem.	84L	52	1	13.8	0.54	0.43	24	0.56	10	5	6/3	43.75	Mountain Ascent	.30-06 Sprg.	84L	58	2	13.8	0.54	0.43	24	0.56	10	4	5/5	43.75
Classic Select Grade™	.270 Win.	84L	52	1	13.8	0.54	0.43	24	0.56	10	5	6/2	43.75		.300 WSM	8400 SM	58	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5
Classic Select Glade	.280 Ack. Imp.	84L	52	1	13.8	0.54	0.43	24	0.56	9	5	6/2	43.75		.270 WSM	8400 SM	58	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5
	.30-06 Sprg.	84L	52	1	13.8	0.54	0.43	24	0.56	10	5	6/2	43.75		.300 Win. Mag.	8400 LM	58	2	13.8	0.54	0.43	26	0.56	10	4	6/7	46.5
	.270 WSM	8400 SM	52	1	13.5	0.54	0.43	24	0.56	10	3	6/10	43.5		7mm Rem. Mag.	8400 LM	58	2	13.8	0.54	0.43	26	0.56	9.5	4	6/7	46.5
	.300 WSM	8400 SM	52	1	13.5	0.54	0.43	24	0.56	10	3	6/10	43.5		.308 Win.	84M	56		13.7	0.54	0.43	22	0.56	10	4	4/13	41.25
	7mm Rem. Mag.	8400 LM	52	1	13.8	0.54	0.43	26	0.56	9.5	4	7/4	46.5		.280 Ack. Imp.	84L	56		13.8	0.54	0.43	24	0.56	9	4	5/5	43.75
	.300 Win. Mag.	8400 LM	52	1	13.8	0.54	0.43	26	0.56	10	4	7/4	46.5	Subalpine	.30-06 Sprg.	84L	56		13.8	0.54	0.43	24	0.56	10	4	5/5	43.75
	.338 Win. Mag.	8400 LM	52	1	13.8	0.54	0.43	26	0.56	10	4	7/4	46.5		.300 WSM	8400 SM	56		13.5	0.54	0.43	24	0.56	10	3	5/12	43.5
SuperAmerica™	.308 Win.	84M	52	1	13.7	0.54	0.43	22	0.56	10	5	5/10	41.25		.300 Win. Mag.	8400 LM	56		13.8	0.54	0.43	26	0.56	10	4	6/7	46.5
	.243 Win	84M	54		13.7	0.54	0.43	22	0.56	10	3	5/10	41.25	Open Country NEW	6.5 Creedmoor	84M	62		13.8	0.54	0.43	24	0.85	8	4	6/15	43.25
	.257 Roberts	84M	54		13.7	0.54	0.43	22	0.56	10	3	5/10	41.25	Open Country New	.308 Win.	84M	62		13.8	0.54	0.43		0.56	10	4		
	6.5 Creedmoor	84M	54		13.7	0.54	0.43	22	0.56	8	3	5/9	41.25	Varmint	.204 Ruger	84M	64	1	13.8	0.54	0.43	24	0.69	12	6	7/5	43.25
Hunter	7mm-08 Rem.	84M	54		13.8	0.54	0.43	22	0.56	9	3	5/7	41.25	varmint	.22-250 Rem.	84M	64	1	13.8	0.54	0.43	26	0.69	14	5	7/9	45.25
Hunter	.308 Win.	84M	54		13.7	0.54	0.43	22	0.56	10	3	5/7	41.25	Law while show the Change is 10	.223 Rem.	84M	62	1	13.8	0.54	0.43	24	0.69	9	6	7/5	43.25
	.270 Win.	84L	54		13.8	0.54	0.43	24	0.56	10	3	5/13	43.75	LongMaster [®] Classic™	.308 Win.	84M	62	1	13.8	0.54	0.43	24	0.69	10	5	7/5	43.25
	.280 Ack. Imp.	84L	54		13.8	0.54	0.43	24	0.56	9	3	5/12	43.75		.204 Ruger	84M	64		13.8	0.54	0.43	24	0.85	12	6	8/0	43.25
	.30-06 Sprg	84L	54		13.8	0.54	0.43	24	0.56	10	3	5/11	43.75	Pro Varmint™	.223 Rem.	84M	64		13.8	0.54	0.43	24	0.85	9	6	8/0	43.25
	.223 Rem.	84M	56	4	13.7	0.54	0.43	22	0.56	9	5	5/6	41.25		.22-250 Rem.	84M	64		13.8	0.54	0.43	24	0.85	14	5	8/0	43.25
	.22-250 Rem.	84M	56	4	13.7	0.54	0.43	22	0.56	14	5	5/6	41.25	LongMaster®VT™	.22-250 Rem.	84M	65		14.1	1.75	0.25	26	1.05	14	5	10/0	45.25
	.243 Win.	84M	56	4	13.7	0.54	0.43	22	0.56	10	4	5/5	41.25	SVT™	.223 Rem.	84M	65		13.8	1.75	0.25	18.25	1.05	9	6	8/5	37.5
	.257 Roberts	84M	56	4	13.7	0.54	0.43	22	0.56	10	4	5/4	41.25		.375 H&H Mag.	8400 LM	60	1	13.8	0.49	0.59	24	0.7	12	4	8/10	44.5
	7mm-08 Rem.	84M	56	4	13.7	0.54	0.43	22	0.56	9	4	5/2	41.25	Caprivi™	.416 Rem. Mag.	8400 LM	60	1	13.8	0.49	0.59	24	0.7	14	4	8/9	44.5
	.308 Win.	84M	56	4	13.7	0.54	0.43	22	0.56	10	4	5/2	41.25		.458 Lott	8400 LM	60	1	13.8	0.49	0.59	24	0.7	14	3	8/8	44.5
	6.5 Creedmoor	84M	56	4	13.7	0.54	0.43	22	0.56	8	4	5/2	41.25	Talkeetna™	.375 H&H Mag.	8400 LM	60		13.8	0.49	0.59	24	0.7	12	4	7/12	44.5
Montana™	.25-06 Rem.	84L	56	4	13.8	0.54	0.43	24	0.56	10	4	5/10	43.75	LPT™	.223 Rem.	84M	66		13.8	0.54	0.43	22	0.85	9	6	8/0	41.25
	.270 Win.	84L	56	4	13.8	0.54	0.43	24	0.56	10	4	5/9	43.75	LF'I	.308 Win.	84M	66		13.8	0.54	0.43	22	0.85	10	5	8/0	41.25
	.280 Ack. Imp.	84L	56	4	13.8	0.54	0.43	24	0.56	9	4	5/8	43.75	Datual Tastical ^{IM}	.308 Win.	8400 SM	66		13.5	0.43	0.38	24	0.8	10	5	8/12	43.25
	.30-06 Sprg.	84L	56	4	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75	Patrol Tactical™	.300 Win. Mag.	8400 LM	66		13.5	0.43	0.38	26	0.72	10	5	9/9	45.25
	.270 WSM	8400 SM	56	4	13.5	0.54	0.43	24	0.56	10	3	6/3	43.5	Advanced Tactical [™] SRC NEW	.308 Win.	8400 LM	67	3	13.5	Adjust.	Adjust.	16	0.83	10	5	10/8	37
	.300 WSM	8400 SM	56	4	13.5	0.54	0.43	24	0.56	10	3	6/3	43.5	Advanced Tactical [™] SOC II NEW	.308 Win.	8400 SM	66	3	13.7	Adjust.	Adjust.	22	0.83	10	5	11/8	43
	.300 Win. Mag.	8400 LM	56	4	13.8	0.54	0.43	26	0.56	10	4	6/13	46.5		6.5 Creedmoor	8400 SM	66	3	13.7	Adjust.	Adjust.	22	0.83	8	5	11/8	43
	.338 Win. Mag.	8400 LM	56	4	13.8	0.54	0.43	26	0.56	10	4	6/13	46.5														
	7mm-08 Rem.	84M	58	4	13.7	0.54	0.43	18	0.59	9	4	4/13	37.25														
Adirondoct	.308 Win.	84M	58	4	13.7	0.54	0.43	18	0.59	10	4	4/13	37.25														
Adirondack™	.300 AAC Blackout	84M	58	4	13.7	0.54	0.43	16	0.86	7	4	4/13	35.25														
	6.5 Creedmoor	84M	58	4	13.7	0.54	0.43	18	0.59	8	4	4/14	37.25														

FOOTNOTES

1. Weight can vary as much as 8 ounces due to natural walnut density.

Barrel length indicated on Mountain Ascent rifles does not include muzzle brake.
 Advanced Tactical SRC II and Advanced Tactical SOC II rifles are shipped with one (1) 5-round detachable magazine. Additional 5- and 10-round magazines are available as an accessory.

Adirondak and Montana models have a threaded barrel and ship with a thread protector cap, but do not include a muzzle brake (which is available as an accessory). Adirondack also has a hollowed bolt knob.

RIFLE SPECIFICATIONS CONTINUE TO NEXT PAGE \rightarrow

	LE CATIONS FORMATION	Classic Select Gra de"	SuperAmerica"	Hunter New	Montana"	Adirondack"	Mountain Ascent"	Subalpine	Open Country NEW	Varmint	LongMaster* Classic**	Pro Varmint'"	LongMaster [®] VT™	SVT**	Caprivi*	Talkeetna""	LPT**	Patrol Tactical**	Advanced Tactical [™] SRCII NEW	
	A walnut									•	•									F
	AAA walnut		•																	⊢
	A French walnut AA French walnut	•																		⊢
a	Reinforced carbon fiber							· .							•					⊢
Material	Fiberglass composite																			
<	Polymer composite			•																
	Gray laminated wood											•	•	•						
	Laminated wood, black epoxy																•			L
	Aluminum																		•	-
Checkering	Coverage	Panel	Wrap	None	None	None	None	None	None	Panel	Panel	None	None	None	Wrap	None	None	None	None	
heck	Lines per inch Stippling	20	24	<u> </u>						20	20				24					⊢
	Ebony forend tip																			H
	Cheekpiece														•					F
	Hand-rubbed oil finish	•	•							•	•	•	•		•					Γ
	Optifade™ Elevated					•														
	Optifade™ Open Country						•		•											
Stock	Optifade [™] Subalpine							·												
×	Realtree* Edge			·																⊢
	Kryptek™ Highlander™ Granite			· ·																⊢
	Sniper Gray								•											⊢
	FDE																			F
	Howell-style inletted rear swivel stud																			F
	Front barrel band swivel stud														•	•				F
	Front sling swivel studs	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•		
Add	ditional front swivel stud for bipod								•			•					•	•		
	Rear sling swivel studs	•	•	· ·	•	•	•	· ·	•	•	•	•			•	•	•	•		
	Flush swivel cups (4)																		•	L
	Double crossbolts	1	1	1	1	1	1	1	1	0.5	0.5	1	0.5	0.5	•	1	1	1	1	⊢
	Recoil pad thickness (inches) Pachmayr Decelerator pad	1	1	1	1	1	1	1	1	0.5	0.5	1	0.5	0.5	1	1	1	1	1	⊢
	Kimber custom recoil pad		-	<u> </u>	-						-			-						F
	Pillar bedding						•								•					F
	Glass bedding	•	•							•	•	•	•	•	•	•	•	•		
	Aluminum chassis																		•	
	Steel grip cap	•	•							•	•	•			•					
erial	Steel	•	•												•		•	•		
Mate	Stainless steel																			Γ
	Highly polished blue																			F
	Matte black	•													•		•	•		Г
Finish	Satin stainless steel			•	•	•	•	•		•	•	•	•	•		•				Γ
Barrel Finis	KimPro [®] II Desert Tan																			
	KimPro® II Gray							·	•											L
	KimPro* II Black			·															•	⊢
	Express sights Fluting							<u> </u>							•	•				⊢
	Muzzle brake								-		-							-		┢
	Match grade chamber																•	•		F
ie i	Steel																			F
Mater																				⊢
2	Stainless steel			·	•	·	•	·	·			•				·			•	⊢
-	Matte black Highly polished blue	•								•	•		•	•	•		•	•		⊢
-	Satin stainless steel		•	<u> </u>																⊢
Finish	KimPro® II Desert Tan																			F
	KimPro® II Gray																			F
5	KimPro* II Black			•															•	F
Action Type	Front locking repeater	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
È	Mauser claw extractor	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Ĺ
음	Sporter	•	•	·	•		•	·		•	•		•	•	•	•				1
Bolthandle	Fluted, hollowed						•													⊢
Bolt	Varmint								•			•								⊢
	Tactical 3-position Model 70-type wing safety							<u> </u>									•	•	•	⊢
	Picatinny base set (2 pieces)											· ·		-						t
	Picatinny rail, 20 minutes elevation																	•	•	t
Trigger	Adjustable	•	•		•	•	•					•	•		•	•	•	•		ſ
	Factory setting (pull) pounds	3.5-4	3.5-4	3-3.5	3.5-4	3.5-4	3.5-4	3-3.5	3-3.5	3-3.5	3-3.5	3-3.5	3-3.5	3-3.5	3.5-4	3.5-4	3-3.5	3-3.5	2.5	t

GIVING BACK

ROCKY Mountain Elk Foundation

THE ROCKY MOUNTAIN Elk Foundation (RMEF) is a non-profit land conservation organization, whose mission is to ensure the future of elk, other wildlife, their habitat and America's hunting heritage. Since 1984, the RMEF has helped to conserve more than 6.7 million acres of habitat. RMEF has also helped to restore long-absent elk populations across North America. To support this important con-

Camp Guard 10



servation organization, Kimber worked with RMEF to design a purpose-built backcountry handgun that combines sought-after personal defense features with the stopping power required for the largest of predators. Kimber is a proud sponsor of RMEF conservation and land access projects. Team Match



USA Shooting Sports

USA SHOOTING IS a non-profit corporation that was chartered by the United States Olympic Committee as the national governing body for the sport of shooting in April 1995. USA Shooting implements and manages development programs and sanctions events at the local, state, regional, and national levels, as well as oversees the development of U.S. National Teams that compete in international competitions. To support this important organization, Kimber worked with the USA Shooting Rapid

> Fire Pistol Team to develop a competition handgun for Olympic training purposes. Kimber is a proud sponsor of USA Shooting.

B00T

CAMPAIGN


THE BOOT CAMPAIGN


BOOT CAMPAIGN IS an American non-profit organization that works to provide life-improving programs and initiatives for veterans and military families to bridge the divide between military life and civilian life. Since its inception in 2009, Boot Campaign has raised more than \$19 million, giving more than \$2 million annually to help service members, veterans and their families. To support this important veteran-aligned organization, Kimber partnered with Boot Campaign and co-created both a handgun and a rifle designed to help spread program awareness. Kimber is a proud sponsor of Boot Campaign programs and initiatives.

Hero Custom

Hunter (Boot Campaign)

giving back | 79







CONTRACTOR

KEX CUSTON

0

9020

SHOP

OUSTON .

T

WHAT ALL GUNS SHOULD BE.TM

(888) 243-4522 | kimberamerica.com

HOTH