




**APEX XD38 / LD38 THERMAL SIGHTS
RETICLE CATALOGUE**

NOTICE:

1. Reticles' configuration indicated in the pictures imitating the image from the rifle scope can differ from the real one and is provided for the evaluation of size and position of the reticle in the field of view.




2. The values of the reticles indicated in this catalogue are correct in the following cases:



- when the magnification of the scope is set to minimum




- when "picture in picture" is activated





RETICLE NAME: H50




Reticle parameters in **Pixels / cm @ 100 m / MOA**:





RETICLE NAME: M50




Reticle parameters in **Pixels / cm @ 100 m / MOA:**





RETICLE NAME: M52




Reticle parameters in **Pixels / cm @ 100 m / MOA:**





RETICLE NAME: M54




Reticle parameters in **Pixels / cm @ 100 m / MOA:**





RETICLE NAME: X53




Reticle parameters in **Pixels / cm @ 100 m / MOA:**





RETICLE NAME: T50




Reticle parameters in **Pixels / cm @ 100 m / MOA:**





RETICLE NAME: T51




Reticle parameters in Pixels / cm @ 100 m / MOA:





RETICLE NAME: T52




Reticle parameters in **Pixels / cm @ 100 m / MOA:**





RETICLE NAME: X51



Reticle parameters in **Pixels / cm @ 100 m / MOA:**



RETICLE NAME: X54



Reticle parameters in Pixels / cm @ 100 m / MOA:

