




**APEX XD50 / LD50 THERMAL SIGHTS  
RETICLE CATALOGUE**

## NOTICE:

1. Reticles' configuration indicated in the pictures imitating the image from the rifle scope can differ from the real one and is provided for the evaluation of size and position of the reticle in the field of view.




2. The values of the reticles indicated in this catalogue are correct in the following cases:



- when the magnification of the scope is set to minimum




- when "picture in picture" is activated





# RETICLE NAME: H50




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**





# RETICLE NAME: M50




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**





# RETICLE NAME: M52




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**





# RETICLE NAME: M54




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**





# RETICLE NAME: X53




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**



# RETICLE NAME: T50





## Reticle parameters in **Pixels / cm @ 100 m / MOA:**








# RETICLE NAME: T51




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**





# RETICLE NAME: T52




## Reticle parameters in **Pixels / cm @ 100 m / MOA:**





# RETICLE NAME: X51



## Reticle parameters in **Pixels / cm @ 100 m / MOA:**



# RETICLE NAME: X54



## Reticle parameters in **Pixels / cm @ 100 m / MOA:**

