



FEATURES

BATTERY-FREE ILLUMINATION

Most ACOG® models feature a tritium/fiber optic illuminated reticle that automatically adjusts the brightness based on available light.

RUGGED ALUMINUM-ALLOY HOUSING

Forged 7075-T6 aircraft-aluminum-alloy housing provides for a nearly indestructible sighting system.

"BOTH EYES OPEN" DESIGN

The ACOG® can be used as a CQB sight when shooting "both eyes open," utilizing the Bindon Aiming Concept (see pg. 7).

SUPERIOR QUALITY GLASS LENSES

Multi-coated lenses provide superior clarity and light-gathering capabilities with zero distortion.

FIXED MAGNIFICATION

Fewer moving parts than a variable optic equals more durability. Seven magnifications available: 1.5x, 2x, 3x, 3.5x, 4x, 5.5x, and 6x.

BULLET DROP COMPENSATING & RANGING RETICLES

Available in most models.

COMBAT PROVEN

No other magnified optic has been used more in combat than the ACOG®.

SHOCK-RESISTANT

Proven to withstand recoil from a .22LR to a .50BMG and everything in between. Easily passes U.S. Military drop test requirements.

WATERPROOF

Exceptional waterproof performance.

Dry nitrogen-filled to eliminate fogging.

Exceeds military standards.

LIMITED LIFETIME WARRANTY

Tritium lamp is warranted to illuminate for 15 years on fiber optic scopes and 10 years on non-fiber optic scopes.







		and the latest the same				
	1.5x16S	1.5x24	2x20	3x24	3x30	3.5x35
MAGNIFICATION	1.5x	1.5x	2x	3x	3x	3.5x
OBJECTIVE LENS	16mm	24mm	20mm	24mm	30mm	35mm
EYE RELIEF	2.4 in. 61.0mm	3.6 in. 91.4mm	2.1 in. 53.3mm	1.4 in. 35.6mm	1.9 in. 48.3mm	2.4 in. 61.0mm
EXIT PUPIL	0.42 in. 10.7mm	0.63 in. 16.0mm	0.39 in. 10.0mm	0.31 in. 8.0mm	0.33 in. 8.4mm	0.39 in. 10.0mm
FIELD OF VIEW (DEGREES)	7.4°	4.9°	5.6°	4.9°	3.7°	5.5°
FIELD OF VIEW	39.0 ft. @ 100 yds. 12.9m @ 100m	25.6 ft. @ 100 yds. 8.6m @ 100m	29.3 ft. @ 100 yds. 9.8m @ 100m	25.6 ft. @ 100 yds. 8.6m @ 100m	19.3 ft. @ 100 yds. 6.5m @ 100m	28.9 ft. @ 100 yds. 9.6m @ 100m
ADJUSTMENTS (PER IN. @ 100 YDS.)	2 Clicks	2 Clicks	2 Clicks	2 Clicks	4 Clicks	3 Clicks
DIMENSIONS (L X W X H) WITHOUT MOUNT	4.0 x 1.6 x 2.1 in. 102 x 42 x 53mm	5.8 x 1.6 x 2.1 in. 147 x 42 x 53mm	5.3 x 1.6 x 2.1 in. 135 x 42 x 53mm	5.0 x 1.8 x 2.1 in. 127 x 46 x 53mm	6.1 x 1.6 x 2.1 in. 155 x 42 x 53mm	8.0 x 2.1 x 2.9 in. 203 x 53 x 73mm
WEIGHT WITHOUT MOUNT	5.1 oz. 144.5g	6.3 oz. 179.1g	6.4 oz. 180.6g	6.1 oz. 173g	7.8 oz. 221.1g	14 oz. 397g
ILLUMINATION SOURCE	Fiber Optics & Tritium	Fiber Optics & Tritium				
BATTERY LIFE	N/A	N/Á	N/A	N/A	N/A	N/A
RETICLE CALIBRATION	N/A	N/A	N/A	.223 / 7.62x39	.223 / .308 / 7.62x39 / 300 BLK	.223 / .308 / M193 / 300 BLK



3.5x35 LED	4x32	4x32 BAC	4x32 LED	5.5x50	6x48
3.5x	4x	4x	4x	5.5x	6x
35mm	32mm	32mm	32mm	50mm	48mm
2.4 in. 61.0mm	1.5 in. 38.1mm	1.5 in. 38.1mm	1.5 in. 38.1mm	2.2 in. 55.9mm	2.7 in. 68.6mm
0.39 in. 10.0mm	0.32 in 8.1mm	0.32 in 8.1mm	0.32 in 8.1mm	0.36 in. 9.1mm	0.32 in. 8.1mm
5.5°	7.0°	7.0°	7.0°	3.5°	3.3° _
28.9 ft. @ 100 yds. 9.6m @ 100m	36.6 ft. @ 100 yds. 12.2 @ 100m	36.6 ft. @ 100 yds. 12.2 @ 100m	36.6 ft. @ 100 yds. 12.2 @ 100m	18.3 ft. @ 100 yds. 6.1m @ 100m	17.3 ft. @ 100 yds. 5.8m @ 100m
2 Clicks per in. @ 100m	2 Clicks	2 Clicks	2 Clicks per in. @ 100m	5 Clicks	4 Clicks
8.0 x 3.0 x 2.6 in. 203 x 76 x 66mm	5.8 x 2.0 x 2.3 in. 147 x 51 x 58mm	5.9 x 2.0 x 2.5 in. 150 x 51 x 64mm	6.0 x 2.9 x 2.5 in. 153 x 74 x 64mm	12.0 x 2.5 x 2.7 in. 305 x 64 x 69mm	9.0 x 2.9 x 3.4 in. 229 x 74 x 86mm
16.8 oz. 476.3g	10.9 oz. 309g	10.5 oz. 297.5g	14.3 oz. 406g	25.6 oz. 725.8g	36.9 oz. 1046.1g
LED Powered by a AA Battery	Tritium Only	Fiber Optics & Tritium	LED Powered by a AA Battery	Fiber Optics & Tritium	Fiber Optics & Tritium
12,000 hours* +	N/A	N/A	12,000 hours* +	N/A	N/A
.223 / .308	.223 / .308	.223 / .308 / M193 / 300 BLK / 6.8 SPC	.223 / 300 BLK	.223 / .308	.223 / .308 / .50 BMG

1.5x16S



1.5x24



2x20



Dual-Illuminated Circle Dot Reticle (Black Finish)

TA44-C-400241 TA44-C-400242






Dual-Illuminated Triangle Reticle with TA60 Mount (Black Finish) Standard Height: TA45-C-400156 TA45-C-400153

Dual-Illuminated Crosshair Reticle with TA60 Mount (Black Finish)

Standard Height: TA45-C-400157 TA45-C-400154






Dual-Illuminated Triangle Reticle (Black Finish) Standard Height: TA47-C-400150 TA47-C-400146

Dual-Illuminated Crosshair Reticle (Black Finish) Standard Height: TA47-C-400151 TA47-C-400147 TA47-C-400149



Dual-Illuminated Dot Reticle (Black Finish) Standard Height: TA47-C-400152 TA47-C-400148





3x24

3x30



Dual-Illuminated Crosshair .223/55gr. Ballistic Reticle (Black Finish)

Standard Height: TA50-C-400223 TA50-C-400225 TA50-C-400224 Low Height: TA50-C-400229 TA50-C-400231 TA50-C-400230

Dual-Illuminated Horseshoe/Dot .223/55gr. Ballistic Reticle (Black Finish)

Standard Height: TA50-C-400226 TA50-C-400228 TA50-C-400227 ■ TA50-C-400232 ■ TA50-C-400234 ■ TA50-C-400233

Dual-Illuminated Crosshair 7.62x39/123gr. Ballistic Reticle (Black Finish) Low Height: TA50-C-400235 TA50-C-400237 TA50-C-400236

Dual-Illuminated Horseshoe/Dot 7.62x39 Ballistic Reticle (Black Finish)

Low Height: TA50-C-400238 TA50-C-400240 TA50-C-400239

Dual-Illuminated Chevron .223 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: TA33-C-400135 TA33-C-400127 TA33-C-400118

Dual-Illuminated Chevron .308 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: TA33-C-400136 TA33-C-400128 TA33-C-400120

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA60 Mount (Black Finish) Standard Height: ■ TA33-C-400137 ■ TA33-C-400129 TA33-C-400130

Dual-Illuminated Crosshair .223 Remington Ballistic Reticle with TA60 Mount (Black Finish) Standard Height: TA33-C-400132 TA33-C-400124 TA33-C-400121

Dual-Illuminated Crosshair .308 Winchester Ballistic Reticle with TA60 Mount (Black Finish) Standard Height: TA33-C-400133 TA33-C-400125 TA33-C-400122

Dual-Illuminated Horseshoe/Dot 7.62x39 Ballistic Reticle with TA51 Mount (Black Finish) Standard Height: TA33-C-400134 TA33-C-400126 TA33-C-400123

Dual-Illuminated Crosshair 300BLK Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: TA33-C-400164 TA33-C-400163 TA33-C-400162










Horseshoe/Dot (.223)








ITAR ITAR controlled item. For export restrictions on all products, see page 153. Reticles not shown to scale. For a full view of reticles, please visit our website at trijicon.com.

3.5x35







3.5x35 LED



LED-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount

Black: ■TA110-C-100491 ■TA110-C-100492

LED-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount

Black: TA110-D-100493 TA110-D-100494

LED-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount

Black: TA110-D-100495 TA110-D-100496


LED-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount

Black: TA110-C-100497 TA110-C-100498

LED-Illuminated Horseshoe/Dot .308 Ballistic Reticle with TA51 Mount

Black: ■TA110-D-100499 ■TA110-D-100500

LED-Illuminated Crosshair .308 Ballistic Reticle with TA51 Mount ■ TA110-D-100501 ■ TA110-D-100502









Full-Illumination Crosshair .223 Ballistic Reticle

Full-Illumination Crosshair .308 Ballistic Reticle

Illuminated LAPD Crosshair Reticle

Black: TA01LAW

Center-Illuminated Crosshair .223 Ballistic Reticle, TA51 Mount,

Backup Iron Sights and Dust Cover TTAR Black: TA01NSN

Sniper Gray: TA01-D-100317 OD Green: TA01-D-100318 FDE: TA01-D-100319

Center-Illuminated Crosshair .308 Ballistic Reticle, TA51 Mount,

Backup Iron Sights and Dust Cover TTAR

Black: TA01NSN-308

4x32 LED



LED-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount

TA02 Black: ■TA02-C-100390


LED-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount


TA02-C-100431 ■TA02-C-100432

LED-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount ITAR ■TA02-D-100393 ■TA02-D-100391 Black:

LED-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount

■TA02-D-100394 ■TA02-D-100392






Trijicon

4x32 BAC





TA31-C-100412

TA31-D-100289

■TA31-C-100411 ■TA31-C-100413

■TA31-D-100288 ■TA31-D-100290

Dual-Illuminated M193 Reticle with TA51 Mount ITAR





Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount

Dual-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount

6x48



Dual-Illuminated Chevron .223 Ballistic Reticle with TA75 Mount & M1913 Rail TAR

Dual-Illuminated Chevron .308 Ballistic Reticle with TA75 Mount & M1913 Rail ITAR

Black: ■ TA648-308 ■ TA648-308G ■ TA648-308A

Dual-Illuminated Horseshoe/Dot .308 Ballistic Reticle with TA75 Mount & M1913 Rail

Black: ■ TA648-308H

Dual-Illuminated Chevron .50 BMG Ballistic Reticle with TA75 Mount & M1913 Rail


■ TA648-50 ■ TA648-50G ■ TA648-50A

Dual-Illuminated Horseshoe/Dot .50 M2 Ballistic Reticle, GDI Mount, ARD & M1913 Rail

■ TA648MG0-M2

Dual-Illuminated Horseshoe/Dot .308 M240 Ballistic Reticle, GDI Mount, ARD & M1913 Rail

■ TA648MGO-M240







ACOG°/RMR° Combo



3x30 ACOG® Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA60 Mount RMR® Type 2 LED 3.25 MOA Red Dot Sight

TA33-C-400312 TA33-C-400311

3x30 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA60 Mount Dual-Illuminated RMR 9.0 MOA Dot Sight

■ TA33-C-400119 ■ TA33-C-400160

3.5x35 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight ITAR

3.5x35 ACOG Dual-Illuminated Crosshair M249 Ballistic Reticle with LaRue Tactical Mount

■TA11-D-100566

Black: TA11-D-100557

3.5x35 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount RMR Type 2 Adjustable LED 3.25 MOA Red Dot Sight

Dual-Illuminated RMR 9.0 MOA Amber Dot Sight ITAR

4x32 ACOG Center-Illuminated Crosshair .223 Ballistic Reticle with BUIS, Quick-Release Mount RMR Type 2 LED 3.25 MOA Red Dot Sight

■TA11-C-100565


TA01-D-100555


4x32 ACOG Center-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight TAR

■ TA01-D-100556 4x32 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with BUIS, Quick-Release Mount

RMR Type 2 LED 3.25 MOA Red Dot Sight ITAR

■ TA31-D-100553 ■TA31-D-100554





ACOG°/RMR° Combo

ACOG°/RMR° Combo



4x32 ACOG® Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR® Type 2 LED 3.25 MOA Red Dot Sight

Black: ■TA31-C-100550 ■TA31-C-100551 ■TA31-C-100552

4x32 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight

Black: ■TA31-D-100549 ■TA31-D-100548 Sniper Gray: ■ TA31-D-100568 OD Green: TA31-D-100569 ■ TA31-D-100570

4x32 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount Dual-Illuminated RMR 7.0 MOA Amber Dot Sight

Black: TA31RM04

4x32 LED ACOG Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight

Black: TA02-C-100558

4x32 LED ACOG Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 Adjustable LED 3.25 MOA Red Dot Sight

Black: TA02-C-100564

6x48 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA75 Mount RMR Type 2 LED 6.5 MOA Red Dot Sight TAR

Black: ■ TA648-D-100559 TA648-D-100563


6x48 ACOG Dual-Illuminated Chevron .308 Ballistic Reticle with TA75 Mount


RMR Type 2 LED 6.5 MOA Red Dot Sight TAR

Black: TA648-D-100560 TA648-D-100561

6x48 ACOG Dual-Illuminated Chevron .500 Ballistic Reticle with TA75 Mount RMR Type 2 LED 6.5 MOA Red Dot Sight

■ TA648-D-100562





ACOG°/RMR° Combo



6x48 ACOG® Dual-Illuminated Horseshoe/Dot M240 BDC Reticle with LT644MD0-A Moul Dual-Illuminated RMR® 9.0 MOA Amber Dot Sight TYAR

ck: ■ TA648M



ACOG°/RMR° Combo

