


## FREEDOM. PASSION. PRECISION.™







Daniel Defense has been manufacturing complete rifles since 2009 when we introduced our first AR-style firearm, the DDM4V1. As we've established and proven our design and manufacturing capabilities, we've found it's time to expand into new markets. That's why we have leveraged our technical experience and understanding of customer wants and needs to design and manufacture a premium bolt-action rifle—the DELTA 5. This firearm will provide customers the modularity they experience in our AR platform with the features and customization a highly-experienced precision shooter would want, right out of the box.














**BOLT-ACTION RIFLE** 



# DELTA5.



















Designed with the user in mind. Daniel Defense has taken the modularity of the AR platform and integrated it into a one-of-a-kind bolt-action rifle. From an interchangeable cold-hammer-forged barrel to a user-configurable stock, the DELTA 5 features out-of-the-box customization that would normally require professional gunsmithing. Designed for the user that expects more from their rifle, the DELTA 5 provides the ultimate long-range shooting experience from the day it's purchased. No custom wait time required.

#### 20 MOA SCOPE MOUNT:

Compensates for bullet drop variance between the barrel and scope mount, therefore, less scope adjustment is needed for greater long-range accuracy.

#### TRIGGER:

Adjustable single-stage Timney Trigger Elite Hunter with twoposition safety (1.5 - 4 lbs).

#### ADJUSTABLE STOCK:

Out-of-the-box easy adjustability and comfort makes it easy for shooters of all skill levels to achieve maximum performance and accuracy. Carbonfiber-reinforced polymer construction ensures a lifetime of service, despite the conditions.






#### M-LOK MOUNTING:

Features M-LOK attachment technology for easy attachment of accessories

ACCEPTS AICS MAGAZINE: Compatible with Magpul® PMAG® 7.62 AC<sup>™</sup> or equivalent AICS magazines





**DANIEL DEFENSE 5.56MM & .300 BLACKOUT FIREARMS /** Every Daniel Defense rifle is built to exceed expectations. Made with the finest materials, precision engineering, and an unwavering commitment to quality and excellence, our firearms have raised the bar since first introduced in 2009. Whatever your mission, there's a Daniel Defense rifle that'll get the job done and raise your expectations of what a rifle should, and can, be. Built by the best, for the best, to be the best.





























Equipped with the same Rail Interface System handguard chosen by USSOCOM for CQB operations around the world







The rifle that started it all and set the benchmark in the industry. Designed and engineered to meet, and exceed, the needs of hardcore tactical professionals and shooting enthusiasts—anyone who appreciates quality, durability, and outstanding performance.

16" M4-profile chrome-lined barrel with heavy phosphate coating & proprietary 4140 steel front sight base DDM4 Rail 12.0 FSP allows for light or aiming device mounted forward of front sight for optimal ergonomics A1.5 Fixed Rear Sight with Patented Rock & Lock technology is engineered to not impede use of the charging handle.











This firearm is a regulated item by the National Firearms Act (NFA). Please check with your local and state municipalities for any further

regulatory requirements. It is the buyer's responsibility to make sure they comply with all NFA rules and applicable laws.











INTRODUCING


# RATILECAN

### **MULTICOLOR CERAKOTE**<sub>®</sub> FINISH

**NOW AVAILABLE ON DDM**V7

We combined our Daniel Defense Tornado and Mil Spec + Cerakote finishes to bring you a look unlike any other. To create RATTLECAN'S striking pattern, we apply the finish via stencil to give each and every DDM4V7 a subtly different and unique design without sacrificing the durability you've come to expect from our Cerakote finishes.



















The DDM4V7 is our first M4 to feature M-LOK attachment technology with a Daniel Defense MFR 15.0" rail. A Mid-length gas system provides smooth, reliable cycling in virtually any condition while also reducing perceived recoil and wear and tear on parts. The V7 LW is built with our 16" Lightweight-profile barrel, which offers durability, accuracy, and significant weight savings. The LW option is available in black and our Rattlecan Cerakote finish.

15" rail with M-LOK attachment technology provides weight savings and plenty of space for accessories Daniel Defense improved Flash Suppressor significantly reduces flash signature 16" chrome-lined, heavyphosphate-coated Governmentprofile barrel for accuracy & durability









This firearm is a regulated item by the National Firearms Act (NFA). Please check with your local and state municipalities for any further

regulatory requirements. It is the buyer's responsibility to make sure they comply with all NFA rules and applicable laws.

















# DDM4<sub>8</sub> V7<sub>8</sub> SURVIVES SCORCHING FIRE

It's not the first time a DD carbine has survived an inferno. Despite its scorched appearance—Mother Nature's attempt at destruction by means of a house fire in Flintstone, Georgia—this firearm still functions. The DDM4's ability to conquer the most egregious conditions, speaks volumes.

Isn't it time you got a Daniel?






An extended quad rail provides the option of extending the support hand closer to the muzzle to drive the gun more precisely and prevent over-travel when transitioning between multiple targets. Great for tactical applications, competition—or both.

15" DDM4 Rail provides ample space for optics & accessories while allowing for max sight radius for accurate shooting with mounted iron sights

16" chrome-lined, heavyphosphate-coated Governmentprofile barrel for accuracy & durability Mid-length gas system delivers smoother recoil impulse, allowing for quick but precise follow-up shots










Mid-length gas system for softer perceived recoil and reduced wear on components due to reduced dwell time

5.56

16" chrome-lined, heavyphosphate-coated Governmentprofile (or Lightweight-profile with LW version) barrel for accuracy & durability SLiM Rail 15.0 features an extended 1913 rail on top and KeyMod attachment points at 3, 6, and 9 o'clock positions, and provides an extended sight radius with mounted iron sights

Provides the benefits of the KeyMod attachment system integrated into our 15" SLiM Rail. The result is a highly shootable rifle with superior ergonomics, faster barrel cooling, and weight savings that also provides shooters with the option to extend their support hand out closer to the muzzle.





An extended-barrel option of our best-selling V11 designed for competitors looking to dominate muti-gun matches. This weapon delivers speed, controllability, and precision to devour even the most difficult stages of competition and put you on the podium.

18" chrome-lined, heavyphosphate-coated Strengthto-Weight-profile barrel for precision accuracy Daniel Defense Muzzle Climb Mitigator reduces recoil and muzzle rise, keeping you on target for quicker follow-up shots Geissele® Super Dynamic 3 Gun Trigger provides a light, single-stage pull and short reset for faster split times



















16" chrome-lined, heavyphosphate-coated Strength-to-Weight-profile barrel for precision accuracy and durability

Carbine-length gas system reliably cycles a wide range of .300 Blackout cartridges



This fast-handling weapon has all the same functionality and modularity as our V11 carbine but is chambered in the versatile .300 Blackout to deliver larger projectiles for increased effectiveness without excessive recoil. Designed to be shot suppressed or un-suppressed utilizing an assortment of super- and sub-sonic ammunition.

## A BETTER WAY TO SPRAY

That durable, attractive polymer-ceramic Cerakote finish found on Daniel Defense firearms and accessories is (pardon the pun) the finishing touch when it comes to legendary Daniel Defense quality. But our founder, Marty Daniel, who's always looking down the line—both the proverbial and manufacturing one—wasn't content to simply apply a high-quality protective coating to the products bearing his name. He was equally concerned with how the Cerakote finish was applied.

So he turned to robots.

While many manufacturers use a manual process to Cerakote their products, which can result in flaws, inconsistent coverage, and variability that create undo waste, Marty had a state-of-theart, in-house robotic Cerakote line installed at Daniel Defense's manufacturing plant. This precision robotic application process greatly improves the consistency and quality of our Cerakote finishes, resulting in the high-quality, top-functioning, and just plain eye-catching weapons and accessories that have made Daniel Defense a world-renown brand.


Of course, before a single Cerakote-applying robot ever made its way onto the manufacturing floor, Daniel Defense engaged in exhaustive testing to develop a robotic application process that could guarantee a finish quality that met our off-the-charts standards. It wasn't easy, or cheap, but controlling and optimizing every aspect of our manufacturing process, right down to how the protective finish is applied, is one of the many things that make Daniel Defense exceptional among firearm manufacturers. Just bringing the Cerakote application process in-house is a rarity in the firearm world—let alone incorporating robots—as most manufacturers send their parts to outside vendors for Cerakote finishing.

Each and every Daniel Defense part that gets coated by one of our robots has a computer program specific to the geometry of that particular part type, and each part path is completely unique. Along with controlling the part path, the robot also dials in the perfect air pressure and speed during the spraying process to ensure the optimal coating. This is important not only to get a flawless finish but also because different Cerakote colors have different attributes, so application variables such as thickness, the application path, speed, and spray pressure must be set and controlled with surgical precision.


In addition to the highest-quality Cerakote finish possible, Marty's spraying robots offer one more major benefit: They help get Daniel Defense products to market quicker. You see, our robots make the Cerakote-finishing process so much more efficient that we're able to produce more parts, and consequently more rifles, in less time. Which means we get our firearms and accessories out our doors and into the hands of our customers as soon as possible.

Which makes us very happy.









DDMISR.

A suppressor is literally part of the barrel on this high-performance versatile weapon, so there's never any re-zeroing for suppressed versus un-suppressed fire. Optimized for the .300 Blackout cartridge, this rifle places both subsonic and supersonic projectiles on target with precision and unwavering reliability.

9" chrome-lined, heavy-phosphatecoated Strength-to-Weight-profile barrel and Pistol-length gas system deliver subsonic & supersonic projectiles with precision MFR XL 15.0 Rail features KeyMod attachment points on both sides and the bottom and an extended 1913 rail on top Fully integrated stainless steel suppressor is pinned and welded for fulltime suppressed fire and extends barrel length to NFA-required 16"











This firearm is a regulated item by the National Firearms Act (NFA). Please check with your local and state municipalities for any further

regulatory requirements. It is the buyer's responsibility to make sure they comply with all NFA rules and applicable laws.




































Designed and manufactured to meet Special Operations Forces' needs in a semi-auto precision rifle. Its 18" stainless steel barrel chambered in 5.56 NATO provides greater effective range, a longer expected service life, and unmatched accuracy.

Geissele SSA two-stage trigger features crisp break and quick reset for precise fire and faster follow-up shots Rifle-length gas system with MK12 gas block is built to Naval Surface Warfare Center Crane Division specs 18" DLC MK12-profile barrel delivers outstanding accuracy and durability











This firearm is a regulated item by the National Firearms Act (NFA). Please check with your local and state municipalities for any further

regulatory requirements. It is the buyer's responsibility to make sure they comply with all NFA rules and applicable laws.
















**AMBUSH**<sub>®</sub> **HUNTING RIFLES** / Daniel Defense's Ambush line of firearms are designed by hunters for hunters to reduce weight and add versatility—with no sacrifice in performance—to your hunting experience. Built with the same legendary Daniel Defense quality as our tactical rifles, you can count on your Ambush rifle to deliver a precise, accurate shot to bring down that quarry you worked so hard to get in your sights.



KRYPTEK HIGHLANDER® .308

















KRYPTEK HIGHLANDER® 300 BLK

















KRYPTEK HIGHLANDER® 6.8

















# THE SOLIDARITY OF SHOOTING

This past summer, on the shooting range near the city of Gdansk, Poland, the Daniel Defense Challenge was the place to be for competitive AR shooters of all nationalities and skill levels.

Shooters, no matter where they're located in the world, love to put their weapons through their paces in order to experience the manufacturing quality and state-of-the-art engineering that went into their firearms. They also love to pit their firearms—and their shooting skills—against each other to see how they stack up. And they're always looking for new opportunities and fresh locations to do both.

That's why European shooters were thrilled when the Daniel Defense Challenge came to Gdansk, Poland, this past July for the first time. It provided them an opportunity to meet, get to know each other, and bond with their fellow sport shooters while also going head to head against each other in a competition designed to take their shooting skills to the next level.

This competition, held as a Polish IPSC Rifle National Championship, is a fantastic example of how AR shooting has become an international phenomenon. And of how Daniel Defense, born in rural Georgia two decades ago, has become an internationally recognized manufacturer of the highest-quality ARs and an ambassador of the sport of AR shooting worldwide.

The Daniel Defense Challenge follows IPSC (International Practical Shooting Confederation) Rifle Competition rules. This popular style of competitive shooting represents a novel and exciting way to promote, maintain, and advance practical marksmanship. IPSC was developed in Southern California back in the late 1950s and quickly spread throughout the shooting world to Australia, Central and South America, Europe, and Southern Africa.

Accuracy, power, and speed have always been recognized as quintessential elements in competition shooting, and all three are foundations of modern-day IPSC shooting. In fact, the *Latin motto, Diligentia, Vis, Celeritas (DVC)*, which translates into "accuracy, power, and speed" was introduced to reflect just how deeply rooted these elements are in IPSC ideology. As you're probably aware, European standards for acquiring

and possessing civilian firearms are much more restrictive than most places in the U.S. Add to that the fact that most European countries have their own additional regulations and standards for gun ownership, and possessing an AR in Europe becomes a complicated, albeit not impossible, proposition. Poland has a long tradition of owning guns, so gun-ownership rights are more user-friendly there than in other EU countries. But even in Poland ARs still have a bit of an undeserved stigma.

competitions like the Daniel Defense Challenge have played a major role in making the AR platform accepted, popular, and readily available in Europe.

Sport shooting and competitions like the Daniel Defense Challenge have played a major role in making the AR platform accepted, popular, and readily available in Europe. That's because European laws and regulations are less stringent for those who actively use their rifles in sporting competitions while maintaining memberships with registered gun clubs. Recognizing that competitions like theirs help promote AR ownership in Europe, and that Poland has a longstanding tradition of firearm ownership, Daniel Defense felt Poland was the perfect European county to host their European competition.

The Daniel Defense Challenge was truly a family event—both in the fact that shooters brought their families with them and in how participants became like one big family under the banner of competition. Competing against each other, no matter what their cultural background or which language they spoke, shooters voiced their solidarity for









shooting under IPSC/USPSA regulations with the sounds of their rifles discharging rounds downrange. In the process, they promoted positive shooting values and demonstrated responsible gun ownership.

The 2019 Daniel Defense Challenge will take place on July 20th and 21st once again in Gdansk, at a shooting range near the Baltic Sea coast. Registration is slated to begin in late March of 2019, so keep this date in mind if you plan on attending.

Even if you're not a professional or competitive shooter or an IPSC/USPSA member, consider bringing the whole family over to watch some of the world's best shooters and to try out some of Daniel Defense's new products on professionally prepared demo shooting ranges. It's also just a great time of year to enjoy seeing the sites of beautiful, history-rich Poland.

Do zobaczenia w Polsce! (See you in Poland!)













magazine well to accommodate

SR-25-type magazines





7.62

16"















Innovative 4-Bolt Connection System replaces barrel nut for increased stability and a uniform connection between the handguard, barrel, and receiver

18" chrome-lined, heavyphosphate-coated Strength-to-Weight-profile barrel for deadly accuracy and extended range


15" rail system with KeyMod or M-LOK attachments on sides and bottom and continuous 1913 rail on top

thanks to an 18" barrel and Rifle length gas system. Our 4-bolt connection system and patent-pending extension system provide increased stability, outstanding accuracy, and less weight with more punch.









DD® WAVE<sub>TM</sub> SUPPRESSORS / We took traditional suppressor design and turned it on its head to create the type of suppressors you'd expect from Daniel Defense. DD WAVE suppressors are constructed of the highest-quality materials using one-piece construction for strength and durability that blows away conventional welding construction used on most suppressors. We also redesigned the baffles for more effective sound attenuation. It may be made of Nickel Based Superalloy and other light weight metals, but it's the new gold-standard of suppressors.





DD<sub>®</sub> WAVE™ Muzzle Adapter (included with QD)









The DD WAVE's one-piece, 3D-printed construction eliminates the need for welds—typically  $the \ weakest \ part \ of \ a \ traditional \ suppressor-providing \ durability \ and \ strength \ that 's \ second$ to none. A unique cascading baffle geometry attenuates sound more effectively than simpler designs, making this suppressor as effective as it is tough. Available in direct-thread (DT) or quick-detach (QD) models that attach securely in seconds, no tools required.

One-piece design & cascading baffle geometry provide outstanding performance & durability


Constructed of light weight but tough Nickel Based Superalloy, stainless steel & titanium

Durable enough for full-auto use; available in both 5/8x24 (7.62mm) & 1/2x28 (5.56mm) configurations





DD MAGAZINE®







5.56 300BLK

# **DD MAGAZINE**<sub>®</sub>

The only magazine worthy of the Daniel Defense name. Built with legendary quality, it holds 32 rounds of 5.56mm or .300 Blackout while remaining the same size as industry-standard 30-round magazines. Also available in a state-compliant 10-round version.



**UPPER RECEIVERS** 



**DD**® **UPPER RECEIVER GROUPS** / They may be only part of a rifle, but our premium Upper Receiver Groups are 100% Daniel Defense. Precision machined from the finest materials at our Georgia facility, every URG comes complete with a bolt carrier group and charging handle and is ready to mount to a standard AR15 lower. Take your AR to the next level with these high-quality uppers available for a wide range of weapons in 5.56mm and .300 Blackout.







### $DDM4_{\otimes}V7_{\otimes}$

- + 5.56 NATO (5.56x45mm)
- + 1:7", 16" CHF GOV-Profile Barrel
- + DD Flash Suppressor
- + Mid-Length Gas System
- + Low Profile Gas Block + MFR 15.0 Rail System
- + M16 Bolt Carrier Group

### $DDM4_{\otimes}V7_{\otimes}\,LW$

- + 5.56 NATO (5.56x45mm)
- + 1:7", 16" CHF LW-Profile Barrel
- + DD Flash Suppressor
- + Mid-Length Gas System
- + Low Profile Gas Block
- + MFR 15.0 Rail System
- + M16 Bolt Carrier Group

### DDM4<sub>®</sub>V7<sub>®</sub> PRO

- + 5.56 NATO (5.56x45mm)
- + 1:7", 18" CHF S2W-Profile Barrel
- + DD Muzzle Climb Mitigator
- + Rifle Length Gas System
- + Low Profile Gas Block
- + MFR 15.0 Rail System
- + M16 Bolt Carrier Group
- + Daniel Defense Ambi Charging Handle







### $DDM4_{\otimes}V11_{\otimes}$

- + 5.56 NATO (5.56x45mm)
- + 1:7", 16", CHF GOV-Profile Barrel
- + DD Flash Suppressor
- + Mid-Length Gas System + Low Profile Gas Block
- + SLiM Rail 15.0
- + M16 Bolt Carrier Group

### $DDM4_{\otimes}V11_{\otimes}\,LW$

- + 5.56 NATO (5.56x45mm)
- + 1:7", 16", CHF LW-Profile Barrel
- + DD Flash Suppressor
- + Mid-Length Gas System + Low Profile Gas Block
- + SLiM Rail 15.0
- + M16 Bolt Carrier Group

### $DDM4_{\otimes}V11_{\otimes}\,PRO$

- + 5.56 NATO (5.56x45mm)
- + 1:7", 18" CHF S2W-Profile Barrel
- + DD Muzzle Climb Mitigator
- + Rifle Length Gas System
- + Low Profile Gas Block
- + SLiM Rail 15.0
- + M16 Bolt Carrier Group
- + Daniel Defense Ambi Charging Handle





### $DDM4_{\rm \otimes}300S$

- + 300 Blackout (7.62x35mm)
- + 1:8", 10.3" CHF S2W-Profile Barrel
- + DD Flash Suppressor
- + Pistol Length Gas System
- + Low Profile Gas Block
- + DDM4 Rail 9.0
- + M16 Bolt Carrier Group + Daniel Defense Vertical Grip
- + All NFA Rules Apply

## $DDM4_{@}V4_{@}S$

- + 5.56 NATO (5.56x45mm)
- + 1:7", 11.5" CHF GOV-Profile Barrel
- + DD Flash Suppressor
- + Carbine Length Gas System
- + Low Profile Gas Block
- + DDM4 Rail 10.0
- + M16 Bolt Carrier Group
- + Daniel Defense Vertical Grip
- + All NFA Rules Apply







### MK18

- + 5.56 NATO (5.56x45mm)
- + 1:7", 10.3" CHF GOV-Profile Barrel
- + DD Flash Suppressor
- + Carbine Length Gas System
- + Low Profile Gas Block
- + MK18 RIS II FDE Rail System
- + M16 Bolt Carrier Group
- + All NFA Rules Apply


### M4A1

- + 5.56 NATO (5.56X45MM)
- + 1:7", 14.5" CHF M4-Profile Barrel
- + Pinned & Welded DD Flash Suppressor
- + Carbine Length Gas System
- + Low Profile Gas Block
- + M4A1 RIS II FDE Rail System
- + M16 Bolt Carrier Group

### MK12

- + 5.56 NATO (5.56X45MM)
- + 1:7", 18" CHF MK12-Profile Stainless Steel Barrel
- + DD Flash Suppressor
- + Rifle Length Gas System
- + MK12 Gas Block
- + DDM4 Rail 12.0
- + M16 Bolt Carrier Group
- + Daniel Defense Ambi Charging Handle





RAIL SYSTEMS / Our commitment to incorporating cutting-edge technology, state-of-the-art manufacturing techniques, and legendary quality control has led the way to some of the finest rail systems on this planet—and in winning the coveted U.S. Special Operations Command (SOCOM) Rail System Contract. Daniel Defense rail systems are built to, or include, the 1913 Military Specification within their designs; some also feature the latest attachment methods like KeyMod and M-LOK. A free-floating design doesn't affect a barrel's harmonics, improving a rifle's accuracy. Throw in our patented Bolt-Up System technology, high-quality finishes, and the result is a rail system that's second to none.

# MFR<sub>TM</sub> RAIL

Daniel Defense MFR Rail Systems utilize the M-LOK attachment system for incredible weight savings as well as superior cooling, ergonomics, and modularity—all while maintaining the strength and durability expected from Daniel Defense. A sleek Bolt-Up System increases strength and reduces the overall diameter of the rail, making it easier to control while still utilizing a standard Bolt-Up System Barrel Nut. These versatile rail systems can be used with a pinned low-profile gas block on pistol, carbine, mid-length, or rifle length gas systems.

- + Light Weight Free-Floating Barrel Design
- + Uninterrupted Mil-Spec 1913 Picatinny Upper Rail
- + M-LOK Attachments In 7 Different Positions
- + Configurable Sling Swivel Attachment Point
- + Patented Bolt-Up Mounting System









### MFR<sub>TM</sub> RAIL 9.0 / M-LOK®

Compatible with low profile gas blocks on pistol and carbine length gas systems.

- + Weight: 5.4 oz
- + Length: 9.04"
- + Width: 1.56"
- + Inside Diameter: 1.39"



### MFR<sub>TM</sub> RAIL 10.0 / M-LOK®

Compatible with low profile gas blocks on pistol, carbine, and mid-length gas systems.

- + Weight: 6.2 oz
- + Length: 10.58"
- + Width: 1.56"
- + Inside Diameter: 1.39"



### MFR<sub>™</sub> RAIL 13.5 / M-LOK<sub>®</sub>

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 8.0 oz
- + Length: 13.79"
- + Width: 1.56"
- + Inside Diameter: 1.39"



### MFR™ RAIL 15.0 / M-LOK®

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 10.1 oz
- + Length: 15.34"
- + Width: 1.56"
- + Inside Diameter: 1.39"



MFR Rail Systems utilize the KeyMod attachment system, renowned for weight savings, better cooling, outstanding ergonomics, and modularity. KeyMod attachment points are located on the sides and bottom positions of the rail, with an uninterrupted 1913 Picatinny rail featured on top. Our sleek Bolt-Up System reduces the diameter of the rail and makes it easier to control, while using a standard Bolt-Up System Barrel Nut. These rails are compatible with a pinned low-profile gas block on pistol, carbine, mid-length, or rifle length gas systems.

- + Light Weight Free-Floating Barrel Design
- + Uninterrupted Mil-Spec 1913 Picatinny Upper Rail
- KeyMod Attachment System on Sides and Bottom
- + Patented Bolt-Up Mounting System and Hardened-Steel Barrel Nut









### MFR™ RAIL 15.0 / KeyMod

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 8.65 oz
- + Length: 15.34"
- + Width: 1.56"
- + Inside Diameter: 1.39"



### MFR<sub>™</sub> RAIL 13.5 / KeyMod

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 7.60 oz
- + Length: 13.79"
- + Width: 1.56"
- + Inside Diameter: 1.39"



### MFR<sub>™</sub> RAIL 10.0 / KeyMod

Compatible with low profile gas blocks on pistol, carbine, and mid-length gas systems.

- + Weight: 5.95 oz
- + Length: 10.58"
- + Width: 1.56"
- + Inside Diameter: 1.39"



### MFR™ RAIL 9.0 / KeyMod

Compatible with low-profile gas blocks on pistol and carbine length gas systems.

- + Weight: 5.4 oz
- + Length: 9.04"
- + Width: 1.56"
- + Inside Diameter: 1.39"



# MFR<sub>TM</sub> XL RAIL

Our MFR XL Rail Systems utilize the M-LOK attachment system for incredible weight savings, superior cooling, ergonomics, and modularity with no sacrifice in strength or durability. M-LOK attachment points are located along the sides and bottom on the rail, and there's an uninterrupted 1913 Picatinny rail on top. Our sleek Bolt-Up System increases strength and allows for easy installation, while an increased internal diameter gives the operator the ability to attach a suppressor with the proper clearance needed for installation. MFR XL rails are compatible with a pinned low-profile gas block on pistol, carbine, mid-length, or rifle length gas systems.

- + Light Weight Free-Floating Barrel Design
- + Uninterrupted Mil-Spec 1913 Picatinny Upper Rail
- + M-LOK Attachments On The Sides And Bottom
- + Patented Bolt-Up System and Hardened-Steel Barrel Nut
- + 1.61" Internal Diameter Designed For Use With Suppressor









### MFR™ XL RAIL 9.0 / M-LOK®

Compatible with low profile gas blocks on pistol and carbine length gas systems.

- + Weight: 6.25 oz
- + Length: 9.15"
- + Width: 1.82"
- + Inside Diameter: 1.61"



### MFR<sub>TM</sub> XL RAIL 10.0 / M-LOK®

Compatible with low profile gas blocks on pistol, carbine, and mid-length gas systems.

- + Weight: 7.05 oz
- + Length: 10.38"
- + Width: 1.82"
- + Inside Diameter: 1.61"

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

 $MFR_{\scriptscriptstyle TM}$  XL RAIL 13.5 / M-LOK $_{\scriptscriptstyle \odot}$ 

- + Weight: 9.4 oz
- + Length: 13.79"
- + Width: 1.82"
- + Inside Diameter: 1.61"



### MFR<sub>TM</sub> XL RAIL 15.0 / M-LOK<sub>®</sub>

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 10.4 oz
- + Length: 15.30"
- + Width: 1.82"
- + Inside Diameter: 1.61"



# MFR<sub>TM</sub> XL RAIL

MFR XL Rail Systems utilize the KeyMod attachment system for impressive weight savings, superior cooling, excellent ergonomics, and maximum modularity. KeyMod attachment points are located on the sides, bottom, and upper 45° positions of the rail, while an uninterrupted 1913 Picatinny rail runs along the top. A sleek Bolt-Up System increases strength and allows for easy installation, and the increased internal diameter gives an operator the ability to attach a suppressor and have the proper clearance for installation. Compatible with a pinned low-profile gas block on pistol, carbine, mid-length, or rifle length gas systems.

- Light Weight Free-Floating Barrel Design
- Uninterrupted Mil-Spec 1913 Picatinny Upper Rail
- KeyMod Attachments on Sides and Bottom
- Patented Bolt-Up Mounting System and Hardened-Steel Barrel Nut
- 1.61" Internal Diameter Designed For Use With Suppressor









Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 10.0 oz
- + Length: 15.30"
- + Width: 1.82"
- + Inside Diameter: 1.61"



### MFR™ XL RAIL 13.5 / KeyMod

Compatible with low profile gas blocks on pistol, carbine, mid, and rifle length gas systems.

- + Weight: 9.0 oz
- + Length: 13.80"
- + Width: 1.82"
- + Inside Diameter: 1.61"



### MFR™ XL RAIL 10.0 / KeyMod

Compatible with low profile gas blocks on pistol, carbine, and mid-length gas systems.

- + Weight: 6.75 oz
- + Length: 10.38"
- + Width: 1.82"
- + Inside Diameter: 1.61"



### MFR™ XL RAIL 9.0 / KeyMod

Compatible with low profile gas blocks on pistol and carbine length gas systems.

- + Weight: 6.05 oz
- + Length: 9.15"
- + Width: 1.82"
- + Inside Diameter: 1.61"































# DDM4<sub>®</sub> RAIL



# DDM4<sub>®</sub> RAIL









### DDM4<sub>®</sub> RAIL 9.0

Compatible with front sight base gas blocks at mid-length, and low profile gas blocks on pistol and carbine length gas systems

- + Weight: 10.3 oz. + Length: 9.22"
- + Width: 1.90"
- + Inside Diameter: 1.08"



**DDM4**® **RAIL 10.0** Compatible with low profile gas blocks on pistol, carbine, and mid-length gas systems

- + Weight: 11.0 oz. + Length: 10.06"
- + Width: 1.90"
- + Inside Diameter: 1.08"



### $DDM4_{\circledast}\ RAIL\ 12.0$

Compatible with front sight base gas blocks at rifle length or over a low profile gas block on pistol, carbine, and mid-length gas systems

- + Weight: 13.2 oz. + Length: 12.43"
- + Width: 1.90"
- + Inside Diameter: 1.08"



### DDM4<sub>®</sub> RAIL 15.0

Compatible with low profile gas blocks on pistol, carbine, mid-length, and rifle gas systems


- + Weight: 15.6 oz. + Length: 15.20"
- + Width: 1.90"
- + Inside Diameter: 1.08"




# **SLIM RAIL**®



# **SLIM RAIL**®







Compatible with front sight base gas blocks at mid-length, and low profile gas blocks on pistol and carbine length gas systems

- + Weight: 8.6 oz + Length: 9.22"
- + Width: 1.74"
- + Inside Diameter: 1.08"



### SLIM RAIL® 12.0

Compatible with front sight base gas blocks at rifle length or over a low-profile gas block on pistol, carbine, and mid-length gas systems

- + Weight: 9.9 oz + Length: 12.43"
- + Width: 1.74"
- + Inside Diameter: 1.08"



## SLIM RAIL<sub>®</sub> 15.0

Compatible with low profile gas blocks on pistol, carbine, mid-length, and rifle gas systems

- + Weight: 11.2 oz + Length: 15.20"
- + Width: 1.74"
- + Inside Diameter: 1.08"




# **OMEGA RAIL**®


Omega Rail, now available in M-Lok and KeyMod options, is specifically engineered to satisfy the intense demands of the military and law enforcement communities. This free-float option accommodates individual operator installation and requires ZERO modification to the host weapon. The Omega Rail is designed to work with all commercially available M4 or AR15 gas systems. Its exceptional strength-to-weight ratio makes it the perfect selection as a replacement for plastic handguards for your M4 or AR15-style weapon.

- + Light Weight Free-Floating Barrel Design
- + Easy To Install, No Special Tools And Zero Modification To Host Weapon
- + Uninterrupted Upper Rail Platform & Mil-Spec 1913 Picatinny Rails
- + Integral QD Sling Swivel Mounts With Limited-Rotation Feature
- + Aircraft-Grade Aluminum Construction With Mil-Spec Fasteners
- + Mil-Spec Type III Hard Coat Anodized Finish



The simple-to-install Omega Rail provides a rock-solid free-float forend with no modifications to the host rifle.







Designed to work with standard carbine gas system weapons or over a low profile gas block on pistol length gas systems

- + Weight: 7.6 oz.
- + Length: 6.87"
- + Width: 1.90"



### OMEGA RAIL® 9.0

Designed to work with standard mid-length gas systems or over a low profile gas block on pistol and carbine length gas systems

- + Weight: 9.8 oz.
- + Length: 8.87"
- + Width: 1.90"



# **OMEGA RAIL**®







### NEW

### OMEGA RAIL® 7.0 / KEYMOD

Designed to work with standard carbine gas system weapons or over a low profile gas block on pistol length gas systems

- + Weight: 6.8 oz. + Length: 7.02"
- + Width: 1.85"



### $\textbf{OMEGA RAIL}_{\circledast}\,\textbf{9.0}\,/\,\,\mathsf{KEYMOD}$

Designed to work with standard mid-length gas systems or over a low profile gas block on pistol and carbine length gas systems

- + Weight: 8.5 oz. + Length: 8.99"
- + Width: 1.85"



### NEW

### OMEGA RAIL® 7.0 / M-LOK

Designed to work with standard carbine gas system weapons or over a low profile gas block on pistol length gas systems

- + Weight: 6.7 oz. + Length: 7.02"
- + Width: 1.85"



### NEW

### OMEGA RAIL $_{\odot}$ 9.0 / M-LOK

Designed to work with standard mid-length gas systems or over a low profile gas block on pistol and carbine length gas systems

- + Weight: 8.2 oz. + Length: 8.99"
- + Width: 1.85"











What I love most about DD's rifles is their engineering and sheer beauty. As a designer myself, I look at these guns as works of art.



# WHEN PASSION & OBSESSION MEET

Ben Scribner's obsession to build the world's most versatile fishing boat started the same way his passion for fishing did: with a need to get away. As a Boy Scout who camped regularly, he was able to hone his outdoor—and overall life—skills, ultimately achieving the prestigious rank of Eagle Scout.

fter graduating from high school, Ben started a lawn-mowing business before realizing there was more money in real estate and making the switch. There was also a lot more stress, which sent Ben trekking to his favorite fishing spots most every weekend, his trusty fly rod in hand.

"Fly fishing was like a portal out of a stressful life in real estate, and it grew into an obsession," he explained. "But, as the sport grew, and fishing areas became more crowded, I began to think about ways to get away from everyone."

His thinking made it clear the answer was a boat, but not just any boat. If he was going to separate himself from the crowds, it had to be a boat that could go places others simply couldn't.

"I began to daydream about the ultimate boat that could navigate waters other boats weren't floating," said Scribner. "After five years of visualizing this ultimate boat, I decided to make one for myself in 2012."

He built his first prototype in his garage, and it worked amazingly well. He knew he was on to something, so he focused his obsessive mind on refining the product, making it durable, versatile, and ridiculously portable, able to easily fit in the bed of a pickup truck or, when broken down, into the trunk of most any car.

"Little did I know the path I was embarking on would be a journey where all my wildest dreams would come true."

Today, Flycraft is recognized as a truly innovative company that creates some of the most unique inflatable boat designs in the world.

"Our mission is to make the highest-quality, most innovative designs in the inflatable fishing vessel arena," Scribner said. "Our flagship product, the Flycraft Stealth, is an insanely versatile boat for floating most rivers and lakes with the use of a motor. We've used the boat in a wide array of applications: from tiny bush planes in Alaska to patrolling the coast of the Sea of Cortez to chasing eight-foot arapaima in South America."

Scribner's love of the outdoors also includes shooting—especially ARs—but he had to put that passion on hold while focusing his energies on getting Flycraft up and running.

"When I started Flycraft, I had to make some sacrifices, so I sold my only AR to fund the development of the company. After Flycraft became established, and I was able to profit from the company, I wanted to reward myself with the finest AR on the market."

Being an aficionado of quality, he chose a Daniel Defense AR. He currently owns a DDM4 MK12, with a Deep Woods finish, and a DDM4V11 in Daniel Defense Tornado.


"Daniel Defense has a reputation for being the best, as well as having the sexiest design out of all the AR manufactures, so it was a no-brainer for me to go with them," Scribner elaborated. "What I love most about DD's rifles is their engineering and sheer beauty. As a designer myself, I look at these guns as works of art."

Of course, the creator of highly functional/reliable inflatable fishing vessels also appreciates Daniel Defense's obsession for making their rifles incredibly functional and dependable.

"I love their reliability. When you adventure hard, you need gear that won't let you down. I also love how lightweight these things are. When you pick them up, they just feel perfect."

As every fisherman knows, there's a reason it's called "fishing" instead of "catching," so Scribner likes to take his Daniel Defense AR with him on angling adventures, just in case the fish aren't cooperating.

"Having another passion to practice is the perfect backup plan," he explained. "Being on an adventure and being able to take a break from fishing and do some shooting rounds out the whole experience for me."




# **DD**<sub>®</sub> CHF BARRELS

**Cold Hammer Forging (CHF)** produces the most accurate, longest-lasting rifle barrels. In early 2009, after months of research and development and labor-intensive testing, Daniel Defense introduced one of the only commercially available 5.56mm Cold Hammer Forged barrels in the United States. After fine-tuning the manufacturing process and proving these barrels to be some of the most accurate and durable available, Daniel Defense introduced an entire line of Cold Hammer Forged barrels.

The process is accomplished through intense hydraulic pressure applied at opposing angles by carbide steel hammers. During the hammering process, a mandrel is inserted into the bore while the carbide steel hammers shape the barrel around the mandrel, creating the chamber, the lands, and the grooves. The Cold Hammer Forging process also changes the micro-structure of the steel, making it stronger, with a defect-free bore and the most consistent chamber possible.

All Daniel Defense barrels are Cold Hammer Forged and made from start to finish in our state-of-the-art facility located in Black Creek, Georgia. With the capacity to manufacture several thousand barrels each and every month, quality-control standards have never been more crucial. Sophisticated equipment, such as the Hommel optic, Micro-VU, and bore scope, is used routinely for complex measurements, ensuring each barrel is to spec. Daniel Defense barrels are finished with either a Mil-Spec heavy-phosphate outer finish with chrome lining or DLC coating as it pertains to the MK12 stainless steel barrel.



**PISTOL** 

**CARBINE** 

MID

**RIFLE** 

**BARREL PROFILES** 

GAS SYSTEM LENGTH

The process of Cold Hammer Forging looks like this-the core element within our machines. The four hydraulic hammers shown are responsible for shaping barrel blanks around a carbide mandrel, which creates the rifling of the bore as well as the chamber. With two forges, up to 12,000 barrels pass through our facilities each month. This process produces barrels with a surface finish 11.5 times smoother than traditional "cut" barrels.

# **SBR BARRELS**

CMV (Chrome Moly Vanadium), CHF (Cold Hammer Forged), chrome-lined phosphate finish unless noted in description



### 10.3" S2W<sub>®</sub> PROFILE, PISTOL LENGTH GAS

+ 300BLK, 1:8" Twist

### 12.5" GOVERNMENT PROFILE, CARBINE LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 14.5" LIGHTWEIGHT PROFILE, MID-LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 10.3" GOVERNMENT PROFILE, CARBINE LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 14.5" M4 PROFILE, CARBINE LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 14.5" GOVERNMENT PROFILE, MID-LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 11.5" GOVERNMENT PROFILE, CARBINE LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

# 16-18" BARRELS

CMV (Chrome Moly Vanadium), CHF (Cold Hammer Forged), chrome-lined phosphate finish unless noted in description



### 16" M4 PROFILE, CARBINE LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 16" GOVERNMENT PROFILE, MID-LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 16" LIGHTWEIGHT PROFILE, MID-LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 16" S2W<sub>®</sub> PROFILE, CARBINE LENGTH GAS

+ 300BLK, 1:8" Twist

### 16" S2W<sub>®</sub> PROFILE, MID-LENGTH GAS

+ 6.8 SPCII, 1:11" Twist

### 18" S2W<sub>®</sub> PROFILE, RIFLE LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### 18" S2W<sub>®</sub> PROFILE, MID-LENGTH GAS

+ 5.56x45mm NATO, 1:7" Twist

### $18^{''}\,S2W_{\odot}$ PROFILE, MID-LENGTH GAS

+ 6.8 SPCII, 1:11" Twist

### 18" SS MK12 PROFILE, RIFLE LENGTH GAS\*

+ 5.56x45mm NATO, 1:7" Twist

 $^{\star}$ DLC coated



# **FURNITURE**



### **DD**<sub>®</sub> ENHANCED VERTICAL GRIP

Daniel Defense Enhanced Vertical Grip includes soft-touch rubber overmolding for enhanced grip, wet or dry. Dual O-ring, watertight storage compartment is capable of storing small parts (Picatinny version only). Extremely light weight and utilizes a simple yet durable mounting method.

Available in Black, Mil Spec +, Daniel Defense Tomado



### **DD**<sub>®</sub> ENHANCED PISTOL GRIP

Daniel Defense's Enhanced Pistol Grip features a more ergonomic wrist angle and integrated, oversized trigger guard for strength and comfort. Soft-touch rubber overmolding gives the shooter a reliable hold in all weather conditions.

Available in Black, Mil Spec +, Daniel Defense Tornado



The Daniel Defense Enhanced Buttstock is constructed of a proprietary blend of glass-infused polymers and finished off with soft-touch rubber overmolding in strategic points. It's precision formed for Mil-Spec receiver extensions, minimizing forward or lateral play. This eliminates the need for a tensioning device or friction lock. All of which results in a durable buttstock that provides a comfortable, repeatable cheek weld and unprecedented control of the firearm. The buttstock can be run with the included convex or concave buttpads or without them to accommodate the operator's gear. Limited-rotation QD swivel attachment points are integrated on both sides for ambidextrous sling attachment.

Available in Black, Mil Spec +, Daniel Defense Tornado

# **SIGHTS**



### A1.5<sub>®</sub> FIXED REAR SIGHT

The Daniel Defense fixed rear sight with Patented Rock & Lock technology allows for easy and secure installation on flat-top upper receivers. It is engineered to not impede use of the charging handle on AR15-style rifles.



### **FIXED FRONT SIGHT**

Special attention was paid to facilitate the use of a weapon light forward of this rail-mounted fixed front sight. Rear surface features anti-glare serrations. One-piece design ensures easy installation with its Patented Rock & Lock technology.



# **MUZZLE DEVICES**













**FLASH SUPPRESSOR** 

**FS EXTENDED** 

Side View

SUPERIOR SUPPRESSION DEVICE

- ON S
- SSD EXTENDED MUZZLE CLIMB MITIGATOR
- DD®WAVE™ MUZZLE BRAKE

- + Length: 1.875"
- + Weight: 2.27 oz.
- + Length: 2.250"
- + Weight: 2.66 oz.
- ith: 2.250"
- nt: 2 66 oz + Wei
- + Length: 1.875"
  - + Weight: 2.38 oz.
- + Length: 2.250"
- + Weight: 2.89 oz.
- + Length: 2.125"
- + Weight: 3.21 oz.
- MUZZEE DRAF

Side View

+ Length: 2.23" + Weight: 3.84 oz.

Daniel Defense continues to offer premium muzzle device options that are designed, tested, and manufactured to meet the expectations of the most experienced shooters. In a series of tests, the Daniel Defense Flash Suppressor and Superior Suppression Device showed reduced muzzle signature over the traditional A2 Birdcage. For competition shooters demanding accuracy, the Daniel Defense Muzzle Climb Mitigator redirects propellant gasses through calibrated ports, countering both recoil and muzzle climb. Less recoil and muzzle climb results in quicker, more precise follow-up shots and reduced fatigue. In keeping with the highest standard of quality, Daniel Defense muzzle devices are constructed from the highest-grade 17-4 PH stainless steel and salt-bath-nitride finished to reduce corrosion and wear.

Daniel Defense muzzle devices are available in 1/2-28 (5.56mm) or 5/8-24 (6.8 SPCII, 300 BLK, 7.62mm) TPI. Only the Flash Suppressor and SSD come in standard or extended lengths. The standard length flash suppressor, 1/2-28 TPI, is compatible with certain aftermarket sound suppressors.

# **MOUNTS**



# NEW OPTICS MOUNTS

Get secure mounting for most standard-size scopes with our all-new Optics Mounts. Available in single-ring and variable-power scope configurations, the mounts are precision-machined from 6061-T6 Aluminum and finished with Type III Hard Coat Anodizing. Each mount features our patented Rock & Lock technology for easy installation and removal with Torx Plus fasteners at the base and rings. Available in both 1" and 30mm.



### MICRO MOUNT

Securely mount a variety of popular optics, including Aimpoint's Micro R-1, H-1, T-1, T-2, Vortex's Sparc I & II, Primary Arms' Micro Dot & Advanced Micro Dot, Holosun Technologies HS403, or any other optic using the same type of mounting method. Offers absolute or lower 1/3 co-witness with backup iron sights. Patented Rock & Lock attachment technology.



# NEW M-LOK<sub>®</sub> / KEYMOD TO PICATINNY (MIL-STD 1913 RAIL) MOUNT

The Daniel Defense M-Lok or KeyMod Picatinny Rail Section is a 2.5" M1913 Rail designed to attach to a KeyMod or M-Lok Handguard. This part allows for the installation of any Picatinny accessory, such as vertical grips, weapon lights, and sling attachments.



### **BIPOD MOUNT ADAPTER**

The Daniel Defense Bipod Mount Adapter is designed for use on rail systems that utilize the KeyMod or M-Lok attachment method for mounting accessories. This light weight adapter allows users to securely attach bipods with sling swivel stud mounts. Available in Rock & Lock (Picatinny), KeyMod, or M-Lok versions.



### 1 O'CLOCK OFFSET RAIL

Optimized for mounting miniature red-dot optics or a variety of lights and accessories in the 1 o'clock (right-hand) or 11 o'clock (left-hand) positions. Available in Patented Rock & Lock (Picatinny) or KeyMod versions.

# **MOUNTS & PANELS**



### NEW

### M-LOK<sub>®</sub> / KEYMOD SCOUT LIGHT MOUNT

Developed for the SureFire Scout Light. Light weight, snag-free design is compatible with M-Lok or KeyMod handguards and is reversible for ambidextrous use. Will securely attach the SureFire M300 Mini Scout Light, M600 Ultra Scout Light, M600P Fury Scout Light, M300V Mini Scout Light, M600V Scout Light.



# RAIL MOUNT QD SWIVEL ATTACHMENT

Mount the swivel anywhere along the rail system with the Rail Mount QD Swivel Attachment. Machined to limit the rotation of the swivel to prevent the operator's sling from becoming tangled. One-piece design increases structural integrity. QD Swivel included. Available in Rock & Lock (Picatinny) or KeyMod versions.



# REAR RECEIVER QD SWIVEL ATTACHMENT

QD Swivel Attachment provides an ambidextrous pushbutton attachment of the popular heavy-duty pushbutton QD sling swivel. This steel-constructed swivel attachment mounts to the rear of the AR15 lower receiver with a collapsible stock receiver extension. The swivel's rotation is limited by the buffer tube, preventing tangles.



### **EZ CARBINE**® **SLING MOUNT**

Attaches to any AR15/M4 with a collapsible buttstock and Mil-Spec receiver extension. QD swivel attachment allows for ambidextrous functionality as the QD swivel can be swapped from the left attachment point to right and rotation is limited to ensure the sling does not become twisted or tangled. One-piece design allows for quick and easy installation.



### **RAIL PANELS**

Made for MIL-STD 1913 Picatinny rail systems, these rail panels are designed to shield your hand from excessive heat while protecting the rail system. Made from Santoprene, a material capable of withstanding temperatures up to 300° Fahrenheit. Will not fit KeyMod or M-Lok rail systems. Available in black and come three to a pack.

| RIFLES       | MFR #            | CALIBER   | RAIL<br>SYSTEM                | LENGTH            | WEIGHT   | GAS     | BARREL | BARREL<br>PROFILE | TWIST | MUZZLE<br>DEVICE                                  | BLACK | MIL SPEC + | DD TORNADO | DEEP WOODS | FLAT DARK EARTH | KRY HIGHLANDER |
|--------------|------------------|-----------|-------------------------------|-------------------|----------|---------|--------|-------------------|-------|---|-------|------------|------------|------------|-----------------|----------------|
| DDM4V1       | 02-050-15027     | 5.56 NATO | DDM4 RAIL12.0 FSP             | 32 1/4" - 35 7/8" | 6.70 LBS | CARBINE | 16"    | M4                | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V4 S     | 02-088-11034     | 5.56 NATO | DDM4 RAIL 10.0                | 27 7/8" - 31 1/4" | 5.85 LBS | CARBINE | 11.5"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|              | 02-128-02081-047 | 5.56 NATO | MFR 15.0                      | 32 1/4" - 35 7/8" | 6.20 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V7       | 02-128-02338-047 | 5.56 NATO | MFR 15.0                      | 32 1/4" - 35 7/8" | 6.20 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       | •          |            |            |                 |                |
| DDIVITY      | 02-128-13042-047 | 5.56 NATO | MFR 15.0                      | 32 1/4" - 35 7/8" | 6.20 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            | •          |            |                 |                |
|              | 02-128-13192-047 | 5.56 NATO | MFR 15.0                      | 32 1/4" - 35 7/8" | 6.20 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            |            | •          |                 |                |
| DDM4V7 LW    | 02-128-02241-047 | 5.56 NATO | MFR 15.0                      | 32 1/4" - 35 7/8" | 6.05 LBS | MID     | 16"    | LIGHTWEIGHT       | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V7 PRO   | 02-128-16541-047 | 5.56 NATO | MFR 15.0                      | 34 3/4" - 37 7/8" | 7.40 LBS | RIFLE   | 18"    | S2W               | 1:7"  | MUZZLE CLIMB MITIGATOR                            | •     |            |            |            |                 |                |
| DDM4V7 S     | 02-128-07344-047 | 5.56 NATO | MFR 10.0                      | 27 7/8" - 31 1/4" | 5.80 LBS | CARBINE | 11.5"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V7 SLW   | 02-128-15049-047 | 5.56 NATO | MFR 13.5                      | 31 1/2" - 34 3/4" | 5.90 LBS | MID     | 14.5"  | LIGHTWEIGHT       | 1:7"  | IMPROVED FLASH SUPPRESSOR<br>EXT, PINNED & WELDED | •     |            |            |            |                 |                |
| DDIVI4V7 SLW | 02-128-01219-047 | 5.56 NATO | MFR 13.5                      | 31 1/2" - 34 3/4" | 5.90 LBS | MID     | 14.5"  | LIGHTWEIGHT       | 1:7"  | IMPROVED FLASH SUPPRESSOR<br>EXT, PINNED & WELDED |       |            |            | •          |                 |                |
| DDM4V9       | 02-145-15175-047 | 5.56 NATO | DDM4 RAIL 15.0                | 32 1/4" - 35 7/8" | 6.59 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|              | 02-151-20026-047 | 5.56 NATO | SLIM RAIL 15.0                | 32 1/4" - 35 7/8" | 6.28 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V11      | 02-151-00257-047 | 5.56 NATO | SLIM RAIL 15.0                | 32 1/4" - 35 7/8" | 6.28 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       | •          |            |            |                 |                |
|              | 02-151-23026-047 | 5.56 NATO | SLIM RAIL 15.0                | 32 1/4" - 35 7/8" | 6.28 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            | •          |            |                 |                |
| DDM4V11 300  | 02-151-16191-047 | 300BLK    | SLIM RAIL 15.0                | 32 1/4" - 35 7/8" | 6.75 LBS | CARBINE | 16"    | S2W               | 1:8"  | IMPROVED FLASH SUPPRESSOR                         |       | •          |            |            |                 |                |
| DDM4300 S    | 02-122-17026-047 | 300BLK    | DDM4 RAIL 9.0                 | 26 3/4" - 29 7/8" | 5.77 LBS | PISTOL  | 10.3"  | S2W               | 1:8"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|              | 02-103-02041     | 300BLK    | MFR XL 15.0                   | 31 1/2" - 34 3/4" | 7.57 LBS | PISTOL  | 9"     | S2W               | 1:8"  | INTEGRATED SUPPRESSOR                             | •     |            |            |            |                 |                |
| DDM4 ISR     | 02-103-15139     | 300BLK    | MFR XL 15.0                   | 31 1/2" - 34 3/4" | 7.57 LBS | PISTOL  | 9"     | S2W               | 1:8"  | INTEGRATED SUPPRESSOR                             |       | •          |            |            |                 |                |
|              | 02-103-01056     | 300BLK    | MFR XL 15.0                   | 31 1/2" - 34 3/4" | 7.57 LBS | PISTOL  | 9"     | S2W               | 1:8"  | INTEGRATED SUPPRESSOR                             |       |            |            | •          |                 |                |
| M4A1         | 02-088-06027-011 | 5.56 NATO | M4A1 RIS II                   | 31 1/2" - 34 3/4" | 6.74 LBS | CARBINE | 14.5"  | M4                | 1:7"  | IMPROVED FLASH SUPPRESSOR<br>EXT, PINNED & WELDED | •     |            |            |            |                 |                |
| IVI4A I      | 02-088-15126-011 | 5.56 NATO | M4A1 RIS II                   | 31 1/2" - 34 3/4" | 6.74 LBS | CARBINE | 14.5"  | M4                | 1:7"  | IMPROVED FLASH SUPPRESSOR<br>EXT, PINNED & WELDED |       | •          |            |            |                 |                |
| MK12         | 02-142-13175-047 | 5.56 NATO | DDM4 RAIL 12.0                | 34 3/4" - 37 7/8" | 7.41 LBS | RIFLE   | 18"    | MK12              | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|              | 02-088-07327     | 5.56 NATO | MK18 RIS II                   | 26 3/4" - 29 7/8" | 5.88 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| MIZTO        | 02-088-15028-011 | 5.56 NATO | MK18 RIS II                   | 26 3/4" - 29 7/8" | 5.88 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       | •          |            |            |                 |                |
| MK18         | 02-088-05192     | 5.56 NATO | MK18 RIS II                   | 26 3/4" - 29 7/8" | 5.88 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            | •          |            |                 |                |
|              | 02-088-17024     | 5.56 NATO | MK18 RIS II                   | 26 3/4" - 29 7/8" | 5.88 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            |            |            | •               |                |
| DD5V1        | 02-150-17029-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 33 3/8" - 37"     | 8.30 LBS | MID     | 16"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  | •     |            |            |            |                 |                |
| ועפטט        | 02-150-07186-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 33 3/8" - 37"     | 8.30 LBS | MID     | 16"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       | •          |            |            |                 |                |
|              | 02-150-07337-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 33 3/8" - 37"     | 8.30 LBS | MID     | 16"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       |            | •          |            |                 |                |
| DD5V1        | 02-150-01209-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 33 3/8" - 37"     | 8.30 LBS | MID     | 16"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       |            |            | •          |                 |                |
| DOVI         | 02-150-18043-047 | .308 WIN  | 15" PICATINNY<br>TOP + M-LOK  | 33 3/8" - 37"     | 8.30 LBS | MID     | 16"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  | •     |            |            |            |                 |                |
|              | 02-150-23047-047 | .308 WIN  | 15" PICATINNY<br>TOP + M-LOK  | 33 3/8" - 37"     | 8.30 LBS | MID     | 16"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       |            |            | •          |                 |                |

| RIFLES      | MFR #            | CALIBER   | RAIL                          | LENGTH            | WEIGHT   | GAS     | BARREL | BARREL            | TWIST | MUZZLE  | BLACK | MIL SPEC + | DD TORNADO | DEEP WOODS | FLAT DARK EARTH | KRY HIGHLANDER |
|-------------|------------------|-----------|-------------------------------|-------------------|----------|---------|--------|-------------------|-------|---|-------|------------|------------|------------|-----------------|----------------|
|             | 02-155-07335-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 35 3/8" - 39"     | 8.60 LBS | RIFLE   | 18"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  | •     |            |            |            |                 |                |
| PDEMO       | 02-155-02048-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 35 3/8" - 39"     | 8.60 LBS | RIFLE   | 18"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       |            |            | •          |                 |                |
| DD5V2       | 02-155-19144-047 | .308 WIN  | 15" PICATINNY<br>TOP + M-LOK  | 35 3/8" - 39"     | 8.60 LBS | RIFLE   | 18"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  | •     |            |            |            |                 |                |
|             | 02-155-30053-047 | .308 WIN  | 15" PICATINNY<br>TOP + M-LOK  | 35 3/8" - 39"     | 8.60 LBS | RIFLE   | 18"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       |            |            | •          |                 |                |
|             | 02-110-02095     | 5.56 NATO | MFR 15.0                      | 33 3/8" - 37"     | 7.00 LBS | MID     | 18"    | S2W               | 1:7"  | THREAD PROTECTOR                                  |       |            |            |            |                 | •              |
|             | 02-110-01216     | 300BLK    | MFR 15.0                      | 32 1/4" - 35 7/8" | 6.55 LBS | CARBINE | 16"    | S2W               | 1:8"  | THREAD PROTECTOR                                  |       |            |            |            |                 | •              |
| AMBUSH      | 02-154-07237-047 | .308 WIN  | 15" PICATINNY<br>TOP + KEYMOD | 35 3/8" - 39"     | 8.60 LBS | RIFLE   | 18"    | S2W               | 1:11" | SUPERIOR SUPPRESSION DEVICE, EXT                  |       |            |            |            |                 | •              |
|             | 02-110-07137     | 6.8MM SPC | MFR 15.0                      | 33 3/8" - 37"     | 6.90 LBS | MID     | 18"    | S2W               | 1:11" | THREAD PROTECTOR                                  |       |            |            |            |                 | •              |
|             | 02-128-17050     | 5.56 NATO | MFR 9.0                       | 28 5/8"           | 5.44 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|             | 02-128-16550     | 5.56 NATO | MFR 9.0                       | 30 1/4"           | 6.17 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|             | 02-128-18052     | 5.56 NATO | MFR 9.0                       | 28 5/8"           | 5.44 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     | •          |            |            |                 |                |
|             | 02-128-19050     | 5.56 NATO | MFR 9.0                       | 29 5/8"           | 6.14 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     | •          |            |            |                 |                |
| DDM4V7 P    | 02-128-19153     | 300BLK    | MFR 9.0                       | 28 5/8"           | 5.41 LBS | PISTOL  | 10.3"  | S2W               | 1:8"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|             | 02-128-00166     | 300BLK    | MFR 9.0                       | 28 5/8"           | 5.41 LBS | PISTOL  | 10.3   | S2W               | 1:8"  | IMPROVED FLASH SUPPRESSOR                         | •     | •          |            |            |                 |                |
|             | 02-128-09263     | 300BLK    | MFR 9.0                       | 29 5/8"           | 6.14 LBS | PISTOL  | 10.3"  | S2W               | 1:8"  | IMPROVED FLASH SUPPRESSOR                         | •     | •          |            |            |                 |                |
|             | 02-128-08252     | 300BLK    | MFR 9.0                       | 30 1/4"           | 6.14 LBS | PISTOL  | 10.3"  | S2W               | 1:8"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|             | 02-088-01202     | 5.56 NATO | MK18 RIS II                   | 28 5/8"           | 5.95 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| MK18 PISTOL | 02-088-06030     | 5.56 NATO | MK18 RIS II                   | 28 5/8"           | 5.95 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            |            |            | •               |                |
|             | 02-088-22038     | 5.56 NATO | MK18 RIS II                   | 30 1/4"           | 6.08 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            |            |            | •               |                |
| URGS        | MFR #            | CALIBER   | RAIL SYSTEM                   | GAS BLOCK         | WEIGHT   | GAS     | BARREL | BARREL<br>PROFILE | TWIST | MUZZLE<br>DEVIGE                                  | BLACK | MIL SPEC + | DD TORNADO | DEEP WOODS | FLAT DARK EARTH | KRY HIGHLANDER |
| DDM4V7      | 23-128-02339-047 | 5.56 NATO | MFR 15.0                      | LOW PROFILE       | 4.00 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V7 LW   | 23-128-02932-047 | 5.56 NATO | MFR 15.0                      | LOW PROFILE       | 3.90 LBS | MID     | 16"    | LIGHTWEIGHT       | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V7 PRO  | 23-128-20044-047 | 5.56 NATO | MFR 15.0                      | LOW PROFILE       | 5.25 LBS | RIFLE   | 18"    | S2W               | 1:7"  | DD MUZZLE CLIMB MITIGATOR                         | •     |            |            |            |                 |                |
| DDM4V7 S    | 23-128-00275-047 | 5.56 NATO | MFR 10.0                      | LOW PROFILE       | 3.50 LBS | CARBINE | 11.5"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V9      | 23-145-18027-047 | 5.56 NATO | DDM4 RAIL 15.0                | LOW PROFILE       | 4.41 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V11     | 23-151-02197-047 | 5.56 NATO | SLIM RAIL 15.0                | LOW PROFILE       | 4.10 LBS | MID     | 16"    | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V11 LW  | 23-151-02077-047 | 5.56 NATO | SLIM RAIL 15.0                | LOW PROFILE       | 3.97 LBS | MID     | 16"    | LIGHTWEIGHT       | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| DDM4V11 PRO | 23-151-13035-047 | 5.56 NATO | SLIM RAIL 15.0                | LOW PROFILE       | 5.35 LBS | RIFLE   | 18"    | S2W               | 1:7"  | DD MUZZLE CLIMB MITIGATOR                         | •     |            |            |            |                 |                |
| M4A1        | 23-004-13150     | 5.56 NATO | M4A1 RIS II                   | LOW PROFILE       | 4.56 LBS | CARBINE | 14.5"  | M4                | 1:7"  | IMPROVED FLASH SUPPRESSOR<br>EXT, PINNED & WELDED |       |            |            |            | •               |                |
| MK12        | 23-142-10035     | 5.56 NATO | DDM4 RAIL 12.0                | MK12              | 5.23 LBS | RIFLE   | 18"    | MK12              | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| MI/40       | 23-004-08013-006 | 5.56 NATO | MK18 RIS II                   | LOW PROFILE       | 3.50 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
| MK18        | 23-004-08013-011 | 5.56 NATO | MK18 RIS II                   | LOW PROFILE       | 3.50 LBS | CARBINE | 10.3"  | GOVERNMENT        | 1:7"  | IMPROVED FLASH SUPPRESSOR                         |       |            |            |            | •               |                |
| DDM4300 S   | 23-088-19020-047 | 300BLK    | DDM4 RAIL 9.0                 | LOW PROFILE       | 3.65 LBS | PISTOL  | 10.3"  | S2W               | 1:7"  | IMPROVED FLASH SUPPRESSOR                         | •     |            |            |            |                 |                |
|             |                  |           |                               |                   |          |         |        |                   |       |   |       |            |            |            |                 |                |

DDM4V4 S

23-088-05147

5.56 NATO

DDM4 RAIL 10.0

LOW PROFILE

4.00 LBS

CARBINE

11.5"

GOVERNMENT

1:7"

IMPROVED FLASH SUPPRESSOR

| RAILS                    | MFR #            | WEIGHT   | LENGTH | WIDTH | INSIDE<br>DIAMETER |
|--------------------------|------------------|----------|--------|-------|--------------------|
| DDM4 RAIL 9.0            | 01-134-15114     | 10.3 OZ  | 9.22"  | 1.90" | 1.08"              |
| DDM4 RAIL 10.0           | 01-134-08237     | 11.0 OZ  | 10.06" | 1.90" | 1.08"              |
| DDM4 RAIL 12.0           | 01-134-15163     | 13.2 OZ  | 12.43" | 1.90" | 1.08"              |
| DDM4 RAIL 15.0           | 01-134-09186     | 15.6 OZ  | 15.20" | 1.90" | 1.08"              |
| OMEGA RAIL 7.0-PICATINNY | 01-005-10001     | 7.6 OZ   | 6.87"  | 1.90" | 1.08"              |
| OMEGA RAIL 9.0-PICATINNY | 01-005-10002     | 9.8 OZ   | 8.87"  | 1.90" | 1.08"              |
| OMEGA RAIL 7.0-KEYMOD    | 01-005-10347     | 6.5 OZ   | 7.02"  | 1.85" | 1.32"              |
| OMEGA RAIL 9.0-KEYMOD    | 01-005-10559     | 8.5 OZ   | 8.99"  | 1.85" | 1.32"              |
| OMEGA RAIL 7.0-M-LOK     | 01-005-10696     | 6.7 OZ   | 7.02"  | 1.85" | 1.32"              |
| OMEGA RAIL 9.0-M-LOK     | 01-005-11047     | 8.2 OZ   | 8.99"  | 1.85" | 1.32"              |
| MFR 9.0 KEYMOD           | 01-107-15194     | 5.4 OZ   | 9.04"  | 1.56" | 1.39"              |
| MFR 10.0 KEYMOD          | 01-107-16049     | 5.95 OZ  | 10.58" | 1.56" | 1.39"              |
| MFR 13.5 KEYMOD          | 01-107-16198     | 7.60 OZ  | 13.79" | 1.56" | 1.39"              |
| MFR 15.0 KEYMOD          | 01-107-16544     | 8.65 OZ  | 15.33" | 1.56" | 1.39"              |
| MFR XL 9.0 KEYMOD        | 01-107-14192     | 6.05 OZ  | 9.15"  | 1.82" | 1.61"              |
| MFR XL 10.0 KEYMOD       | 01-107-01203     | 6.75 OZ  | 10.38" | 1.82" | 1.61"              |
| MFR XL 13.5 KEYMOD       | 01-107-10233     | 9.00 OZ  | 13.80" | 1.82" | 1.61"              |
| MFR XL 15.0 KEYMOD       | 01-107-15042     | 10.00 OZ | 15.30" | 1.82" | 1.61"              |
| SLIM RAIL 9.0 KEYMOD     | 01-147-81662     | 8.6 OZ   | 9.22"  | 1.74" | 1.08"              |
| SLIM RAIL 12.0 KEYMOD    | 01-147-02038     | 9.9 OZ   | 12.43" | 1.74" | 1.08"              |
| SLIM RAIL 15.0 KEYMOD    | 01-147-22026     | 11.2 OZ  | 15.20" | 1.74" | 1.08"              |
| MFR 9.0 M-LOK            | 01-107-15140     | 5.4 OZ   | 9.04"  | 1.56" | 1.39"              |
| MFR 10.0 M-LOK           | 01-107-09348     | 6.2 OZ   | 10.58" | 1.56" | 1.39"              |
| MFR 13.5 M-LOK           | 01-107-15189-006 | 8.0 OZ   | 13.79" | 1.56" | 1.39"              |
| MFR 15.0 M-LOK           | 01-107-16044     | 10.1 OZ  | 15.34" | 1.56" | 1.39"              |
| MFR XL 9.0 M-LOK         | 01-107-08094     | 6.25 OZ  | 9.15"  | 1.82" | 1.61"              |
| MFR XL 10.0 M-LOK        | 01-107-08198     | 7.05 OZ  | 10.38" | 1.82" | 1.61"              |
| MFR XL 13.5 M-LOK        | 01-107-08246     | 9.40 OZ  | 13.80" | 1.82" | 1.61"              |
| MFR XL 15.0 M-LOK        | 01-107-09195     | 10.40 OZ | 15.30" | 1.82" | 1.61"              |

| BARRELS | MFR #            | CALIBER   | PROFILE     | TWIST | GAS SYSTEM       | MATERIAL             |
|---------|------------------|-----------|-------------|-------|------------------|----------------------|
|         | 36-116-06191-018 | 300BLK    | S2W         | 1:8"  | PIST0L           | CHROME MOLY VANADIUM |
| 10.3"   | 07-077-16176-018 | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE          | CHROME MOLY VANADIUM |
|         | 07-077-02123     | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE WITH FSB | CHROME MOLY VANADIUM |
|         | 07-077-06128     | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE WITH LPG | CHROME MOLY VANADIUM |
| 11.5"   | 07-077-16522-018 | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE          | CHROME MOLY VANADIUM |
| 11.5    | 07-077-07108     | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE WITH LPG | CHROME MOLY VANADIUM |
|         | 07-077-17022-018 | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE          | CHROME MOLY VANADIUM |
| 12.5"   | 07-077-10135     | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE WITH FSB | CHROME MOLY VANADIUM |
|         | 07-077-07208     | 5.56 NATO | GOVERNMENT  | 1:7"  | CARBINE WITH LPG | CHROME MOLY VANADIUM |
|         | 07-075-18024-018 | 5.56 NATO | M4          | 1:7"  | CARBINE          | CHROME MOLY VANADIUM |
|         | 07-075-02153     | 5.56 NATO | M4          | 1:7"  | CARBINE WITH FSB | CHROME MOLY VANADIUM |
| 4.4.511 | 07-075-07157     | 5.56 NATO | M4          | 1:7"  | CARBINE WITH LPG | CHROME MOLY VANADIUM |
| 14.5"   | 07-077-19125-018 | 5.56 NATO | GOVERNMENT  | 1:7"  | MID              | CHROME MOLY VANADIUM |
|         | 07-077-07308     | 5.56 NATO | GOVERNMENT  | 1:7"  | MID WITH LPG     | CHROME MOLY VANADIUM |
|         | 07-078-08072-018 | 5.56 NATO | LIGHTWEIGHT | 1:7"  | MID              | CHROME MOLY VANADIUM |
|         | 07-075-08174-018 | 5.56 NATO | M4          | 1:7"  | CARBINE          | CHROME MOLY VANADIUM |
|         | 07-075-10114     | 5.56 NATO | M4          | 1:7"  | CARBINE WITH FSB | CHROME MOLY VANADIUM |
|         | 07-075-21074     | 5.56 NATO | M4          | 1:7"  | CARBINE WITH LPG | CHROME MOLY VANADIUM |
|         | 07-077-09173-018 | 5.56 NATO | GOVERNMENT  | 1:7"  | MID              | CHROME MOLY VANADIUM |
| 4.011   | 07-077-02114     | 5.56 NATO | GOVERNMENT  | 1:7"  | MID WITH FSB     | CHROME MOLY VANADIUM |
| 16"     | 07-077-06158     | 5.56 NATO | GOVERNMENT  | 1:7"  | MID WITH LPG     | CHROME MOLY VANADIUM |
|         | 07-078-09136-018 | 5.56 NATO | LIGHTWEIGHT | 1:7"  | MID              | CHROME MOLY VANADIUM |
|         | 07-078-06106     | 5.56 NATO | LIGHTWEIGHT | 1:7"  | MID WITH LPG     | CHROME MOLY VANADIUM |
|         | 36-116-06041-018 | 300BLK    | S2W         | 1:8"  | CARBINE          | CHROME MOLY VANADIUM |
|         | 29-116-07141-018 | 6.8 SPCII | S2W         | 1:11" | MID              | CHROME MOLY VANADIUM |
|         | 07-116-05191-018 | 5.56 NATO | S2W         | 1:7"  | MID              | CHROME MOLY VANADIUM |
| 10"     | 29-116-07241-018 | 6.8 SPCII | S2W         | 1:11" | MID              | CHROME MOLY VANADIUM |
| 18"     | 07-116-05042-018 | 5.56 NATO | S2W         | 1:7"  | RIFLE            | CHROME MOLY VANADIUM |
|         | 07-088-09178-053 | 5.56 NATO | MK12        | 1:7"  | RIFLE            | STAINLESS STEEL      |

| FURNITURE                   | ###################################### | BLACK | MIL SPEC + | DD TORNADO |
|-----------------------------|--|-------|------------|------------|
|                             | 21-091-04179-006                       | •     |            |            |
| COLLAPSIBLE BUTTSTOCK       | 21-091-04179-011                       |       | •          |            |
|                             | 21-091-04179-012                       |       |            | •          |
|                             | 21-071-05177-006                       | •     |            |            |
| PISTOL GRIP                 | 21-071-05177-011                       |       | •          |            |
|                             | 21-071-05177-012                       |       |            | •          |
|                             | 21-067-05028-006                       | •     |            |            |
| PICATINNY VERTICAL FOREGRIP | 21-067-05028-011                       |       | •          |            |
|                             | 21-067-05028-012                       |       |            | •          |
|                             | 21-067-19042-006                       | •     |            |            |
| KEYMOD VERTICAL<br>FOREGRIP | 21-067-19042-011                       |       | •          |            |
|                             | 21-067-19042-012                       |       |            | •          |
|                             | 21-067-19145-006                       | •     |            |            |
| M-LOK VERTICAL<br>FOREGRIP  | 21-067-19145-011                       |       | •          |            |
|                             | 21-067-19145-012                       |       |            | •          |

| FURNITURE                                   | #<br>#                        | BLACK | MIL SPEC + | DD TORNADO |
|---|-------------------------------|-------|------------|------------|
| PICATINNY                                   | 28-102-06145-006              | •     |            |            |
| BUTTSOCK/PISTOL GRIP/VERTICAL GRIP          | 28-102-06145-011              |       | •          |            |
| COMBO                                       | 28-102-06145-012              |       |            | •          |
| KEYMOD                                      | Combo_Packs_KEYMOD_Black      | •     |            |            |
| BUTTSOCK/PISTOL GRIP/VERTICAL GRIP<br>COMBO | Combo_Packs_KEYMOD_Milspec    |       | •          |            |
| COIVIDO                                     | Combo_Packs_KEYMOD_Tornado    |       |            | •          |
| M-LOK                                       | Combo_Packs_M-Lok_NTG_Black   | •     |            |            |
| BUTTSOCK/PISTOL GRIP/VERTICAL GRIP          | Combo_Packs_M-Lok_NTG_Milspec |       | •          |            |
| COMBO                                       | Combo_Packs_M-Lok_NTG_Tornado |       |            | •          |

| САТЕСОВУ    | AR PARTS<br>& GEAR  | M<br>#<br>#      |
|-------------|---|------------------|
|             | BIG HOLE UPPER (W/FEED RAMPS)                                   | 04-012-09001     |
|             | .315 BIG HOLE PIVOT PIN   | 15-028-09004     |
|             | MK12 GAS BLOCK, .750  | 25-081-00029     |
|             | .750 LOW PROFILE GAS BLOCK                                      | 25-079-05006     |
|             | .625 LOW PROFILE GAS BLOCK                                      | 25-079-04157     |
|             | BOLT UP SYSTEM BARREL NUT                                       | 01-002-07234-131 |
|             | AR15 BARREL NUT   | 01-013-22032     |
| UPPER PARTS | CHARGING HANDLE ASSEMBLY  | 04-013-16532     |
|             | DDM4/ SLIM/ LITE RAIL III<br>HARDWARE PACK                      | 01-134-01053     |
|             | 6.8MM SPC BOLT CARRIER GROUP,<br>COMPLETE, F/A, HP & MPI TESTED | 04-013-08082     |
|             | 5.56MM BOLT CARRIER GROUP,<br>COMPLETE, F/A, HP & MPI TESTED    | 04-013-19032     |
|             | 6.8MM SPC BOLT ASSEMBLY   | 04-013-20032     |
|             | 5.56MM BOLT ASSEMBLY  | 04-013-22182     |
|             | LOWER PARTS KITS (SEMI AUTO)                                    | 05-013-21007     |
|             | RECEIVER EXTENSION (6) POSITION                                 | 05-013-16186     |
| LOWER PARTS | CAR H-BUFFER ASSEMBLY   | 05-013-17032     |
|             | CAR BUFFER SPRING   | 15-024-16146     |
|             | CASTLE NUT  | 15-057-20039     |
|             | DANIEL DEFENSE SOFT RIFLE CASE                                  | 11-066-15043     |
|             | DANIEL DEFENSE LED SIGN   | 13-088-03051     |
|             | DANIEL DEFENSE METAL SIGN                                       | 13-088-04103     |
|             | DANIEL DEFENSE BOTTLE OPENER KEYCHAIN                           | 13-088-11051     |
| GEAR        | DANIEL DEFENSE DIE CUT STICKER SHEET                            | 14-088-10563     |
|             | DANIEL DEFENSE LOGO VELCRO PATCH                                | 14-088-10700     |
|             | DANIEL DEFENSE GEORGIA TRUCKER'S HAT                            | 14-044-09365     |
|             | DANIEL DEFENSE PLAID TRUCKER'S HAT                              | 14-044-21125     |
|             | DANIEL DEFENSE DD GRAY MESH HAT                                 | 14-044-22044     |



| CATEGORY              | ACCESSORIES<br>& GEAR                             | MFR#             |
|-----------------------|---|------------------|
|                       | BOLT UP SYSTEM BARREL NUT WRENCH                  | 16-002-08234-140 |
| TOOLS                 | OMEGA X/MODULAR FLOAT RAIL<br>BARREL NUT WRENCH   | 16-033-08184-140 |
|                       | ARMORERS BOLT UP SYSTEM<br>BARREL NUT WRENCH      | 16-002-15009-105 |
|                       | FLASH SUPPRESSOR                                  | 06-048-08061     |
|                       | FLASH SUPPRESSOR EXT                              | 06-048-08123     |
|                       | FLASH SUPPRESSOR 30 CAL                           | 06-048-05163     |
|                       | SUPERIOR SUPPRESSION DEVICE                       | 06-048-04074     |
|                       | SUPERIOR SUPPRESSION DEVICE EXT                   | 06-048-04165     |
| MUZZLE DEVICES        | SUPERIOR SUPPRESSION DEVICE 30 CAL                | 06-048-06111     |
|                       | MUZZLE CLIMB MITIGATOR                            | 06-049-16140     |
|                       | DD WAVE MUZZLE BRAKE                              | 06-049-11048     |
|                       | DD WAVE MUZZLE BRAKE 30 CAL                       | 06-049-10697     |
|                       | DD WAVE QUICK DETACH 1/2X28                       | 06-140-12049-006 |
| SUPPRESSORS           | DD WAVE QUICK DETACH 5/8X24                       | 06-140-13051-006 |
| SUPPRESSURS           | DD WAVE DIRECT THREAD 1/2X28                      | 06-140-11050-006 |
|                       | DD WAVE DIRECT THREAD 5/8X24                      | 06-140-11198-006 |
|                       | DD MAGAZINE, 5.56 32 ROUND                        | 13-072-16539-006 |
| MAGAZINE              | DD MAGAZINE, 5.56 (12 PACK) (32 ROUNDS)           | 13-072-00160-006 |
|                       | DD MAGAZINE, 5.56 10 ROUND                        | 13-072-15192-006 |
|                       | RAIL MOUNT QD SWIVEL<br>ATTACHMENT POINT W/SWIVEL | 03-021-30029     |
|                       | REAR RECEIVER END PLATE W/QD SWIVEL               | 03-018-30026     |
| SLING MOUNTS          | EZ CAR QD W/SWIVEL                                | 03-019-05026     |
|                       | HEAVY DUTY QUICK DETACH SLING SWIVEL              | 13-018-16037     |
|                       | REAR RECEIVER CARBINE QD SWIVEL                   | 03-018-04062     |
|                       | A1.5 FIXED REAR SIGHT                             | 19-064-11002     |
| SIGHTS                | RAIL MOUNTED FIXED FRONT SIGHT                    | 19-017-04013     |
|                       | FIXED FRONT/REAR SIGHT COMBO                      | 19-088-09116     |
|                       | MICRO MOUNT (W/LOWER 1/3 ADAPTER)                 | 03-045-18025     |
| PICATINNY             | 1 O'CLOCK OFFSET MOUNT                            | 03-029-13017     |
| ACCESSORIES           | BI-POD MOUNT ADAPTER                              | 03-141-10324     |
|                       | RAIL PANEL SET                                    | 21-010-02927-006 |
|                       | QD SLING MOUNT W/ SWIVEL                          | 03-018-07231     |
|                       | 1 O'CLOCK OFFSET RAIL ASSEMBLY                    | 03-029-07131     |
| KEYMOD<br>ACCESSORIES | SCOUT LIGHT MOUNT                                 | 03-020-03043     |
| ACCESSONIES           | BIPOD ADAPTER                                     | 03-141-07228     |
|                       | PICATINNY RAIL SECTION                            | 03-088-02933     |
|                       | QD SLING MOUNT W/ SWIVEL                          | 03-021-15136     |
| M-LOK                 | SCOUT LIGHT MOUNT                                 | 03-020-02093     |
| ACCESSORIES           | BIPOD ADAPTER                                     | 03-141-81675     |
|                       | PICATINNY RAIL SECTION                            | 03-088-02253     |
|                       | SI GASCAN, DD TORNADO                             | 13-088-07341-012 |
|                       | SI FUEL CELL, MIL SPEC +                          | 13-088-07190-011 |
|                       | SI GASCAN MIL SPEC + W/BLACK IRD                  | 13-088-07341-011 |
| OAKLEY                | SI HOLBROOK DD TORNADO W/BLACK IRD                | 13-088-18047-012 |
|                       | SI DOUBLE EDGE PRIZM BLACK, DD TORNADO            | 13-088-15208-012 |
|                       | SI DROP POINT PRIZM TUNGSTEN - MIL SPEC +         | 13-088-16212-011 |
|                       | SI BALLISTIC SHOCKTUBE BLACK IRIDIUM- DD TORNADO  | 13-088-16063-012 |
|                       |   |                  |



Daniel Defense is proud to partner with Oakley in an effort to provide our customers with the most durable and mission-critical eyewear protection possible. Select Oakley SI models are now available in Daniel Defense's popular Cerakote colors that include Mil Spec + and Daniel Defense Tornado and feature a small DD logo laser etched into the corner of the lens for a completely custom look.



### NEW

# SI BALLISTIC SHOCKTUBE TO DANIEL DEFENSE TORNADO SW/BLK IRIDIUM POLARIZED

Forged with protection, shaped with industrial style, and built for speed, SI Shocktube brings ballistic capability to new levels. Fully compliant with the ballistic and optical standards of MIL PRF 32432, SI Shocktube is composed of an upper and lower jaw to maximize impact protection. Simple lens exchange with an included hex-key, the product allows the user to swap lenses seamlessly. An Unobtanium nosepiece and thin ear stems makes SI Shocktube



### NEW

### SI DROP POINTTM MIL SPEC +® PRIZM TUNGSTEN

Bringing clarity and performance to active lifestyles, Drop Point blends the wide-open view of side curvature with sculptural angled shaping. Improving safety, comfort and performance, Oakley HD Polarized lenses filter out 99% of reflected glare without the haze and optical distortion that can come with polarized lenses made with conventional manufacturing techniques.



### NEW

### SI DOUBLE EDGETM DANIEL DEFENSE TORNADO® PRIZM BLACK

TA sculpture inspired by sharp angles, this double-edged approach to eyewear matches style with performance, and its self-assured look revels in originality while giving you an expanded field of view. Prizm Polarized features the maximized contrast and enhanced visibility of Prizm with the glare filtering benefits of Oakley HD Polarized



### SI HOLBROOK TO DANIEL DEFENSE TORNADO® W/BLK IRIDIUM POLARIZED

The Holbrook in Daniel Defense Tornado is a timeless, classic design fused with modern Oakley technology. Inspired by the screen heroes from the 1940s, 50s, and 60s, this design epitomizes the spirit of exploration and adventure. The iconic American frame design is accented by metal rivets, a small DD logo laser etched into the corner of the lens, and the Oakley "0" on the frame has a signature picatinnty rail texture for a completely custom look. It's perfect for those who seek equal parts of performance and style.





### SI FUEL CELL™

The idea was to create clean, authentic style for those who don't just walk the path of life—they stomp it and leave footprints. That's what led to Oakley FUEL CELL. The idea here is unflinching originality and a smooth look. It's proof that when authenticity speaks for itself, it speaks with volume. It's available either DD Mil Spec + with Black Iridium lenses.



### SI GASCAN®

The SI Gascan is available in Daniel Defense Tornado and DD Mil Spec +. Two lenses are cut from the curve of a single lens shield, then mounted in the frame to maintain the original, continuous contour. Light weight 0 Matter frame material offers premium comfort. Peripheral vision is maximized by XYZ Optics, an innovation that maintains visual clarity at all angles of view. Oakley's Three-Point Fit retains the lenses in precise optical alignment.

### **WARRANTY**

All Daniel Defense products carry a 100% satisfaction guarantee against defects in original materials and workmanship. If your Daniel Defense product shows evidence of such defects, Daniel Defense will make every accommodation to fix, repair, or replace your product in the most expeditious manner possible. Daniel Defense does not warranty products or damage caused to our products by the correct or incorrect installation of other manufacturers' products. Be sure to retain your sales slip as proof of purchase date when making a claim.



### VISIT DANIELDEFENSE.COM



»₀ FREEDOM. PASSION. PRECISION.™

**DANIEL DEFENSE**® INC. / 101 WARFIGHTER WAY / BLACK CREEK, GA 31308 / DANIELDEFENSE.COM