



Trijicon


Huron™

ABSOLUTE ACCURACY. EVEN WHEN YOUR HEART'S BEATING OUT OF YOUR CHEST.

This is the Trijicon® variable riflescope made specifically for the American deer hunter. The Trijicon Huron™ comes with the high-quality glass, proven precision, and rugged construction you need for bragging rights every season, along with a price that lets you invest heavily in your other hunting gear.

Features and Benefits

- A Easy-Focus Eyepiece**
Diopter accommodates the shooter's individual prescription.
- B Accurate Shot Placement at Various Distances**
Versatile magnification ranges designed for the whitetail hunter.
- C Sleek Design & Finish**
Satin finish and hunter knurling prevent snagging and allow for smooth adjustments of optic controls.
- D Quick & Easy Adjustments**
Crisp, precise, windage/elevation adjusters require no tools. Capped adjusters ensure no accidental shift.
- E Field-Ready Construction**
Ultra-lightweight, ruggedized design stands up to the elements without added weight.
- F Edge-to-Edge Clarity**
Fully multi-coated, broadband, anti-reflective glass provides excellent light transmission, true detail and color, with zero distortion.
- G Fast Scanning, Detection, and Tracking**
Extra-wide field of view for maximum situational awareness.
- H Rapid Target Acquisition**
Uncluttered, easy-to-use reticles for fast and accurate shots.






	1-4x24 (HR424 Series)	2.5-10x40 (HR1040 Series)
Eye Relief	2.6 – 3.9 in. 65 – 98mm	2.4 – 3.3 in. 62 – 83mm
Exit Pupil	0.69 – 0.2 in. 17.5 – 5.1mm	0.58 – 0.16 in. 14.8 – 4.0mm
Field of View (@ 100 yd.) (@ 100m) (degrees)	95.0 – 24.2 ft. 31.7 – 8.1m 18° – 4.6°	40.2 – 10.0 ft. 13.4 – 3.3m 7.66° – 1.92°
Focal Plane	Second	Second
Adjustments	1/4 MOA Per Click	1/4 MOA Per Click
Adjustment Range Total Travel	100 MOA	70 MOA
Finish	Satin	Satin
Dimensions (L x W x H)	10.4 x 2.0 x 1.9 in.	12.55 x 2.26 x 2.26 in.
Weight	15.9 oz.	18.2 oz.
Tube Diameter	30mm	30mm

	3-9x40 (HR940 Series)	3-12x40 (HR1240 Series)
Eye Relief	2.5 – 3.7 in. 63 – 93mm	2.2 – 3.2 in. 55 – 81mm
Exit Pupil	0.52 – 0.13 in. 13.3 – 4.5mm	0.52 – 0.13 in. 13.2 – 3.4mm
Field of View (@ 100 yd.) (@ 100m) (degrees)	33.8 – 11.3 ft. 11.3 – 3.8m 6.45° – 2.15°	36.3 – 9.1 ft. 12.1 – 3.0m 6.93° – 1.74°
Focal Plane	Second	Second
Adjustments	1/4 MOA Per Click	1/4 MOA Per Click
Adjustment Range Total Travel	40 MOA	70 MOA
Finish	Satin	Satin
Dimensions (L x W x H)	12.23 x 2.14 x 2.14 in.	12.55 x 2.26 x 2.26 in.
Weight	15.8 oz.	17.8 oz.
Tube Diameter	1 in.	30mm

1-4x24




BDC
Hunter Holds

BDC Hunter Holds, 30mm Tube, Capped Adjusters

Satin Black: HR424-C-2700001

2.5-10x40




BDC
Hunter Holds


BDC Hunter Holds, 30mm Tube, Capped Adjusters

Satin Black: HR1040-C-2700002


3-9x40



German #4



Standard
Duplex



BDC
Hunter Holds

German #4 Crosshair, 1 in. Tube, Capped Adjusters

Satin Black: HR940-C-2700004


Standard Duplex, 1 in. Tube, Capped Adjusters

Satin Black: HR940-C-2700005

BDC Hunter Holds, 1 in. Tube, Capped Adjusters

Satin Black: HR940-C-2700006

3-12x40



BDC
Hunter Holds

BDC Hunter Holds, 30mm Tube, Capped Adjusters

Satin Black: HR1240-C-2700003

