

# 2020

***SIGSAUER***<sup>™</sup>  
**NEVER SETTLE**

PRODUCT CATALOG





# TABLE OF CONTENTS

**SIG SAUER™**  
NEVER SETTLE

SIG SAUER®, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000

An ISO 9001:2015 Registered Company. Manufacturing in the U.S.A.

All trademarks, service marks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners.  
No trademark or service mark appearing in this catalog may be used without the prior written consent of the owner.

## INTRODUCTION 2

EVOLUTION OF SIG 3

CONTRACTS/AWARDS 4

## PISTOLS 6

RED DOT REVOLUTION 10

P365 12

P320 14

P30 M17 / M18 16

P320 XSERIES 18

P320 RXP 20

P320 MODULAR HANDGUN 22

SP2022 24

P226 26

P229 28

P220 30

1911 32

P238 34

P938 36

P210 38

LEGION SERIES 40

CUSTOM WORKS 46

## RIFLES 50

MCX VIRTUS 52

MCX RATTLER 56

MPX 58

716 60

M400 TREAD 62

CROSS RIFLE 66

## AMMUNITION 68

ELECTRO-OPTICS 88

SUPPRESSORS 148

AIRGUNS 158

ACADEMY 182

TEAM SIG 188

ACCESSORIES 190

SPECIFICATIONS 196



In our state-of-the-art facilities across eight locations worldwide SIG SAUER® manufactures the finest firearms, electro-optics, ammunition, suppressors, and airguns, while also offering world-class firearms and tactical training at the SIG SAUER Academy<sup>SM</sup>.

At SIG SAUER we are driven by our relentless pursuit to manufacture products of unparalleled quality, an unwillingness to compromise, and an absolute refusal to settle. We are emboldened by our love of freedom and share the same passion and pride for our country as those who choose the SIG SAUER brand.

Regardless of whether a SIG SAUER product is being deployed on the battlefield by a soldier, protecting law enforcement as an official duty sidearm, or simply the product of choice of a private citizen, you can trust that if it carries the SIG SAUER name it is built to our precise exacting standards, and undergoes the same rigorous quality controls to ensure that it performs when it matters most.





# THE EVOLUTION OF SIG SAUER®

---

## From Wagons to Worldwide Leader

When business entrepreneurs Friedrich Peyer Im Hof, Heinrich Moser, and Conrad Neher opened a wagon factory near the Rhine Falls in Switzerland in 1853, they laid the foundation for what would become the international leader in the small arms industry. Just seven years after constructing an industrial plant for building their wagons and railway cars, the three ambitious owners undertook a new venture responding to a challenge from Switzerland's Federal Ministry of Defense to develop a state-of-the-art rifle in hopes that the Swiss Army would adopt it.

Four years later, the trio found themselves facing an order for 30,000 of their rifles, and changed the name of their company to Swiss Industrial Group. The name was later shortened to SIG as they officially became one of the world's premier firearms manufacturers.

In the 1970's, the SIG small arms division expanded within Europe to include Hammerli Target Arms of Switzerland, and the legendary J.P. Sauer & Sohn, GmbH of Germany – one of Europe's oldest and most prestigious firearms manufacturers.

In the 1980's, SIG set its sights on the United States of America and opened its first American location in Virginia under the name SIGARMS®, and began importing and assembling the company's classic handguns.

In the 1990's, SIGARMS expanded its United States footprint by opening new manufacturing facilities in Exeter, New Hampshire where it would continue to expand to include the world-class SIGARMS training academy in Epping, New Hampshire.

In 2007, SIGARMS officially changed its name to SIG SAUER, aligning the company under a single global brand. Since then SIG SAUER has experienced unprecedented growth and expanded its New Hampshire footprint to include a 206,000 sq./ft. corporate headquarters and advanced manufacturing facility at Pease International Tradeport. SIG SAUER continually invests in workforce development by hiring the foremost industry experts in ever expanding categories to ensure that all SIG SAUER products exceed the quality expectations that are synonymous with the brand.

Today, the SIG SAUER product lineup goes well beyond firearms to include a broad array of products such as electro-optics, ammunition, suppressors, and airguns, all designed, engineered, and manufactured to the same exacting standards of quality, reliability, and performance that have made SIG SAUER the brand of choice for the military, special forces, law enforcement, and civilians across the globe. In addition, SIG SAUER has expanded its U.S operations with a dedicated optics facility in Oregon and a purpose-built ammunition plant in Arkansas.

SIG SAUER has evolved because we continually compete against ourselves, because we believe our greatest success has yet to be engineered, and we are driven by the knowledge that our customers can't afford to settle so they trust we never will. SIG SAUER. Never Settle.

**SIG SAUER**  
NEVER SETTLE



# U.S. DEFENSE CONTRACTS

## U.S. Military (All Branches) M17\*/M18\*

After one of the most rigorous and highly competitive selection processes in the history of small arms, the SIG SAUER® P320\* based M17 and M18 were awarded the Modular Handgun System (MHS) contract by the U.S. Army. The M17 and M18 have now been adopted by all branches of the U.S. Military.

## U.S. Army Next Generation Squad Weapons (NGSW) Program

SIG SAUER has been selected by the U.S. Army to develop the Next Generation of squad-based weapon systems, including a lightweight machine gun, a carbine rifle, a next generation of suppressor and the first-of-its-kind hybrid ammunition.

## U.S. Army Contracting Command .300 Win Mag Ammunition

SIG SAUER Ammunition, known for quality and accuracy, was selected by the U.S. Army to manufacture the Mk 248 MOD 1 and MOD 0 .300 Win Mag ammunition for use in U.S. Military Sniper Platforms.

## DOD Suppressed Upper Receiver Group MCX™ (SURG)

The SIG SAUER MCX system was selected to upgrade the existing M4A1 U.S. Special Operations Forces carbines and optimize their weapons for continuous suppressed use on the battlefield.

## U.S. Army/DOD/U.S. Air Force TANGO6T SDMR

SIG SAUER Electro-Optics TANGO6T 1-6x24 riflescopes have been selected by both the U.S. Army for their Squad Designated Marksman (SDMR) program as well as U.S. Special Operations Forces for their Squad Variable Powered Scope (SVPS) program. In addition, the U.S. Air Force has selected the TANGO6T for its marksman rifle platforms.

## Department of Homeland Security (DHS) P320

After a rigorous selection process the SIG SAUER P320 pistol was chosen as the official duty pistol for DHS Immigration and Customs Enforcement (ICE).

## U.S. Coast Guard PROFORCE® P229

SIG AIR® was chosen to supply the U.S. Coast Guard with the SIG AIR PROFORCE P229\* airsoft pistol as an official training pistol for Cadets and Guardsmen.



M17 / M18



NEXT GEN



TANGO6T™



.300 WIN MAG

# INDUSTRY AND CONSUMER AWARDS

SIG SAUER® is proud to be honored by our peers and have our products recognized for innovation, quality, and capability.

## 2019 NRA GOLDEN BULLSEYE AWARD

In an unprecedented achievement for one company, SIG SAUER products were honored with three 2019 Golden Bullseye Awards for firearms, ammunition, and electro-optics. Awarded to products on the market, with proven reliability and value to the consumer from various NRA publications.

**Shooting Illustrated Handgun of the Year:** SIG P365

**American Rifleman Product of the Year:** SIG 365 Micro 9mm ammunition

**American Hunter Optic of the Year:** SIG BDX Optics System



## 2019 INDUSTRY CHOICE AWARDS

Recognizing fit, form, finish, and functionality in firearms by industry peers.

**Pistol Caliber Carbine of the Year:** SIG MPX PCC

**Optic of the Year:** KILO3000BDX Rangefinder Binoculars



## 2019 OUTDOOR LIFE AWARDS

Recognizing versatility in riflescopes.

**Editor's Choice, Versatile Riflescopes:** WHISKEY5



## 2019 GOLDEN TRIGGR AWARDS

Recognizing innovation in the firearms industry.

**Innovation in Optics:** ROMEO8H



## 2019 NASGW INNOVATOR OF THE YEAR AWARD

Recognizing members of the National Association of Sporting Goods Wholesalers that exemplify a commitment to distribution in the industry.

## 2019 NASGW-POMA CALIBER AWARD

Recognizing new and innovative products within the sporting goods industry.



**Best New Handgun:** SIG P365 SAS

## 2019 THE FIREARMS BLOG BEST COMPACT STRIKER-FIRED PISTOL

A Readers Choice Award given to the SIG P365 Micro-Compact pistol.



## 2019 ON-TARGET MAGAZINE EDITOR'S CHOICE AWARDS:

Given to the "best-of-the-best" in new guns, optics, gear, and accessories.

**Editors Choice:** P320 XFIVE LEGION

**Editors Choice:** Elite Hunter Tipped Ammunition



**SIG SAUER**  
NEVER SETTLE



**PISTOLS**










# PISTOLS

Choose from a full array of sizes, triggers, calibers, finishes, and features—all with unfailing SIG reliability and accuracy.

## INSPIRED BY THE ELITE PROFESSIONAL. CARRIED BY ALL WHO DEMAND THE BEST.

Unless it's a SIG, a handgun is just a handgun. Engineered to perform anywhere, at any time, and under any circumstance, SIG pistols boast unique, advanced features that stand out amongst the rest. Key features include:



X-RAY3™ Sights



Integral Accessory Rail



4-Point Safety System



Nitron® Stainless Steel Slide



SAS® (SIG ANTI-SNAG)



Threaded Barrel



Rear Sight Plate



ROMEO1 PRO™ Reflex Sight



## SIZING UP YOUR SITUATION

You want a pistol with frame dimensions directly suited to your needs. Whether you'll be sliding your handgun into a range bag, concealing it in a purse, shooting competitively, or defending your home, SIG SAUER® offers a pistol for every shooter.



### FULL-SIZE

When shootability and sighted accuracy are a must. Generous dimensions and even weight distribution help to deliver a more accurate sight picture and reduced felt recoil.

Barrel > 4" Frame > 7.5 x 5.5"



### CARRY

A balance of shootability with concealment. A full-size grip allows the shooter more control while reduced slide length offers lighter carry.

Barrel < 4" Frame 7 x 5.5"



### COMPACT

If concealment is an essential requirement, the reduced slide length and grip height enable easy concealment and carry, with ergonomics designed to promote point-and-shoot accuracy.

Barrel < 4" Frame ~ 7 x 5"



### MICRO-COMPACT

Discreet, lightweight, and able to fit almost anywhere. Often called "pocket pistols," the SIG micro-compact delivers the ultimate in concealment.

Barrel < 3.5" Frame < 5.8 x 4.3"

## TRIGGER TIME

Any expert will tell you, it's the trigger that ultimately puts rounds on target. Weigh the pros and cons of each trigger carefully to select the one you can fire accurately, and carry with confidence.

### STRIKER-FIRED TRIGGER

#### STR | Short Tactile Reset

Every trigger pull has the same weight and feel with a quick tactile reset to ensure faster and more consistent shots.

### HAMMER-FIRED TRIGGER

#### DA/SA | Double-Action/Single-Action

The first trigger pull performs the double-action of cocking the hammer and then releasing the sear. Followed by lighter, single-action trigger pulls on all subsequent shots. The heavier first trigger pull acts to reduce inadvertent discharges.

#### SAO | Single-Action-Only

The trigger performs the single-action of releasing the hammer with a consistent trigger pull that is generally regarded as the shortest, lightest, and smoothest available. The slide can still be operated with the safety engaged (a SIG exclusive on P220, P226, P229, P238, and P938 models). All models feature a manual thumb safety.

## THE CALIBER DEBATE

Popular opinions vary widely, but only you can select the right caliber for you. Consider bullet weight and velocity, your desired magazine capacity, ammunition cost, and availability.



#### .45A&W

Known for a combination of power and controlled penetration, due to a large diameter bullet and moderate velocities.



#### 10MM

Offers higher velocity, greater range, and more kinetic energy than the .45A&W.



#### .40S&W

Designed to match the performance of the FBI's reduced-velocity 10mm in a smaller cartridge size while offering an energy advantage over the 9mm.



#### .357SIG

Developed in 1994 to duplicate the performance of a 125 gr. .357 Magnum cartridge. The .357SIG combines relatively high velocity with remarkably flat trajectory.



#### 9MM

Regarded as the world's most popular and widely used handgun cartridge combining a flat trajectory with relatively low felt recoil.



#### .380ACP

Compact and light design make it popular in handguns designed for concealed carry. Less powerful than larger calibers minimizing recoil and improving controllability.





# RED DOT REVOLUTION

As the only manufacturer in the industry that can truly integrate a firearm and an optic into a single system that's ready to shoot, right out of the box, SIG SAUER® is leading a Red Dot Revolution that transform the way you shoot. SIG SAUER now offers virtually all of our most popular pistols with the option of a factory-installed, and zeroed, reflex optic. Greater performance, increased accuracy, and radically simple – welcome to the Red Dot Revolution.

## WHY PISTOL MOUNTED OPTICS?

Designed for fast, responsive target acquisition and accuracy, open reflex red dot sights, or pistol-mounted optics, are quickly becoming popular among experienced and novice shooters. Red dot sights allow you to quickly and easily acquire your sight picture and make follow-up shots faster. The inherent simplicity of a single aiming point on the same visual plane as the target, makes red dots extremely easy to use, simply put the dot on the target, and press the trigger.



P320-M17 ROME01PRO™

P226® SAO ROME01PRO

P320® X-FIVE® LEGION ROME01PRO

P320 XCOMPACT ROME01PRO

P365XL™ ROME0ZERO™



**ON TARGET**



**2018  
ICA**



**NASGW-POMA  
CALIBER**  
AWARD FOR EXCELLENCE



#### AWARD WINNING P365

The P365 has won numerous product awards throughout 2018 - 2019 years including:

2019 NRA Golden Bullseye Award - Shooting Illustrated Handgun of the Year, American Rifleman Product of the Year  
2019 NASGW-POMA Caliber Award - Best New Handgun  
The Firearms Blog - Best Compact Striker-Fired Pistol  
2018 On-Target Magazine: Editors Choice Awards  
2018 Guns & Ammo - Handgun of the Year  
2018 Industry Choice Awards - Handgun of the Year  
2018 Ballistics Best - Editors Choice Compact Semi-Automatic Pistol  
2018 NASGW-POMA Caliber Award - Best Overall Product  
Golden Trigger Award - Innovator in Firearms



# P365<sup>®</sup>

## MICROCOMPACT SIZE WITH FULL-SIZE CAPACITY

The award-winning P365 has redefined the micro-compact pistol category, quickly becoming one of the most coveted firearms in the industry. The P365 features a patented modified double-stack magazine capable of 10+1, 12+1 or 15+1 full-size capacity. It's ergonomic design makes it more shootable than the typical pocket-sized pistols with a clean, crisp trigger pull you expect from a SIG SAUER<sup>®</sup>. The P365XL<sup>™</sup> ROMEOZero<sup>™</sup> is available with the ROMEOZero reflex optic installed and zeroed right out of the box, making it the most capable micro-compact available today.



new

### XL ROMEOZERO

9mm  
365XL-9-BXR3-RXZ

- ▲ Nitron<sup>®</sup> Stainless Steel Slide with ROMEOZero Installed
- ▲ XSERIES Flat Trigger
- ▲ X-RAY3<sup>™</sup> Day/Night Front Sight
- ▲ 3.7" Barrel
- ▲ Includes 12 Round Magazine

new

### XL

9mm  
365XL-9-BXR3 / 365XL-9-BXR3-MS

- ▲ Nitron Stainless Steel Slide Compatible with ROMEOZero
- ▲ XSERIES Flat Trigger
- ▲ X-RAY3<sup>™</sup> Day/Night Sights
- ▲ 3.7" Barrel
- ▲ Includes 12 Round Magazine
- ▲ Available with Manual Safety



new

### SAS<sup>®</sup>

9mm  
365-9-SAS-C

- ▲ Nitron Ported Slide with SAS Treatment
- ▲ Custom Flush-Fit Tritium Sight
- ▲ 3.1" Ported Barrel
- ▲ Includes (1) 10rd Flush Fit Magazine and (1) 10rd Extended Magazine
- ▲ Only 1" Wide



### NITRON

9mm  
365-9-BXR3 / 365-9-BXR3-MS

- ▲ Nitron Stainless Steel Slide
- ▲ X-RAY3 Day/Night Sights
- ▲ 3.1" Barrel
- ▲ Includes (1) 10rd Flush Fit Magazine and (1) 10rd Extended Magazine
- ▲ Available with Manual Safety



### STATE COMPLIANT MODELS AVAILABLE

365XL-9-BXR3-RXZ-10 / 365XL-9-BXR3-10 / 365XL-9-BXR3-MS-10 / 365-9-BXR3-MS-MA





# P320<sup>®</sup>

## THE WORLD'S MOST INNOVATIVE HANDGUN

The state-of-the-art SIG SAUER<sup>®</sup> P320 has quickly become one of the most sought after firearms on the market today with its unmatched modularity, unprecedented accuracy, and uncompromising reliability. Chosen by all branches of the U.S. military and law enforcement agencies across the country and around the world - the P320 redefines the modern handgun.



### FULL-SIZE

9mm  
320F-9-B

- ▲ Nitron<sup>®</sup> Stainless Steel Slide
- ▲ Modular Striker-Fired Pistol
- ▲ Contrast Sights
- ▲ 4.7" Barrel
- ▲ 17rd Magazine
- ▲ 1913 Rail
- ▲ Front Cocking Serrations

### COMPACT

9MM / 40S&W / 45AUTO / 357SIG  
320C-9-B / 320C-(X)-BSS

- ▲ Nitron<sup>®</sup> Stainless Steel Slide
- ▲ Modular Striker-Fired Pistol
- ▲ SIGLITE<sup>®</sup> Night Sights or Contrast Sights
- ▲ 4.7" Barrel
- ▲ Magazines: 9mm (15rd), .40S&W (13rd), .45AUTO (9rd)
- ▲ 1913 Rail
- ▲ Front Cocking Serrations



### STATE COMPLIANT MODELS AVAILABLE

320F-9-B-10 / 320C-9-B-10 / 320C-9-BSS-MS-MA







# P320® - M17 / M18

## THE CHOSEN ONE

The P320-M17 and M18® are the civilian versions of the M17 and M18, which are the official sidearms of all branches of the U.S. military. The P320-M17 and M18 deliver the same unprecedented accuracy, extreme reliability, and unmatched durability that the U.S. military demands from each and every one of their firearms.



### P320-M18

9mm

320CA-9-M18-MS

- ▲ Based on the M18 pistol in-use with the U.S. Military
- ▲ Compact Length Coyote-Tan Slide and Carry Length Grip Module
- ▲ Night Sight Rear Plate, Optic-Ready
- ▲ Manual Safety
- ▲ 3.9" Barrel
- ▲ (2) 21rd / (1) 17rd Magazine

### P320-M17

9mm

320F-9-M17-MS / 320F-9-M17

- ▲ Based on the M17 pistol in-use with the U.S. Military
- ▲ Full-Size Length Coyote-Tan Slide and Carry Length Grip Module
- ▲ Night Sight Rear Plate, Optic-Ready
- ▲ Manual Safety
- ▲ 4.7" Barrel
- ▲ (2) 21rd / (1) 17rd Magazine
- ▲ Available without Manual Safety



# M17®

Based on the M17  
firearm selected by  
the U.S. Military

# M18

Based on the M18  
firearm selected by  
the U.S. Military

## STATE COMPLIANT MODELS AVAILABLE

320F-9-M17-MS-10 / 320F-9-M17-MS-MA / 320CA-9-M18-MS-10



**X***SERIES*





# P320<sup>®</sup> XSERIES

## THE STANDARD OF PERFORMANCE

XSERIES models include the enhanced XSERIES grip module with extended beavertail, 4-sided beveled magwell, and a deep trigger guard undercut. The flat trigger and optic-ready slide make the P320X stand above the rest.



### X5LEGION

9mm  
320X5-9-LEGION-R2

- ▲ Lightened Skeletonized Trigger
- ▲ Dawson Removable Rear Sight Assembly Compatible with ROME01PRO™
- ▲ TXG Heavy XSERIES Grip Module
- ▲ 5.0" Bull Barrel with Solid Steel Guide Rod Compatible with 1911 springs
- ▲ 17rd Mags with Henning Group Aluminum Basepads
- ▲ Included Grip Weight and Removable Magwell



### XFULL

9mm  
320XF-9-BXR3-R2

- ▲ X-RAY3™ Day/Night Sights
- ▲ Night Sight Rear Plate, Assembly Compatible with ROME01 PRO
- ▲ XCARRY Grip Module
- ▲ 4.7" Barrel
- ▲ 17rd Magazine



### XVTAC

9mm  
320XF-9-VTAC-R2

- ▲ VTAC Day/Night Sights
- ▲ FDE Stainless Slide Compatible with ROME01PRO
- ▲ XCARRY Grip Module
- ▲ 4.7" Barrel
- ▲ 17rd Magazine



### XCARRY TACOPS

9mm  
320XCA-9-BAXR3-TACOPS-TB

- ▲ X-RAY3 Day/Night Adjustable Sights
- ▲ Rear Plate, Assembly Compatible with ROME01PRO
- ▲ XCARRY Grip Module
- ▲ 4.6" Threaded Barrel
- ▲ 21rd Magazine



### XCOMPACT

9mm  
320XC-9-BXR3-R2

- ▲ X-RAY3 Day/Night Sights
- ▲ Night Sight Rear Plate, Assembly Compatible with ROME01PRO
- ▲ XCOMPACT Grip Module
- ▲ 3.6" Barrel
- ▲ 15rd Magazine



### STATE COMPLIANT MODELS AVAILABLE

320X5-9-LEGION-R2-10 / 320XF-9-BXR3-R2-10 / 320XC-9-BXR3-R2-10





# P320® RXP SERIES

## RED DOT ACCURACY RIGHT OUT-OF-THE-BOX

The new P320 RXP series is the next generation of pistol and optics solutions from SIG SAUER®. The RXP series combines the latest advancements in reflex optics, with the world's most innovative handgun. Featuring the new ROME01PRO™, each of the RXP series pistols delivers a new level of durability and performance. Available on both the standard and XSERIES P320 pistols, the RXP series are zeroed and ready to shoot, right out of the box allowing users to easily achieve a whole new level of accuracy and performance.



**new**

### FULL-SIZE RXP

- 9mm  
320F-9-B-RXP
- ▲ ROME01PRO Reflex Sight
  - ▲ Suppressor Height Backup Sights
  - ▲ 4.7" Barrel
  - ▲ 17rd Magazine

**new**

### COMPACT RXP

- 9mm  
320C-9-B-RXP
- ▲ ROME01PRO Reflex Sight
  - ▲ Suppressor Height Backup Sights
  - ▲ 3.9" Barrel
  - ▲ 15rd Magazine



**new**

### XFULL RXP

- 9mm  
320XF-9-BXR3-RXP
- ▲ X-RAY3™ Day/Night Suppressor Sights
  - ▲ Nitron® XSERIES Slide with ROME01PRO Installed
  - ▲ XCARRY Grip Module
  - ▲ 4.7" Barrel
  - ▲ 17rd Magazine



**new**

### XCOMPACT RXP

- 9mm  
320XC-9-BXR3-RXP
- ▲ X-RAY3™ Day/Night Suppressor Sights
  - ▲ Nitron® XSERIES Slide with ROME01PRO Installed
  - ▲ XCOMPACT Grip Module
  - ▲ 3.6" Barrel
  - ▲ 15rd Magazine



## STATE COMPLIANT MODELS AVAILABLE

320XF-9-BXR3-RXP-10 / 320XC-9-BXR3-RXP-10

# P320<sup>®</sup>

## MODULAR HANDGUN

A clean, crisp, short trigger reset with safe takedown and unprecedented modularity delivering elite performance for all.

### CHOOSE A CALIBER:

The P320 is available in a variety of popular calibers.



9MM



.357SIG



.40S&W



.45 AUTO

### CHOOSE GRIP FIT:

Interchangeable grip modules provide optimal grip circumference and access to controls without adding a bulky backstrap.

PG. 190



LARGE

MEDIUM

SMALL

### OPTIONAL X-CHANGE KITS

The modular pistol has arrived. Removing P320's fire control group unlocks hundreds of combinations.





## SERIALIZED, STAINLESS STEEL FRAME

The serialized unit allows the user to change everything from size, to caliber, to grip at will.



### CHOOSE STYLE AND A SIZE:

Provides the modularity to switch between multiple sizes, and between the standard and XGRIP.



XFULL

XCARRY

XCOMPACT

FULL-SIZE

CARRY

COMPACT

## P320® FEATURES



### EXCEPTIONAL TRIGGER

A smooth, crisp trigger pull and short tactile reset deliver heightened accuracy.



### 3-POINT TAKEDOWN No trigger pull or tools required:

1. Remove magazine
2. Lock slide to the rear
3. Rotate takedown lever

### ADDITIONAL SAFETY FEATURES:

- ▲ Striker Safety
- ▲ Disconnect Safety





# SP2022<sup>®</sup>

## FULL-SIZE POLYMER HAMMER-FIRED

The SP2022 is a full-size polymer pistol, inspired by the SIG classic line. The SP2022 features the same DA/SA trigger found in SIG SAUER<sup>®</sup> Classic Line pistols, with a durable, lightweight and wear-resistant polymer frame with an integrated M1913 accessory rail. The SP2022 pistols have earned an enviable reputation, and proven track record, of reliable performance in the hands of military and law enforcement professionals around the world.



### NITRON<sup>®</sup>

9mm / 40 S&W

E2022-(X)-B

- ▲ Nitron Stainless Steel Slide
- ▲ DA/SA Trigger
- ▲ Contrast Sights
- ▲ 3.9" Barrel
- ▲ Magazines: 9mm (15rd), 40 S&W (12rd)
- ▲ Small and Medium Size Grips Available

### NITRON

9mm  
E2022-(X)-B

- ▲ Nitron Stainless Steel Slide
- ▲ DA/SA Trigger
- ▲ Contrast Sights
- ▲ 3.9" Barrel
- ▲ Magazines: 9mm (15rd), 40 S&W (12rd)
- ▲ Small and Medium Size Grips Available



### STATE COMPLIANT MODELS AVAILABLE

SP2022-9-B-CA / SP2022-9-B55-CA







# P226<sup>®</sup>

## CLASSIC FULL-SIZE PISTOL

Designed for ultimate performance, carried by elite forces, and proven to be a premier combat pistol.

## LEGION SERIES



### LEGION SAO RXP

- 9mm  
E26R-9-LEGION-SAO-RXP<sup>®</sup>
- ▲ LEGION Gray Finished Slide and Frame
  - ▲ Master Shop Flat Trigger
  - ▲ X-RAY3™ Day/Night Sights With ROMEO1PRO™ Reflex Sight
  - ▲ 4.4" Barrel
  - ▲ 15rd Magazine
  - ▲ Available in DA/SA

### STATE COMPLIANT MODELS AVAILABLE

226R-9-BSS / 226R-9-LEGION / 226R-9-LEGION-RXP / 226R-9-LEGION-SAO / 226R-9-LEGION-SAO-RXP / MK-25-10 / 226R-9-BSS-CA / 226R-9-SCPN-CA / MK-25-CA / 226RM-9-BSS / 226RM-9-LEGION / 226RM-9-LEGION-SAO / MK-25-MA / 226R-9-XTM-BLKGRY-CA

### LEGION RXP

- 9mm  
E26R-9-LEGION-RXP
- ▲ LEGION Gray Finished Slide and Frame
  - ▲ Master Shop Designed Trigger
  - ▲ X-RAY3 Day/Night Sights With ROMEO1PRO Reflex Sight
  - ▲ 4.4" Barrel
  - ▲ 15rd Magazine



### LEGION

- 9mm  
E26R-9-LEGION
- ▲ LEGION Gray Finished Slide and Frame
  - ▲ Master Shop Designed Trigger
  - ▲ X-RAY3 Day/Night Sight
  - ▲ 4.4" Barrel
  - ▲ 15rd Magazine



### LEGION SAO

- 9mm  
E26R-9-LEGION-SAO
- ▲ LEGION Gray Finished Slide and Frame
  - ▲ Master Shop Flat Trigger
  - ▲ X-RAY3 Day/Night Sight
  - ▲ 4.4" Barrel
  - ▲ 15rd Magazine



### MK25

- 9mm  
MK-25
- ▲ Nitron® Stainless Steel Slide
  - ▲ SIGLITE® Night Sights
  - ▲ 4.4" Barrel
  - ▲ 15rd Magazine
  - ▲ Corrosion-Resistant Internal Coating
  - ▲ Anchor Engraving, UID Label



### NITRON<sup>®</sup>

- 9mm  
E26R-9-BSS
- ▲ Nitron Stainless Steel Slide
  - ▲ SIGLITE Night Sights
  - ▲ 4.4" Barrel
  - ▲ 15rd Magazine
  - ▲ One-Piece Ergonomic Grip







# P229®

## CLASSIC COMPACT PISTOL

Compact reliability trusted by federal law enforcement professionals for decades.

## LEGION SERIES



### LEGION SAO

9mm  
E29R-9-LEGION-SAO / E29R-9-LEGION-SAO-RXP

- ▲ LEGION Gray Finished Slide and Frame
- ▲ Master Shop Flat Trigger
- ▲ X-RAY3™ Day/Night Sights
- ▲ 3.9" Barrel
- ▲ 15rd Magazine

### LEGION RXP

9mm  
E29R-9-LEGION-RXP

- ▲ LEGION Gray Finished Slide and Frame
- ▲ Master Shop Designed Trigger
- ▲ X-RAY3 Day/Night Sights With ROME01PRO Reflex Sight
- ▲ 3.9" Barrel
- ▲ 15rd Magazine



### LEGION

9mm  
E29R-9-LEGION

- ▲ LEGION Gray Finished Slide and Frame
- ▲ Master Shop Designed Trigger
- ▲ X-RAY3 Day/Night Sights
- ▲ 3.9" Barrel
- ▲ 15rd Magazine



### NITRON®

9mm  
E29R-9-BSS

- ▲ Nitron® Stainless Steel Slide
- ▲ SIGLITE® Night Sights
- ▲ 3.9" Barrel
- ▲ 15rd Magazine
- ▲ One-Piece Ergonomic Grip



### M11-A1

9mm  
M11-A1

- ▲ Nitron Stainless Steel Slide
- ▲ SIGLITE® Night Sights
- ▲ 3.9" Barrel
- ▲ Non-Railed Black Hard-Anodized Frame with UID Label
- ▲ 15rd Magazine
- ▲ Polymer Grips



### STATE COMPLIANT MODELS AVAILABLE

229R-9-BSS / 229R-9-LEGION / 229R-9-LEGION-RXP / 229R-9-LEGION-SAO / 229R-9-LEGION-SAO-RXP / 229R-9-BSS-CA / 229R-9-ESE-CA / 229RM-9-BSS / 229RM-9-LEGION / 229RM-9-LEGION-SAO / M11-A1-10







# P220<sup>®</sup>

## CLASSIC FULL-SIZE PISTOL

The original SIG SAUER<sup>®</sup> pistol that started it all—a Classic. Available in both .45 AUTO and 10mm.



## LEGION SERIES



### LEGION SAO

45AUTO  
220R-45-LEGION-SAO

- ▲ LEGION Gray Finished Slide and Frame
- ▲ Master Shop Flat Trigger
- ▲ X-RAY3™ Day/Night Sights
- ▲ 4.4" Barrel
- ▲ 8rd Magazine

### LEGION

45AUTO  
220R-45-LEGION

- ▲ LEGION Gray Finished Slide and Frame
- ▲ Master Shop Designed Trigger
- ▲ X-RAY3 Day/Night Sight
- ▲ 4.4" Barrel
- ▲ 8rd Magazine



### LEGION 10MM

10mm  
220R5-10-LEGION

- ▲ LEGION Gray Finished Slide and Stainless Steel Frame
- ▲ Master Shop Designed Trigger
- ▲ X-RAY3 Day/Night Sights
- ▲ 5.0" Barrel
- ▲ 8rd Magazine



### LEGION 10MM SAO

45AUTO  
220R5-10-LEGION-SAO

- ▲ LEGION Gray Finished Slide and Stainless Steel Frame
- ▲ Master Shop Designed Trigger
- ▲ X-RAY3 Day/Night Sights
- ▲ 5.0" Barrel
- ▲ 8rd Magazine



### STATE COMPLIANT MODELS AVAILABLE

220RM-45-LEGION / 220R-45-BSS-CA





# 1911

## CLASSIC 45 AUTO PISTOL

The legendary ergonomics and accuracy of the 1911, engineered with modern refinements and SIG reliability.



PART #: Replace (X) with Choice of Caliber



MOLON LABE  
Engraved Slide

## SPARTAN II

45 AUTO  
1911R-45-SPARTANII / 1911CAR-45-SPARTANII

- ▲ Distressed Coyote-Tan Stainless Steel Slide and Frame
- ▲ MOLON LABE Engraved Slide
- ▲ Custom Spartan Grips
- ▲ Ambidextrous Safety
- ▲ 5.0" Barrel
- ▲ 8rd Magazine
- ▲ Available in Carry Size

## EMPEROR SCORPION

45 AUTO  
1911R-45-ESCPN

- ▲ FDE Slide and Frame
- ▲ Front Cocking Serrations
- ▲ 1913 Rail
- ▲ 5.0" Barrel
- ▲ 8rd Magazine



## TACOPS

10mm  
1911R-10-TACOPS

- ▲ Nitron® Stainless Steel Slide and Frame
- ▲ Custom Grips with SIG Medallion
- ▲ 1913 Rail
- ▲ 5.0" Barrel
- ▲ 8rd Magazine



## STX

45 AUTO  
1911M-45-STX

- ▲ Nitron Stainless Steel Slide and Natural Stainless Frame
- ▲ Custom Burled Maple Grips
- ▲ Stainless Steel Magwell
- ▲ 5.0" Barrel
- ▲ 8rd Magazine



## FASTBACK CARRY EMPEROR SCORPION

45 AUTO  
1911FTCA-45-ESCPN

- ▲ Nitron Stainless Steel Slide and Frame
- ▲ Match Grade Barrel
- ▲ Low-Profile Contrast Sights
- ▲ 5.0" Barrel
- ▲ 8rd Magazine



Traditional  
Contour Slide



## STATE COMPLIANT MODELS AVAILABLE

1911R-45-BSS-CA / 1911M-45-STX / 1911RM-45-ESCPN / 1911R-45-S55-CA





# P238<sup>®</sup>

## MICRO-COMPACT PISTOLS

Inspired by the 1911, this easy-to-conceal, all metal firearm chambered in .380ACP features exceptional accuracy.



### SPARTAN II

.380ACP  
238-380-SPARTANII

- ▲ Distressed Coyote Tan Finish Slide and Frame
- ▲ SIGLITE<sup>®</sup> Night Sights
- ▲ 2.7" Barrel
- ▲ 7rd Magazine
- ▲ Custom Spartan Grips and Slide Engraving

### NITRON<sup>®</sup>

.380ACP  
238-380-B

- ▲ Nitron Stainless Steel Slide
- ▲ Contrast Sights
- ▲ 2.7" Barrel
- ▲ 7rd Magazine
- ▲ Black Polymer Grips



### DESERT

.380ACP  
238-380-DES

- ▲ Custom Two-Tone Desert Finish
- ▲ SIGLITE Night Sights
- ▲ 2.7" Barrel
- ▲ 7rd Magazine
- ▲ FDE Rubber Grip



### RAINBOW

.380ACP  
238-380-RBT

- ▲ Rainbow Titanium Slide
- ▲ SIGLITE Night Sights
- ▲ 2.7" Barrel
- ▲ 6rd Magazine
- ▲ Rosewood Grips



### STATE COMPLIANT MODELS AVAILABLE

238-380-TSS1-CA / 238-380-HD2-CA / 238M-380-RBT





# P938<sup>®</sup>

## MICRO-COMPACT PISTOLS

A 1911-inspired 9mm that's easy to conceal and even easier to shoot.



### LEGION

9mm  
938-9-LEGION

- ▲ LEGION Gray Finished SAS<sup>®</sup> Slide and Frame
- ▲ X-RAY3<sup>™</sup> Day/Night Sights
- ▲ 3.0 Barrel
- ▲ 7rd Magazine
- ▲ Flat Trigger and Skeletonized Hammer
- ▲ Extended Magwell

### SPARTAN II

9mm  
938-9-SPARTANII-AMBI

- ▲ Distressed Coyote Tan Finish Slide and Frame
- ▲ SIGLITE<sup>®</sup> Night Sights
- ▲ 3.0" Barrel
- ▲ 7rd Magazine
- ▲ Custom Spartan Grips and Slide Engraving



### BRG

9mm  
938-9-BRG-AMBI

- ▲ Nitron<sup>®</sup> Stainless Steel Slide
- ▲ SIGLITE Night Sights
- ▲ 3.0" Barrel
- ▲ 7rd Magazine
- ▲ Black Rubber Grips



### NITRON

9mm  
938-9-B-AMBI

- ▲ Nitron Stainless Steel Slide
- ▲ Contrast Sights
- ▲ 3.0" Barrel
- ▲ 6rd Magazine
- ▲ Black Polymer Grips



### STATE COMPLIANT MODELS AVAILABLE

938M-9-BRG-AMBI / 938M-9-LEGION





# P210®

## HERITAGE. TRADITION. PERFORMANCE.

Now you can own one of the finest firearms ever made with the new P210 Target from SIG SAUER® - the latest in the historic line of pistols from SIG. Crafted with unprecedented precision, the P210 Target combines the classic lines and heritage of the original, with updated ergonomics, and a target trigger delivering unparalleled accuracy and shooting performance.



### TARGET

- 9mm  
210A-9-TGT
- ▲ Precision Machined Stainless Steel Slide & Frame
  - ▲ SAO Target Trigger
  - ▲ Adjustable Sights
  - ▲ 5.0" Barrel
  - ▲ 8rd Magazine
  - ▲ Walnut Target Grips

## ONE OF THE FINEST HANDGUNS EVER MADE.

### PRECISION MADE

- 1 | REVERSE RAILED SLIDE**  
The mark of precision
- 2 | UPDATED ERGONOMIC CONTROLS**  
Familiar, smooth controls

### IMPECCABLE AESTHETICS

- 3 | NITRON® COATED SLIDE**  
Improved lubricity and wear
- 4 | TARGET WALNUT GRIP**  
Checkered grip includes magwell

### ACCURACY

- 5 | SAO TARGET TRIGGER**  
Clean, crisp break
- 6 | ADJUSTABLE SIGHTS**  
Low profile for low angle of intersection

# LEGION SERIES









## LEGION SERIES

For thousands of years, one symbol has been a rallying cry for the world's most revered warriors. And for decades, one brand of firearms has served more elite fighting forces than any other.

**WELCOME TO THE LEGION BY SIG SAUER®** Painstakingly engineered and enhanced for the discerning few with the same warrior spirit that inspired it. We have always given professionals what they need. Now, we are giving them what they want.



# LEGION SERIES

## UNLEASH THE WARRIOR SPIRIT.

The SIG P220<sup>®</sup>, P226<sup>®</sup>, P229<sup>®</sup>, P320<sup>®</sup>, P938<sup>®</sup>; five of the most highly regarded firearms in the professional community are receiving the LEGION Series enhancements based on the needs and wants of elite users. For those who demand the best, we now have something even better — welcome to the LEGION.

### LEGION ENHANCEMENTS

- 1 | **LEGION Gray Finish**  
Enhances durability & lubricity
- 2 | **Solid Steel Guide Rod**  
Reduces muzzle flip
- 3 | **Checkering Under Trigger Guard**  
Minimizes lateral movement
- 4 | **X5 Undercut**  
Accommodates high grip techniques
- 5 | **Grayguns Inc. Designed Trigger**  
Adjustable for over-travel
- 6 | **Reduced Profile Controls**  
Prevents premature activation of slide stop with improved texture for better control
- 7 | **Three Magazines**  
Delivers more value
- 8 | **Elite Beavertail Reduction**  
Reduces printing when concealed
- 9 | **Enhanced Polished Action with SRT**  
Smoother DA trigger press that enables faster follow-up shots
- 10 | **Front Cocking Serrations**  
For easy slide operation
- 11 | **Custom G10 Grips**  
Provides enhanced control for high grip techniques
- 12 | **X-RAY3<sup>™</sup> Sights**  
Optimizes sight acquisition in all lighting conditions
- 13 | **Enhanced Front Strap Checkering**  
Provides a more secure grip for better control
- 14 | **Extended Magwell**  
Provides a larger flared opening for faster reloading
- 15 | **Flat Aluminum Trigger**  
Increased mechanical advantage for a lighter trigger pull



320<sup>®</sup> X-FIVE LEGION



P220<sup>®</sup> LEGION



P226<sup>®</sup> LEGION



P229<sup>®</sup> LEGION



P938<sup>®</sup> LEGION

# LEGION SERIES



## JOIN THE LEGION.

Become part of the SIG SAUER® LEGION for members-only access to unique opportunities and gear. To join the LEGION purchase and register your LEGION Series™ firearm, and unlock a full range of exclusive benefits.

**FREE GEAR** LEGION membership entitles you to a complimentary 5.11 premium zippered pistol case for your LEGION firearm, plus a challenge coin matched to your gun.

**EXCLUSIVE ACCESS** When you call to receive your free case and coin, you will be automatically registered as a LEGION member, providing you exclusive access to gear and merchandise.

**EXCLUSIVE COMMUNICATIONS** Be the first to know about new additions to the LEGION Series of firearms. You'll also receive other exclusive communications from SIG SAUER and the LEGION.

### THIS IS ONLY THE BEGINNING

The initial LEGION Series™ models just scratch the surface of the vast SIG SAUER lineup for the future. Expect to see a broad array of LEGION Series firearms and accessories, along with unique experiences only available to LEGION owners.



# LEGION GEAR

LEGION members get exclusive access to LEGION gear and merchandise you can't get anywhere else.

## STREAMLIGHT® TLR-1 HL®

- ▲ Wide Beam Pattern
- ▲ Durable, Anodized Aluminum Construction
- ▲ High Temperature, Shock-Mounted, Impact-Resistant Glass Lens
- ▲ Ambidextrous Momentary/Steady On-Off Switch, Double Tap for Strobe (Configurable to Lock Out Strobe)
- ▲ 800 Lumens



## BLACKPOINT TACTICAL™ POLYWING OWB HOLSTER

- ▲ Durable Construction
- ▲ Premium Fit and Finish Designed in Collaboration with BlackPoint and SIG SAUER
- ▲ Flexible Poly Wing for the Comfort of Soft Holsters and the Security of Thermal Molded Holsters
- ▲ Adjustable Retention



## MITCH ROSEN® EXTRAORDINARY GUNLEATHER HOLSTER

- ▲ Comfortable for every day, all day use
- ▲ Premium Fit and Finish Designed in Collaboration with Mitch Rosen and SIG SAUER
- ▲ Designed for OWB Concealment



## LEGION FLEECE JACKET

- ▲ Custom Designed for LEGION Members, Subtly Branded
- ▲ Fabric 100% Polyester
- ▲ Water and Wind Resistant
- ▲ Open Bottom Hems
- ▲ Relaxed Fit



## RANDOLPH® AVIATORS

- ▲ Hand Crafted Custom for SIG SAUER LEGION Members
- ▲ Polarized 100% UVA/UVB Protection
- ▲ Anti-Reflective Coating
- ▲ Randolph USA's Signature Neutral Gray Tint Lenses
- ▲ Frames are Guaranteed for Life



## SUREFIRE® E1B BACKUP LIGHT

- ▲ Compact Dual-Output Flashlight with a 200-Lumen Maximum Output
- ▲ Ideal for Everyday-Carry, Self-Defense, or Outdoor Applications
- ▲ Indestructible LED Emitter and a Precision Total Internal Reflection (TIR) Lens
- ▲ Lightweight Mil-Spec Hard-Anodized Aluminum Body




## PELTOR™ COMTAC™ III HEARING DEFENDER

- ▲ Redesigned Cup Profiles to Better Accommodate ACH and MICH Helmet Compatibility
- ▲ 500 Hour Battery Life, (Common AAA Battery Power)
- ▲ Comfort Gel Cups
- ▲ Highest Rated (Passive) Hearing Protection Available
- ▲ External Microphones for "Talk-Thru" Capability



# CUSTOM WORKS









# CUSTOM WORKS

## ONE MILLIONTH P320®

The SIG SAUER P320 is fast becoming one of the most iconic and historic guns in history, and because of its immense popularity it has been tested, proven, and chosen at unprecedented rates by consumers and professionals alike. As the only truly modular handgun in the world, it was born from hard work, drive, dedication, and was subsequently adopted by all branches of the U.S. Military as the M17 and M18, and is now in service with law enforcement, military and special forces around the world. The P320 has also taken over the world of competition, as some of the greatest professional shooters in the sport have won championships and set world records using P320s.

In 2019, the SIG SAUER P320 reached a historic milestone when serial number 58H1000000 was born and thus the one millionth P320. To celebrate the innovation that is the SIG SAUER P320, the standard bearer of the modern-day pistol, SIG SAUER Custom Works has created a one-of-a-kind milestone P320.

### The SIG SAUER P320

**Tested** to ensure extreme reliability and durability.

**Proven** to deliver unprecedented accuracy.

**Chosen** by the all branches of the US military and the world's most demanding users.



Hand-cut granite grips to commemorate New Hampshire, the Granite State as the birthplace of the P320 pistol, and printed with the "SIG" mark logo.



Marked "58H1000000" for the 1,000,000th P320 Pistol



### ONE MILLIONTH P320

#### FEATURES

- Frame: An all-metal frame with a high-gloss polished finish
- Slide Engraving: Scroll engraving with 14k gold inlay, and "1,000,000th P320"
- The 1,000,000th P320 is a 9mm pistol with standard P320 features including XRAY-3 day/night sights and an optic cut.



## SIG CUSTOM WORKS

The mission of SIG Custom Works is to deliver personalized design, elite performance, and uncompromising craftsmanship.

**EXPERIENCE:** From the fit and finish, to the way each product is packaged and delivered, SIG Custom Works creates a truly special experience for our customers.

**INNOVATION:** Take your firearm to the next level with state-of-the-art designs, new processes, and performance enhancements by SIG Custom Works.

**QUALITY:** Every SIG Custom Works pistols is built to exacting standards by the SIG SAUER® craftsmen who are driven by their uncompromising standards for excellence.

**RELATIONSHIPS:** Receive a personalized experience at SIG Custom Works that results in a firearm to fit your personal style and specifications.

For more information on SIG Custom Works services visit [sigsauer.com](http://sigsauer.com)



# RIFLES







ARE

RECKED

MONTANA - 10







# MCX VIRTUS<sup>®</sup>

## THE CHOICE OF THE WORLD'S ELITE

In use by more special operations forces around the world than any other AR the SIG MCX VIRTUS is engineered for adaptability, sound suppression, and extreme longevity. Featuring user-changeable, cold hammer-forged barrels available in both 5.56 NATO and 300 BLK, with the SIG internal recoil system offering reduced recoil, and a folding stock that makes it the ultimate compact rifle platform.



### PISTOL 11.5" / 9"

5.56 NATO / 300 BLK  
PMCX-11B-TAP / PMCX-300B-9B-TAP

- ▲ SIG MATCHLITE Duo Trigger
- ▲ Interchangeable Cold Hammer-Forged Barrels
- ▲ M-LOK® Free-Float Handguard with Expanded Valve Windows
- ▲ Ambidextrous Selector, Mag Release, and Charging Handle
- ▲ Adjustable Gas Valve
- ▲ Folding, Fixed PCB Brace



### PATROL 16"

5.56 NATO  
RMCX-16B-TAP-P

- ▲ SIG MATCHLITE™ Duo Trigger
- ▲ Interchangeable Cold Hammer-Forged Barrels
- ▲ M-LOK® Free Float Handguard with Expanded Valve Windows
- ▲ Ambidextrous Selector, Mag Release, and Charging Handle
- ▲ Adjustable Gas Valve
- ▲ 5-Position Tele-Folding Stock



2018 BALLISTIC'S BEST  
Semi-Automatic Rifle, Reader's Choice

### STATE COMPLIANT MODELS AVAILABLE

PMCX-11B-TAP-CO





# MCX VIRTUS® - NEXT LEVEL MODULARITY AND PERFORMANCE







# MCX RATTLER

## THE WORLDS MOST COMPACT RIFLE

Developed for elite special forces, the SIG MCX Rattler is the most compact rifle in the world. Capable of firing with stock folded from an overall length of 16", it redefines the standard for concealable firepower.



### CANEBRAKE 5.5"

300BLK  
PMCX-300B-5B-TAP-CANE

- ▲ SIG MATCHLITE™ Duo Coyote Tan Flat-Blade Trigger
- ▲ Folding Fixed PCB Brace
- ▲ PDW M-LOK® SD Handguard
- ▲ 7.62 Inert Trainer



### SBR 5.5"

5.56 NATO / 300 BLK  
RMCX-300B-5B-TAP-SBR / RMCX-5B-TAP-SBR

- ▲ SIG MATCHLITE Duo Trigger
- ▲ Fixed Folding Mini Stock
- ▲ M-LOK Handguard



### PCB 5.5"

5.56 NATO / 300 BLK  
PMCX-5B-TAP / PMCX-300B-5B-TAP

- ▲ SIG MATCHLITE Duo Trigger
- ▲ Folding Fixed PCB Brace
- ▲ M-LOK Handguard



2018 Industry Choice Awards  
Rifle Caliber Pistol of the Year





# MPX

## GAS PISTON SUB-GUN

The MPX sets a new standard for performance and quality in the sub-gun category. Featuring AR style controls and a closed-bolt piston system, the MPX is designed to fulfill the needs of competitive, professional, and civilian users.



### PCC 16"

9MM  
RMPX-16B-9

- ▲ Timney Single-Stage Trigger
- ▲ 16" Threaded Barrel
- ▲ Narrow M-LOK® Free-Floating Handguard
- ▲ 5-Position Tele-Folding Stock
- ▲ 3-Chamber Compensator



### COPPERHEAD

9 mm  
PMPX-3B-CH

- ▲ Rapid Deploy PCB Brace
- ▲ 3.5" Barrel with Integrated Brake
- ▲ Monolithic Upper
- ▲ Coyote Tan E190 Cerakote® Finish



### COPPERHEAD K

9 mm  
PMPX-4B-CH

- ▲ Timney Single-Stage Trigger
- ▲ Rapid Deploy PCB Brace
- ▲ 4.5" Threaded Barrel
- ▲ Monolithic Upper



### MPX K

9 mm  
PMPX-4B-9

- ▲ Timney Single-Stage Trigger
- ▲ Folding Fixed PCB Brace
- ▲ Free-Floating M-LOK Handguard

### STATE COMPLIANT MODELS AVAILABLE

PMPX-3B-CH-CO





# 716

## LIGHTWEIGHT BIG BORE AR PLATFORM

With a lightweight design and MOA accuracy, the 716 has become one of the best known big bore AR's on the market today. Featuring an ambidextrous lower receiver, a precision carbon steel barrel, and a free floating M-LOK® handguard, the 716 provides a versatile platform for long range shooting and hunting while maintaining a lightweight design for easy carry. Now available as part of the TREAD® rifle platform, the TREAD 716 is easily customizable with a full line of TREAD accessories.



### 716G2 DMR 18"

6.5 CREEDMOOR  
R716G2-H18B-65-DMR-FDE

- ▲ 2-Stage MATCHLITE™ Duo Trigger
- ▲ Magpul PRS® Gen3 Stock
- ▲ 18" Precision Barrel
- ▲ Free-Floating M-LOK® Handguard
- ▲ 3-Chamber Compensator
- ▲ Gas Piston System



### TREAD 16"

7.62x51 NATO  
R716I-16B-TRD

- ▲ Adjustable Magpul® SLK Stock
- ▲ Free-Floating M-LOK® Handguard
- ▲ 16" Precision Barrel
- ▲ Ambidextrous Controls
- ▲ Direct Impingement

THE NEW FACE OF FREEDOM









# M400 TREAD®

## THE NEW FACE OF FREEDOM

Introducing the new M400 TREAD from SIG SAUER®; all the features, all the freedom – none of the compromises. The TREAD is engineered to deliver exceptional quality and performance, and comes standard with the most sought-after features for today's AR platform rifles. Unlike most rifles in its class, the TREAD is easily customizable with a full line of purpose-built accessories. The TREAD from SIG SAUER – the new face of freedom.

## THE NEW FACE OF FREEDOM



### TREAD PISTOL 11"

5.56 NATO  
PM400-11B-TRD

- ▲ Polished and Hardened Single-Stage Trigger
- ▲ Adjustable Shockwave® Brace
- ▲ Free-Floating M-LOK® Handguard
- ▲ 11.5" Stainless Barrel
- ▲ Ambidextrous Controls
- ▲ Microlite Gas Block



### TREAD COIL

5.56 NATO  
RM400-16B-TRD-COIL

- ▲ The Most Popular TREAD Accessories Factory Installed
- ▲ MATCHLITE™ Duo Trigger
- ▲ 13" Lightweight M-LOK® Handguard
- ▲ Tread ROME05™ Red Dot
- ▲ Vertical Foregrip



### TREAD 16"


5.56 NATO  
RM400-16B-TRD

- ▲ Polished and Hardened Single-Stage Trigger
- ▲ Magpul® SL-K™ Stock
- ▲ Free-Floating M-LOK® Handguard
- ▲ 16" Stainless Barrel
- ▲ Ambidextrous Controls
- ▲ Microlite Gas Block with Mid-Length Gas System

# M400 TREAD®

## THE COMPLETE TREAD SYSTEM

PURPOSE-BUILT, CUSTOM ACCESSORIES THAT GIVE YOU THE FREEDOM TO GROW AND CUSTOMIZE



01

### Three Chamber Compensator

Redirects gasses to reduce felt recoil.

02

### 15" Lightweight M-LOK® Handguard

Compatible with all M-LOK rail systems. Quickly move between TREAD free-float handguards by removing two screws.

\* 13" Handguard - Standard on TREAD COIL

03

### TREAD ROMEO5 Optic

2MOA dot with 10 illumination settings, MOTAC, and a 50k hour battery life.

\* Standard on TREAD COIL

06

### Vertical Grip Kit

Multiple kits available for the freedom to customize your grip.

\* Standard on TREAD COIL

The M400 TREAD rifle from SIG SAUER® isn't just another AR, it's a complete system. The TREAD features a full line of custom designed accessories to give you the freedom to build the perfect rifle for you. Choose from multiple handguards and grip configurations for comfort, and performance upgrades including optics, a single-stage trigger, and ambi charging handle.

**The TREAD from SIG SAUER - all of the freedom, none of the compromises.**



04

**Flip-Up, Back-Up Locking Iron Sights**

Compatible with picatinny rail systems. Tool-less windage and elevation adjustment. Button-less flip up and locks in position.

05

**Ambi Charging Handle**

Optimized for right or left-hand operation. Solid construction for prolonged use, and built for maintenance free reliability.



07

**Flat Blade Two-Stage Trigger**

Vertical trigger profile for a precise feel, and crisp break for maximum performance.

\* Standard on TREAD® COIL



For a complete list of TREAD series accessories offered by SIG SAUER, please visit [sigsauer.com/TREAD](http://sigsauer.com/TREAD).

**TREAD**





Shot on location in the San Juan and Rio Grande National Forests. All rights reserved under Sig Sauer authorization.



# CROSS RIFLE

## PRECISION HUNTING BOLT-ACTION RIFLE

Developed by hunters and elite long-range shooters, the CROSS rifle was created to meet the demands of both PRS shooting and backcountry hunting.

- Under 6.5 lbs, the lightest, most portable rifle in its class (up to 40% lighter)
- Folding precision-style stock
- 1-piece receiver for increased accuracy
- Available in .308 / 277 SIG FURY with a 16" barrel (collapsible to 25")
- Available in 6.5 Creedmoor with a 18" barrel (collapsible to 27")
- Designed and built in the U.S.A.



### CROSS RIFLE

.308 / 6.5 CREEDMOOR / 277 SIG FURY  
CROSS-308-16B / CROSS-65-18B / CROSS-277-16B

- ▲ 2 Stage Match Trigger
- ▲ Fully Adjustable and foldable SIG Precision Stock
- ▲ Free Floating M-LOK® Handguard
- ▲ One Piece Aluminum Receiver
- ▲ SIG Match Grade Stainless Barrel
- ▲ Removable Top Mounted Pic Rail
- ▲ Threaded Tapered Muzzle
- ▲ Black Anodized



Folding Precision-Style Stock,  
Collapsible to 25" overall



new

### CROSS RIFLE CAMO

.308 WIN / 6.5 CREEDMOOR / 277 SIG FURY  
CROSS-308-16B-FLC / CROSS-65-18B-FLC /  
CROSS-277-16B-FLC

- ▲ 2 Stage Match Trigger
- ▲ Fully Adjustable and foldable SIG Precision Stock
- ▲ Free Floating M-LOK® Handguard
- ▲ One Piece Aluminum Receiver
- ▲ SIG Match Grade Stainless Barrel
- ▲ Removable Top Mounted Pic Rail
- ▲ Threaded Tapered Muzzle
- ▲ First Lite Cipher Armorkote® Finish



# AMMUNITION











## REVOLUTIONARY HYBRID CASE AMMUNITION

Developed for the U.S. Military's Next Generation Weapons System the new SIG FURY™ hybrid case ammunition outperforms standard ammunition in similar calibers, with decreased bullet drop and increased energy on target.

**SIG FURY hybrid case ammunition. The next generation of ammunition is here.**

Shot on location in the San Juan and Rio Grande National Forests, permission granted under special use authorization.



# SIG FURY™

## HYBRID CASE AMMO

The biggest innovation in ammunition technology in more than 50 years. The SIG FURY hybrid case technology defies all ballistic theory by producing more energy on target in a smaller, lighter package.

### ELITE MATCH GRADE

H277SFM1-20

- ▲ FURY Hybrid Case Technology Delivers Increased Speed for Greater Accuracy at Extended Range
- ▲ Match Grade Projectile Designed to be Flatter Shooting with Less Wind Drift
- ▲ Proprietary Powder Blend to Operate at Maximum Performance Levels
- ▲ Hybrid Case Reduces Failure Points of Traditional Brass Cased Ammunition

### ELITE HUNTER TIPPED

H277SFT1-20

- ▲ FURY Hybrid Case Technology Delivers Increased Speed for Greater On-Target Performance
- ▲ Utilizes the Sierra® Tipped GameKing Designed to SIG SAUER Specification
- ▲ Designed for Greater Energy Transfer in Shorter Barrel Lengths
- ▲ Loaded to Exact Standards for Consistency and Reliability from Lot to Lot





**ELITE MATCH GRADE**  
135 grain



**ELITE HUNTER TIPPED**  
140 grain

## 277 SIG FURY VS 6.5 CREEDMOOR







# ELITE CARRY

## JACKETED HOLLOW POINT PISTOL CARTRIDGES

SIG V-CROWN® defensive rounds combine perfected material specifications and fine-tuned design innovations. Featuring a stacked hollow point cavity, to deliver exceptional on-target energy, with maximum weight retention and optimal expansion for the ultimate in stopping power.



### FEATURES

1. V-Shaped Jacket with Skives and Scores to Provide Controlled, Uniform Expansion
2. Patented Stacked Hollow Point Bullet Design with Additional Hollow Point Cavity
3. Unique Toothed Cannelure Ensures Maximum Weight Retention and Terminal Expansion
4. Coated Nickel Cases Provide Enhanced Lubricity, Superior Corrosion Resistance, and Reliable Feeding and Extraction
5. Low Flash Propellant
6. Consistent Primers



### SIG V-CROWN

E10MM1-20 / E357M1-20 / E357S1-20 / E380A1-20 / E38SP1-20 / E38SU1-20 / E340SW1-20 / E40SW2-20 / E44MA1-20 / E44SP1-20 / E45AP0-20 / E45AP1-20 / E45AP2-20 / E45LC1-20 / E9MMA1-20 / E9MMA2-20 / E9MMA3-20



### SIG V-CROWN 365

9MM  
E9MMA1-365-20

- ▲ Designed for Optimal use in Short Barrel, Concealed Carry Pistols
- ▲ Low-Flash, Clean-Burning Powders
- ▲ Maximum Terminal Velocity and Penetration
- ▲ Lower Recoil
- ▲ Manufactured to SAAMI Standards
- ▲ Made in the U.S.A.



### SIG V-CROWN M17

9MM  
E9MMA2P-M17-20

- ▲ Military Grade +P Ammunition
- ▲ Stacked Hollow Point Cavity
- ▲ Maximum Weight Retention and Expansion
- ▲ Ultimate Stopping Power
- ▲ Made in the U.S.A.



\*SIG SAUER V-CROWN is optimized for maximum terminal ballistic performance when used in short-barreled firearms.








# ELITE TRAINING

## TRAIN LIKE YOU CARRY

Full Metal Jacket Cartridges Engineered to match SIG V-CROWN® ballistics for a more seamless transition from training to carry ammunition. SIG FMJ delivers the same felt recoil, same barrel rise, and same point of impact as the SIG V-CROWN.



### FEATURES

1. Full Metal Jacket Projectile Ballistically Matched to Ensure the Same Point-of-Impact as Elite Carry Ammo
2. Lead Core
3. Bullet Weight and Load Spec's Matched to Elite Carry to Ensure Consistent Felt Recoil and Barrel Rise
4. Brass Cartridge Cases
5. Clean Burning Powders
6. Consistent Primers



### SIG FMJ 365

9mm  
E9MMB1-365-50



### SIG FMJ RIFLE CARTRIDGES

223 REM / 300 BLK / 308 WIN  
E223B1-20 / E300B1-20 / E308B1-20



### SIG FMJ

E10MB1-50 / E357B1-50 / E357MB-50 / E380B1-50 /  
E38SB1-50 / E38SUB-50 / E40SB2-50 / E45BA3-50 /  
E9MMB1-50 / E38SB2-50 / E9MMB3-50 / E9MMLFS1-50



### SIG FMJ M17

9mm  
E9MMB2P-M17-50



\*OPTIMIZED FOR MAXIMUM PERFORMANCE WHEN USED IN SHORT-BARRELED FIREARMS.







# ELITE MATCH

## PRECISION MATCH GRADE RIFLE CARTRIDGES

SIG Match Grade rifle rounds are engineered to excel in today's precision auto-loading platforms, as well as bolt-action rifles. Utilizing optimized shell case metallurgy and premium primers, each round is precision-loaded using state-of-the-art, electromechanical monitoring for geometric conformity, and all are 100% inspected.



### FEATURES

1. Hollow Point Designed to Maximize BC
2. Thin Jacket Design for Precise Concentricity
3. Bullet Weights are Held within +/- 0.3 Grains
4. Temperature-Stable Propellants
5. Brass Cases are 100% Inspected and Lot Controlled
6. Industry Leading Primers are Unmatched in Power and Performance



### SIG ELITE MATCH

E223M1-20 / E300A1-20 / E300A2-20 /  
E308M1-20 / E308M2-20 / E3WMM1-20 /  
E65CM1-20 / E260M2-20 / E3006M2-20 /  
E6MMCM2-20

- ▲ Minimal Velocity Variation
- ▲ Precision Loaded for Conformity
- ▲ Renowned Sierra® Matchking® Projectile
- ▲ Temperature-Stable Propellants








# MATCH ELITE

## COMPETITIVE PISTOL CARTRIDGES

SIG Match Elite Competition loads have been designed in conjunction with Team SIG, for the serious competitive shooter who needs an accurate and completely reliable competitive round. Currently offered in a 9mm, 147 grain w<sup>®</sup> projectile and loaded in a premium nickel case for improved function and feeding. The round utilizes a reduced charge weight with a fast burning powder, so felt recoil has been reduced significantly for improved accuracy, better gun control, and higher scores.



### FEATURES

1. V-Shaped Jacket with Skives and Scores to Provide Controlled, Uniform Expansion
2. Stacked Hollow Point Bullet Design with Additional Hollow Point Cavity
3. Unique Toothed Cannelure Ensures Maximum Weight Retention and Terminal Expansion
4. Coated Nickel Cases Provide Enhanced Lubricity, Superior Corrosion Resistance, and Reliable Feeding and Extraction
5. Low Flash Propellant
6. Consistent Primers

\*When measured from Max Michel's target pistol



### SIG MATCH ELITE 115GR

JHP 9MM  
E9MMA1-COMP-50

- ▲ Same Great Features of Existing 9mm V-CROWN
- ▲ Designed Around Steel Challenge Competition
- ▲ Lower Felt Recoil
- ▲ Faster Target Acquisition
- ▲ Increased Accuracy
- ▲ Used by Team SIG Pro Shooters



### SIG MATCH ELITE 147GR

JHP 9MM  
E9MMA3-COMP-50

- ▲ Same Great Features of Existing 9mm V-CROWN
- ▲ Extremely Precise Power Factor Between 126 and 132\*
- ▲ Lower Felt Recoil
- ▲ Faster Target Acquisition
- ▲ Increased Accuracy
- ▲ Used by Team SIG Pro Shooters










# ELITE HUNTER

## TIPPED LEAD CORE HUNTING CARTRIDGES

SIG SAUER® ELITE HUNTER TIPPED ammunition gives the serious sportsman unmatched, long-range accuracy, with devastating on-target performance. Massive expansion delivers instant knockdown and terminal energy on small to medium game.



### FEATURES

1. Translucent yellow tip increases ballistic coefficient, improves terminal performance, and aids in consistent reliable chambering
2. Exclusive jacket design delivers devastating on-game performance for small to medium game at extended ranges
3. Concentric blackened jacket ensures reliable expansion
4. Enhanced boat tail design provides superior flight characteristics over a wide range of velocities
5. Custom formulated and precision loaded powders deliver consistent velocities regardless of atmospheric conditions
6. Nickel plated cases aid in extraction while providing significant anti-corrosion qualities
7. Industry leading primers are matched to proprietary powder blends to ensure dependable ignition



### ELITE HUNTER TIPPED

E243TH2-20 / E260TH1-20 / E270TH2-20 /  
E3006TH2-20 / E308TH2-20 / E3WMTH3-20 /  
E65CMTH1-20 / E6MMCTH2-20 / E7RMTH2-20







Shot on location in the San Juan and Rio Grande National Forests, permission granted under special use authorization



# ELITE HUNTING

## COPPER GAME HUNTING CARTRIDGES

SIG ELITE COPPER HUNTING rounds use premium-quality powders and primers for minimum velocity variation, and yield a 1.8x diameter expansion. Perfected for easy rifle feeding, with an optimized nose geometry, and premium nickel-plated shell casings that deliver consistently reliable accuracy for taking down game.



AMMUNITION



### FEATURES

1. Optimized Nose Geometry for Easy Rifle Feeding
2. Consistent 1.8X Diameter Expansion
3. Lead-Free Monolithic Copper Bullet
4. Proprietary Powder Blends to Ensure Dependable Ignition
5. Industry Leading Primers are Matched to Proprietary Powder Blends to Ensure Dependable Ignition

\*California Fish and Game Code Section 3004.5 Compliant

### SIG COPPER HUNTING

E223H1-20 / E308H1-20 / E300H1-20 / E65CH1-20/  
E3WMH1-20 / E6MMCH1-20 / E260H1-20 / E270H1-20 /  
E243H1-20 / E3006H1-20








Shot on location in the San Juan and Rio Grande National Forests, permission granted under special use authorization.



# ELITE HUNTING

## TIPPED VARMINT & PREDATOR RIFLE CARTRIDGES

SIG Tipped Varmint & Predator rounds utilize yellow tipped projectiles designed specifically for explosive expansion and unmatched accuracy. All loads feature projectiles yielding higher muzzle velocities and flatter trajectories across all practical hunting distances.



The Tipped Varmint & Predator rounds contain the same high-quality single-base extruded powders as SIG Match Grade rounds. This ensures consistent round-to-round muzzle velocities and renders it insensitive to temperature change. All SIG Varmint & Predator rounds are produced on state-of-the-art loading equipment utilizing laser technology for charge-weight consistency and geometric conformity.

### FEATURES

1. Yellow Tip Increases Ballistic Coefficient, Improves Terminal Performance, and Aids in Consistent Reliable Chambering
2. Jacketed Lead-Core Bullet Designed for Explosive Fragmentation and Quick Take-Down on Varmits
3. Custom Formulated and Precision Loaded Powders Deliver Consistent Velocities Regardless of Atmospheric Conditions
4. Brass Cases Aid in Extraction while Providing Significant Anti-Corrosion Qualities
5. Industry Leading Primers are Matched to Proprietary Powder Blends to Ensure Dependable Ignition



### SIG VARMINT & PREDATOR

E223V1-20 / E225V1-20 / E243V1-20 / E300H2-20

- ▲ Match Grade Accuracy
- ▲ Flat Trajectories
- ▲ Explosive Fragmentation on Small Game





# COMPONENTS

## BAGGED BRASS / PRIMED BAGGED BRASS

Elite Performance Ammunition shell cases are engineered to exacting tolerances and available for multiple pistol and rifle calibers. The geometric consistency of these premium brass cases ensures each primer is held tightly in its pocket. Flash holes are precise with no burrs and the superior metallurgical properties of the SIG SAUER® cases enable repeated reloading. All Elite Performance rifle shell cases are induction annealed for consistent bullet retention.

THE BEST RELOADING BRASS MANUFACTURED IN THE U.S.A.



new

**338 NORMA MAG**

Bagged Brass



## BAGGED BRASS

VARIOUS

- ▲ Engineered for Precision Hand Loaders
- ▲ Exceptional Concentricity of the Mouth for Improved Accuracy
- ▲ Engineered to Exacting Standards; each Brass Case Undergoes Rigorous In-Line and Post-Production, Quality Assurance Testing to Ensure a Flawless Casing
- ▲ Flash Holes are Precise with No Burrs
- ▲ Superior Metallurgical Properties of the SIG SAUER® Cases Enable Repeated Reloading
- ▲ SIG Elite Rifle Shell Cases are Induction Annealed for Consistent Bullet Retention
- ▲ All Shell Cases are 100% Inspected by Advanced Metrology Equipment that Measures every Dimensional Aspect of the Case.





# UN-PRIMED

CALIBER	QTY/BAG	SKU
380 AUTO	100	BP1002
9MM	100	BP1003
357 SIG	100	BP1005
38 SPL	100	BP1007
357 MAG	100	BP1008
40 S&W	100	BP1009
10MM	100	BP1010
45 AUTO	100	BP1011
223 REM	100	BR2004
22-250 REM	50	BR2005
243 WIN	50	BR2006
6MM CM	50	BR6MMCM 
6.5 CM	50	BR2011
260 REM	50	BR260REM 
270 WIN	50	BR2018
7MM REM	50	BR2024 
300 BLK	50	BR2029
308 WIN	50	BR2030
30-06 SPG	50	BR2031
300 WIN MAG	50	BR2033
338 NORMA	25	BR338NM 

# PRIMED

CALIBER	QTY/BAG	SKU
380 AUTO	100	BP1002P
9MM	100	BP1003P
357 SIG	100	BP1005P
38 SPL	100	BP1007P
357 MAG	100	BP1008P
40 S&W	100	BP1009P
10MM	100	BP1010P
45 AUTO	100	BP1011P



# ELECTRO-OPTICS









# ELECTRO-OPTICS

## SEE THE DIFFERENCE

SIG SAUER® Electro-Optics fuse together advanced electronic technologies, superior, high-definition glass, and military-inspired designs to achieve maximum clarity, accuracy, and performance shot after shot.

Learn more about SIG SAUER Electro-Optics at [sigsauer.com/electro-optics](http://sigsauer.com/electro-optics)



## SIG SAUER ELECTRO-OPTIC INFINITE GUARANTEE\*

- Unlimited Lifetime Guarantee
- No Warranty Card Required
- No Receipt Required
- No Time Limit Applies
- No Charge
- Fully Transferable



## ELECTRONIC AND TRITIUM LIMITED 5-YEAR WARRANTY

Covers any defects in materials and workmanship in the electronic and tritium components of illuminated riflescopes/sights, pistol sights, electronic sights, flashlights, lasers, binoculars, spotting scopes, and rangefinders for five years from the date of manufacture.

## EMBEDDED APPLIED BALLISTICS®

### ABU Applied Ballistics Ultralight

Applied Ballistics Ultralight is the streamlined ballistic calculator developed with Applied Ballistics and integrated into all BDx products. Ballistic solutions are provided out to a maximum of 800 yards.

### ABX Applied Ballistics External

Applied Ballistics external allows external devices such as Kestrel® to compute Applied Ballistics Elite solutions and communicate the firing solution back to select BDx enabled devices.

### ABS Applied Ballistics System

Applied Ballistics System embeds Applied Ballistics Elite on-board select products with integral environmental sensors to calculate complete ballistic solutions out to the effective range of any firearm.





### SBT<sup>®</sup> SIG Ballistic Turret

A Custom, Laser-Etched Elevation Dial on Most SIG SAUER<sup>®</sup> TANGO<sup>®</sup> and WHISKEY<sup>®</sup> Riflescopes

Matched to the Ballistics of the Shooter's System at No Extra Cost

Inputs Bullet Specifications, Ballistic Coefficient, Muzzle Velocity, Elevation, and Other Environmental Factors

Allows for Correct Bullet Drop Compensation and Pinpoint Accuracy at Any Range



### LOCKDOWN<sup>®</sup> Zero System

Zero Stop-Locking Turret Allows a Rapid Return to Zero

Eliminates Concern About How Far to Turn the Elevation Dial to Return to Zero



### STEALTH ID<sup>™</sup>

Deflection Armor Trapezoidal Surfacing Breaks Up the Shape and Visibility of the Optic

Slide Serrations and Grip Checkering Add Function to the Form of all SIG SAUER Electro-Optics



### HELLFIRE<sup>®</sup> Reticle

Electronically Illuminated Utilizing an Advanced Fiber Optic Technology

Varies the Light Intensity of the Central Aiming Point from Night Vision Compatible to HellFire Bright for Daylight Illumination

Results in a Bright, Defined Aiming Point for Precision Shot placement in any condition



### LEVELPLEX<sup>™</sup> Digital Anti-Cant System

Utilizes an Integrated Digital Level that is Accurate to +/- 0.5° Available in any WHISKEY5 or TANGO6 with a side focus

Auto Levelplex Mode Calibrates Level Sensitivity to Distance Ranged to Target



### MEGAVIEW<sup>™</sup>

Provides Massive Field of View (FOV), Allowing Faster Target Acquisition

Enhances Awareness of Objects in the Shooter's Periphery



### ALT<sup>™</sup> Aspheric Lens Technology

Eliminates Aberration, Reduces Weight, and Helps to Focus the Projected Image Through the Lenses

Superior Low Distortion Optical Performance



### SPECTRACOAT<sup>™</sup>

Highly Efficient, Ultra-Wide Broadband, Anti-Reflection Lens Coatings

Reduces Surface Reflections to Extremely Low Levels Across the Entire Visible Spectrum

Provides Superior Light Transmission



### HDX<sup>®</sup> High Definition Transmittance

Comprises Both High Definition (HD) and High Transmittance (HT) Glass

Ultra-High Resolution, Optical Performance, and Light Transmission



### LENSARMOR<sup>™</sup>

Abrasion-Resistant Lens Coatings

Extreme Durability Ensures the Lenses on the Scope Will Stay Sharp, Bright, and Clear



### LENSHIELD<sup>™</sup>

Mil-Spec Oleophobic Coating

Sheds Water, Oil, and Gunk, to Ensure a Clean Sight Image at All Times



### MOTAC<sup>™</sup> Moton Activated Illumination

Motion-Sensing Technology

Powers Up Illumination When Sensing Motion, and Powers Down When it Does Not, Extending Battery Life



### SOLAR POWERED ILLUMINATION

Powered By a Solar Cell

Extends Runtime and Improves Daylight Brightness of the Reticle With or Without a Battery



### TRUHold<sup>™</sup>

Lockless Zeroing System

Utilizes Quad Adjustment Springs Designed and Torture-Tested to Endure Handgun Recoil and Return to Zero Shot After Shot



### OIS<sup>™</sup> Optical Image Stabilization

Proprietary SIG Optical Image Stabilizer System

Gyroscopically Stabilized to Cancel Out Unwanted Shaking and Vibrations that Can Blur an Image, Especially at Higher Magnification Levels



### AMR<sup>™</sup> Angle-Modified Range

Ranging Technology Using an On-Board Inclinator

Reads Incline / Decline Angle and Modifies the Effective Ballistic Shooting Range to The Target

Equivalent Horizontal Range, that Integrates Perfectly When Used with SIG Ballistic Turret Dials



### LIGHTWAVE DSP<sup>™</sup> Digital Signal Processing

Leverages HyperScan, and Advanced Power Management Technique, Providing the Fastest Refresh Rate in Scan Mode (4 times Per Second)

Uses the Latest Generation Field Programmable Gate Array (FPGA)

Reduces false positives while finding weak or distant targets



### HYPERSCAN<sup>™</sup>

Features the Fastest, most Accurate Range Acquisition Algorithms by Analyzing Targets 4 Times Per Second and Displaying the Results on Stationary or Moving Targets within a Quarter of a Second.



### LUMATIC DISPLAY<sup>™</sup>

Proprietary OLED (Organic Light Emitting Diode) Display Ambient Light Sensor Continuously Monitors Light Conditions and Adjusts the Display Brightness Accordingly

No other Display Offers this Adaptive Ability to Prevent the Shooter's Pupil from Constricting in Low-Light Conditions



### 90° POWERCAM<sup>™</sup> MOUNT

Quick Flip Away Mount for Fast Transitions from Near to Far Distance Targets

No Button Actuator for Rapid Single-Handed Operation Point for Precision Shot Placement in Any Condition



### KinETHIC<sup>™</sup> Kinetic Energy Indicator

KinETHIC Kinetic Energy Indicator

Allows a Hunter to set a Threshold in Either ft-lbs or fps for the Ethical Harvest of Game Animals. BDX will Compute Distance Ranged and Indicate when you Drop Below the user-set Threshold for Energy or Speed of Bullet on Target



### BDX 2.0<sup>™</sup>

Software Update that Includes a New Easy Mode for Quick BDX Setup Out of the Box, Including:

BDX kits Come Paired and Bonded

BDX QuickBond<sup>™</sup> System Gives Users the Ability to Bond Two BDX Enabled Devices without the Smartphone App

BDX Equipped KILO<sup>®</sup> Rangefinders Preloaded with Ballistic Groups for Centerfire Rifles, Muzzleloaders, and Crossbows

100% Compatible with BDX Smartphone App to Access the Advanced BDX Features in Configuration Options



### WGP<sup>™</sup> Weapons Grade Polymer

Optimized for use with Polymer Pistols

Lightweight Textured Polymer



# BDX 2.0™



Basic Data Exchange



Powered by



## WHAT IS BDX?

SIG SAUER® has built on the success of BDX, adding features and benefits that allow hunters and shooters to 'hit the ground running' with their BDX systems. All BDX rangefinders now come preprogrammed with 9 ballistic profiles that cover most centerfire rifle cartridges, as well as crossbows and muzzleloaders. BDX combo kits will now come pre-bonded from the factory. All users have to do to use their systems now is mount and zero their riflescopes. If users want to unlock the complete feature set of BDX, they are still able to do this via the smartphone app.

### BDX RANGEFINDER

#### **BDX kits come pre-bonded right out of the box**

When purchasing a rangefinder and riflescope together there is no setup necessary. Simply mount and zero your riflescope and you are ready to go.

#### **QuickBond™ for app-less bonding of BDX equipped rangefinders and sights**

There is no need for the smartphone app to connect your BDX devices. Simply press and hold two buttons and your BDX rangefinder will bond with the nearest BDX enabled sight.

#### **Pre-loaded ballistic groups now available on KILO® BDX rangefinders to quickly get you on target**

Every BDX rangefinder now comes preloaded with 9 distinct ballistic groups. These groups represent the ballistics for each popular centerfire caliber available, as well as crossbows and muzzleloaders. Simply pick the group that matches your caliber.

#### **Download the BDX app to unlock the full advanced capabilities and features of the BDX system**

Setup a custom profile utilizing the Applied Ballistics® bullet library and the exact muzzle velocity of your firearm. BDX will do the rest.

### BDX RIFLESCOPE

The powerful SIERRA3BDX and SIERRA6BDX riflescopes revolutionize the art of holdover calculation. Again, set your ballistic profile in the SIG BDX app, sync the app with your riflescope and then configure multiple holdover points in the digital ballistic reticle. When you view your target through the reticle each of your exact holdover points is illuminated. No more turrets to adjust or calculations to make.

### BDX SYSTEMS

When used together, KILO BDX rangefinders and SIERRA3BDX riflescopes combine to create the most advanced optics system available on the market today. Simply configure your ballistics profile in the BDX app, pair your KILO BDX rangefinder with the app, and then bond it to your SIERRA3BDX riflescope. When you range your target the KILO BDX rangefinder automatically sends your specific holdover data to your SIERRA3BDX riflescope giving you an illuminated holdover dot. It's simple and fast.

### CONNECT THE DOT®

Learn more about the BDX System at [sigsauer.com/electro-optics](https://sigsauer.com/electro-optics)



# THE WORLD'S MOST ADVANCED...

## RIFLESCOPES

- ▲ BDC Reticle is Customized to Shooter's Ballistics and Environmental Profile Prior to Hunting
- ▲ BDC Reticle can be set with Up to Eight Holdover Dots at Any Distances Out to 800 Yards
- ▲ Digital Focal Plane™ Reticle Scales with Zoom like a First Focal Plane Rifle Scope
- ▲ HD Glass and Spectracote™ Lens Coatings
- ▲ Levelplex™ Digital Anti-Cant System



## RANGEFINDERS

- ▲ Embedded Applied Ballistics® Ultralite Engine with Extensive Bullet Library with Support for G1/G7 Drag Curves
- ▲ Save up to 25 Custom Ballistic Profiles in the SIG BDX App
- ▲ Active Ballistic Profile and Environmental Sync to Rangefinder
- ▲ Windage and Elevation Holds in MOA or MILS with Every Target Ranged
- ▲ Lightwave DSP™ leverages 4x/Second HyperScan and RangeLock Technologies for the Fastest Ranging Performance



## OPTICS SYSTEM

SIG SAUER® Electro-Optics transforms hunting with the unprecedented simplicity and accuracy of BDX. KILO® BDX rangefinders use your ballistics and Bluetooth® to illuminate the exact holdover dot in SIERRA3BDX riflescopes. For the most accurate and ethical shot, just **CONNECT THE DOT®**.



ELECTRO-OPTICS



# BDX 2.0™

Shot on location in the San Juan and Rio Grande National Forests, permission granted under special use authorization.











# SIERRA6™ BDX®

## RIFLESCOPES WITH BALLISTIC DATA XCHANGE

Built upon SIERRA3 award-winning technology, and the SIG SAUER® BDX Ballistic Data Xchange technology, the SIERRA6 family of riflescopes provides the hunter or marksmen with an intelligent auto-holdover specific to their ballistics, target, and environment. Pairing a SIERRA6 to a BDX equipped rangefinder allows users to bring the capability of Applied Ballistics® into the field without the need for a mobile device.

### STANDARD FEATURES

- ▲ Integrated BDX Ballistic Data Xchange 2.0 with Up to 95% Light Transmission
- ▲ Advanced HDX® 6x Optical System
- ▲ Automatic Hold-over Dot on a Digital Focal Plane
- ▲ Ballistic Profiles Compatible with Centerfire, Muzzleloader, and Crossbow Platforms
- ▲ Innovative KinETHIC™ Kinetic Energy Transfer Indicator for Ethical Shots
- ▲ Dependable Waterproof and Fog-Proof Performance (IPX-7 for Complete Immersion up to 1 Meter)
- ▲ Argon Purged for an Enhanced Lifetime of Performance
- ▲ Levelplex™ with Auto Levelplex Mode



### SIERRA6BDX 5-30X56

34MM MAINTUBE  
SOSBDX65111

- ▲ Digital Focal Plane BDX-R2 Reticle
- ▲ Seamlessly Pairs with BDX Enabled Devices to Provide Exact Hold-overs Based on Measured Target Distances
- ▲ User-Customizable Ballistic Data Provides Hold-over Dots
- ▲ Side Focus Allows Users to Remove Parallax
- ▲ Blue LED on Eye Piece Indicates when Bluetooth® is Paired to KILO® BDX Rangefinder
- ▲ HDX Glass and Coatings for the Best Optical Quality in its Class



Ballistic Data Xchange



### SIERRA6BDX 3-18X44

30MM MAINTUBE  
SOSBDX63111


- ▲ Digital Focal Plane BDX-R2 Reticle
- ▲ Seamlessly Pairs with BDX Enabled Devices to Provide Exact Holdovers Based on Measured Target Distances
- ▲ User-Customizable Ballistic Data Provides Hold-over Dots
- ▲ Side Focus Allows Users to Remove Parallax
- ▲ Blue LED on Eye Piece Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HDX Glass and Coatings for the Best Optical Quality in its Class



### SIERRA6BDX 2-12X40

30MM MAINTUBE  
SOSBDX62111

- ▲ Digital Focal Plane BDX-R2 Reticle
- ▲ Seamlessly Pairs with BDX Enabled Devices to Provide Exact Holdovers Based on Measured Target Distances
- ▲ User-Customizable Ballistic Data Provides Hold-over Dots
- ▲ Blue LED on Eye Piece Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HDX Glass and Coatings for the Best Optical Quality in its Class



The BDX-R2 Digital Ballistic Reticle GEN II High Resolution LED display doubles the amount of available hold-over dots giving users greater accuracy and resolution to each shot. The reticle has aiming aids to help align elevation and wind indicators.



Blue LED flashes with each reticle update

ELECTRO-OPTICS





Shot on location in the San Juan and Rio Grande National Forests; permission granted under special use authorization.



# SIERRA3 BDX<sup>®</sup>

## RIFLESCOPES WITH BALLISTIC DATA XCHANGE

Disguised within the form factor of a traditional riflescope lies the power of the SIG SAUER<sup>®</sup> BDX Ballistic Data Xchange. The SIERRA3BDX riflescope provides the hunter with an illuminated auto-holdover dot on targets when coupled with a BDX-capable KILO<sup>®</sup> rangefinder.

### STANDARD FEATURES

- ▲ Integrated BDX Ballistic Data Xchange 2.0
- ▲ Automatic Holdover Dot on a Digital Focal Plane
- ▲ Ballistic Profiles Compatible with Centerfire, Muzzleloader, and Crossbow Platforms
- ▲ Innovative KinETHIC<sup>™</sup> Kinetic Energy Transfer Indicator
- ▲ Dependable Waterproof and Fog-Proof Performance (IPX-7 for Complete Immersion up to 1 Meter)
- ▲ Levelplex<sup>™</sup> with Auto Levelplex mode



Ballistic Data Xchange



### SIERRA3BDX 6.5-20X52

30MM MAINTUBE  
SOSBDX36111

- ▲ Provides Holdover Dot for Hunting out to 800 yards
- ▲ Digital Focal Plane BDX-R1 Reticle Subtensions Correct with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth<sup>®</sup> is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class



BDX-R1 Digital Ballistic Reticle



Blue LED flashes with each reticle update



### SIERRA3BDX 4.5-14X50

30MM MAINTUBE  
SOSBDX34112

- ▲ Provides Holdover Dot for Hunting out to 800 Yards.
- ▲ Digital Focal Plane BDX-R1 Reticle Subtends with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth<sup>®</sup> is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class



### SIERRA3BDX 4.5-14X44

30MM MAINTUBE  
SOSBDX34111

- ▲ Provides Holdover Dot for Hunting out to 800 Yards
- ▲ Digital Focal Plane BDX-R1 Reticle Subtends with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class



### SIERRA3BDX 3.5-10X42

30MM MAINTUBE  
SOSBDX33111

- ▲ Provides Holdover Dot for Hunting out to 800 Yards
- ▲ Digital Focal Plane BDX-R1 Reticle Subtends with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class



### SIERRA3BDX 2.5-8X32

30MM MAINTUBE  
SOSBDX32111

- ▲ Provides Holdover Dot for Hunting out to 800 Yards
- ▲ Digital Focal Plane BDX-R1 Reticle Subtends with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class

ELECTRO-OPTICS







# KILO3000BDX™

## BDX® BALLISTIC DATA XCHANGE LASER RANGEFINDER

Featuring SIG SAUER BDX technology, the KILO3000BDX is one of the world's most advanced laser rangefinders. When paired with a BDX enabled product, the onboard Applied Ballistics® Ultralite calculator sends ballistic drop data via Bluetooth® directly to the BDX sight, providing an illuminated holdover dot and wind hold. Download the free BDX App for iOS or Android to setup ballistic profiles and synchronize custom profiles to your KILO® for exact ballistic solutions.

### STANDARD FEATURES

- ▲ Will Range Up to 5,000 yards with Results Displayed to the Nearest 1/10th Yard
- ▲ Lumatic OLED Display, Continuously Monitors Light Conditions & Adjusts the Display Brightness Accordingly
- ▲ Multi-Position Twist-Up Eyecups Provide a Custom Fit for Each User
- ▲ Compact, Lightweight Aluminum Housing with Dual Diopter Adjustment
- ▲ User-Selectable Target Modes Featuring LAST or BEST Mode for Pinpoint Accuracy
- ▲ Powered by a Lithium CR2 Battery
- ▲ FOV = 32 ft/100 Yards / 6.1 Degrees



Ballistic Data Xchange



2019  
ICA


### 2019 INDUSTRY CHOICE AWARDS

Optic of the Year: KIL03000BDX Rangefinder Binoculars

Powered by:



### DISPLAY



RANGES	Up to 1500 YDS DEER	Up to 2000 YDS TREES	Up to 5000 YDS REFLECTIVE
--------	---------------------------	----------------------------	---------------------------------

## KILO3000BDX BINOCULAR RANGEFINDER

10X42MM  
SOK31001

- ▲ BDX™ Ballistic Data Xchange Capable, Providing your BDX Rifle Scope with an Automatic Illuminated Holdover Dot through Bluetooth® Pairing
- ▲ Supports Applied Ballistics® External for Pairing your KIL0 with a Kestrel® with Onboard Applied Ballistics Elite™
- ▲ Revolutionary Lightwave DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- ▲ HyperScan™ Technology Provides 4 Range Updates Per Second in Scan Mode while RangeLock™ Reports the Last Range Result when Ranging Distant Targets
- ▲ Embedded Applied Ballistics Ultralite™ with Bullet Database and Support for G1/G7 Drag Curves
- ▲ Fully Multi-Coated ED Glass Lenses and Phase-Coated Prisms for High Resolution and High Contrast



# KILO® BDX®

## BDX BALLISTIC DATA XCHANGE LASER RANGEFINDER

Featuring SIG SAUER BDX technology, the KILO BDX series of rangefinders are the world's most advanced laser rangefinders. When paired with a BDX enabled product, the onboard Applied Ballistics® Ultralite calculator sends ballistic drop data via Bluetooth® directly to the BDX sight, providing an illuminated holdover dot and wind hold. Download the free BDX App for iOS or Android to setup ballistic profiles and synchronize custom profiles to your KILO for exact ballistic solutions.



Ballistic Data Xchange

### STANDARD FEATURES

- ▲ 4x Per Second Scan Rate
- ▲ Low-Energy Bluetooth
- ▲ User-Selectable Target Modes Featuring LAST or BEST Mode for Pinpoint Accuracy
- ▲ Powered by Lithium CR2 Battery

## KILO2400BDX™ BINOCULAR RANGEFINDER

7X25MM  
SOK24704

- ▲ BDX™ Ballistic Data Xchange Capable. Providing your BDX Rifle Scope with an Automatic Illuminated Holdover Dot Through Bluetooth Pairing
- ▲ Embedded Applied Ballistics® Ultralite with Bullet Database and Support for G1/G7 Drag Curves
- ▲ Supports Applied Ballistics External for Pairing your KILO with a Kestrel® with Onboard Applied Ballistics Elite
- ▲ Low Energy Bluetooth 4.0 for Synchronizing up to 25 Custom Ballistic Profiles Between the Free SIG Ballistic App and Rangefinder
- ▲ Advanced OLED Display Provides a Smaller, Extremely Precise Targeting Circle along with Milling Features and Ballistic Info Including Holdover Angle, Target Mode, and Shot Angle



Powered by:



RANGES

Up to  
1400 YDS  
DEER

Up to  
1800 YDS  
TREES

Up to  
3400 YDS  
REFLECTIVE





KILO®

	MAG	OBJECTIVE CLEAR APERTURE	EXIT PUPIL	EYE RELIEF	ANGULAR (FOV)	RANGE RESPONSE TIME	LASER DIVER- GENCE	SCAN RATE	UNDER 100 YDS ACCURACY	MAX RANGE REFLECTIVE	MAX RANGE DEER	MAX RANGE TREES	WEIGHT
<b>KILO2400BDX™</b> SOK24704	7x	25 mm	3.6 mm	15 mm	6.78"	0.25 sec	1.4 MRAD	4x Per Second	+/- 0.1 yds	Up To 3400 yds	Up To 1400 yds	Up To 1800 yds	7.5 oz / 215 g
<b>KILO2200BDX™</b> SOK22704	7x	25 mm	3.6 mm	15 mm	6.78"	0.25 sec	1.4 MRAD	4x Per Second	+/- 0.1 yds	Up To 3400 yds	Up To 1300 yds	Up To 1600 yds	7.5 oz / 215 g
<b>KILO1800BDX™</b> SOK18601 (CLASS 3R) / SOK18602 (CLASS 1M)	6x	22 mm	3.7 mm	17 mm	6.0"	0.25 sec	1.3 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	7.9 oz / 225 g
<b>KILO1600BDX™</b> SOK16607	6x	22 mm	3.7 mm	17 mm	6.0"	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	6.4 oz / 181 g
<b>KILO1400BDX™</b> SOK14601	6x	20 mm	3.3 mm	15 mm	6.5"	0.25 sec	3.33 MRAD	4x Per Second	+/- 0.1 yds	Up To 1600 yds	Up To 750 yds	Up To 950 yds	5.3 oz / 150 g
<b>KILO1000BDX™</b> SOK10602	5x	20 mm	4.0 mm	18 mm	7.50"	0.25 sec	2.00 MRAD	4x Per Second	+/- 0.1 yds	Up To 1200 yds	Up To 800 yds	Up To 1000 yds	5.2 oz / 147 g



# BDX 2.0™ COMBO KITS

## BDX DIGITAL BALLISTIC XCHANGE SYSTEMS

Ultimate BDX value kits come with SIERRA3BDX riflescope and a KILO® BDX rangefinder. Simply download the SIG BDX App, set up your ballistic profile, pair your new BDX rangefinder and riflescope, and go hunt.

### COMBO KIT KILO2400BDX™ / SIERRA3BDX™ 6.5-20X52

SOK24BDX01

#### KILO2400BDX

- ▲ BDX™ Ballistic Data Xchange Capable. Providing your BDX Riflescope with an Automatic Illuminated Holdover Dot Through Bluetooth® Pairing
- ▲ Embedded Applied Ballistics® Ultralite with Bullet Database and Support for G1/G7 Drag Curves
- ▲ Supports Applied Ballistics External for Pairing your KILO Rangefinder with a Kestrel® with Onboard Applied Ballistics Elite
- ▲ Low Energy Bluetooth 4.0 for Synchronizing up to 25 Custom Ballistic Profiles Between the Free SIG Ballistic App and Rangefinder
- ▲ Advanced OLED Display Information. Provides a Smaller, Extremely Precise Targeting Circle along with Milling Features and Ballistic Info Including Holdover Angle, Target Mode, and Shot Angle

#### SIERRA3BDX

- ▲ Provides Holdover Dot for Hunting out to 800 Yards.
- ▲ Digital Focal Plane BDX-R1 Reticle Subtends with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class
- ▲ Integrated BDX Ballistic Data Xchange.
- ▲ Automatic Holdover Dot on a Digital Focal Plane
- ▲ Innovative KinETHIC™ Kinetic Energy Transfer Indicator

Powered by:



DISPLAY



KILO2400BDX Display

RETICLE



SIERRA3 BDX 6.5-20x52 Reticle

GUNS AND AMMO MAGAZINE  
Innovation of the year award

Recognizing new product with demonstrated quality and reliability that appeals to the masses.

SIG SAUER® Electro-Optics Ballistic Data Xchange (BDX) Rangefinder and Riflescope System.



## COMBO KITS

KILO1600BDX / SIERRA6BDX 2-12X40  
SOK16BDX61

KILO2200BDX / SIERRA6BDX 3-18X44  
SOK22BDX61

KILO2400BDX / SIERRA6BDX 5-30X56  
SOK24BDX61

KILO1000BDX / SIERRA3BDX 2.5-8X32  
SOK10BDX01

KILO1000BDX / SIERRA3BDX 3.5-10X42  
SOK10BDX02

KILO1000BDX / SIERRA3BDX 4.5-14X44  
SOK10BDX03

KILO1400BDX / SIERRA3BDX 3.5-10X42  
SOK14BDX01

KILO1600BDX / SIERRA3BDX 2.5-8X32  
SOK16BDX01

KILO1600BDX / SIERRA3BDX 3.5-10X42  
SOK16BDX02

KILO1600BDX / SIERRA3BDX 4.5-14X44  
SOK16BDX03

KILO1600BDX / SIERRA3BDX 4.5-14X50  
SOK16BDX04

KILO1600BDX / SIERRA3BDX 6.5-20X52  
SOK16BDX05

KILO1800BDX / SIERRA3BDX 4.5-14X44  
SOK18BDX01

KILO2200BDX / SIERRA3BDX 4.5-14X50  
SOK22BDX01

KILO2400BDX / SIERRA3BDX 6.5-20X52  
SOK24BDX01



# SIERRA® BDX 2.0™

# KILO®

	MAG	OBJECTIVE	RETICLE	ADJUSTMENTS	BATT	MAIN TUBE	LENGTH	WEIGHT	MAG	OBJECTIVE CLEAR APERTURE	EXIT PUPIL	EYE RELIEF	ANGULAR (FOV)	RANGE RESPONSE TIME	LASER DIVERGENCE	SCAN RATE	UNDER 100 YDS Resolution	MAX RANGE REFLECTIVE	MAX RANGE DEER	MAX RANGE TREES	WEIGHT
	2-12	40	BDX-R2 Digital Focal Plane OLED	0.25 MOA	CR2031 (2)	30 mm	10.75"	21.4 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	6.4 oz / 181 g
	3-18	44	BDX-R2 Digital Focal Plane OLED OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	12.25"	23.8 oz	7x	25 mm	3.6 mm	15 mm	6.78°	0.25 sec	1.4 MRAD	4x Per Second	+/- 0.1 yds	Up To 3400 yds	Up To 1300 yds	Up To 1600 yds	7.5 oz / 212 g
	5-30	56	BDX-R2 Digital Focal Plane OLED OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	34 mm	14.75"	30.4 oz	7x	25 mm	3.6 mm	15 mm	6.78°	0.25 sec	1.4 MRAD	4x Per Second	+/- 0.1 yds	Up To 3400 yds	Up To 1400 yds	Up To 1800 yds	7.5 oz / 212 g
	2.5-8	32	BDX-R1 OLED Ballistic	0.25 MOA	CR2031 (2)	30 mm	11.6"	19.4 oz	5x	20 mm	4.0 mm	18 mm	7.50°	0.25 sec	2.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 1200 yds	Up To 800 yds	Up To 1000 yds	5.2 oz / 147 g
	3.5-10	42	BDX-R1 OLED Ballistic	0.25 MOA	CR2031 (2)	30 mm	12.75"	20.9 oz	5x	20 mm	4.0 mm	18 mm	7.50°	0.25 sec	2.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 1200 yds	Up To 800 yds	Up To 1000 yds	5.2 oz / 147 g
	4.5-14	44	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	12.60"	23.2 oz	5x	20 mm	4.0 mm	18 mm	7.50°	0.25 sec	2.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 1200 yds	Up To 800 yds	Up To 1000 yds	5.2 oz / 147 g
	3.5-10	42	BDX-R1 OLED Ballistic	0.25 MOA	CR2031 (2)	30 mm	12.75"	20.9 oz	6x	20 mm	3.3 mm	15 mm	6.5°	0.25 sec	3.33 MRAD	4x Per Second	+/- 0.1 yds	Up To 1600 yds	Up To 750 yds	Up To 950 yds	5.0 oz / 140 g
	2.5-8	32	BDX-R1 OLED Ballistic	0.25 MOA	CR2031 (2)	30 mm	11.6"	19.4 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	5.0 oz / 142 g
	3.5-10	42	BDX-R1 OLED Ballistic	0.25 MOA	CR2031 (2)	30 mm	12.75"	20.9 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	6.4 oz / 181 g
	4.5-14	44	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	12.60"	23.2 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	6.4 oz / 181 g
	4.5-14	50	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	12.75"	24.9 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	6.4 oz / 181 g
	6.5-20	52	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	14.3"	25.9 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	4.0 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	6.4 oz / 181 g
	4.5-14	44	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	12.60"	23.2 oz	6x	22 mm	3.7 mm	17 mm	6.0°	0.25 sec	1.3 MRAD	4x Per Second	+/- 0.1 yds	Up To 2000 yds	Up To 1000 yds	Up To 1200 yds	7.9 oz / 224 g
	4.5-14	50	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	12.75"	24.9 oz	7x	25 mm	3.6 mm	15 mm	6.78°	0.25 sec	1.4 MRAD	4x Per Second	+/- 0.1 yds	Up To 3400 yds	Up To 1300 yds	Up To 1600 yds	7.5 oz / 212 g
	6.5-20	52	BDX-R1 OLED Ballistic Side Focus	0.25 MOA	CR2031 (2)	30 mm	14.25"	25.9 oz	7x	25 mm	3.6 mm	15 mm	6.78°	0.25 sec	1.4 MRAD	4x Per Second	+/- 0.1 yds	Up To 3400 yds	Up To 1400 yds	Up To 1800 yds	7.5 oz / 212 g

## ELECTRO-OPTICS





**TANGO6T OPTIC HAS BEEN SELECTED BY:**

The U.S. ARMY Squad Designated Marksman Rifle (SDMR)

USSOCOM Squad-Variable Powered Scope (S-VPS)

The U.S. Air Force



# TANGO6T™

## THE CHOICE OF THE U.S. ARMY AND SPECIAL OPERATIONS

TANGO6T riflescopes have been selected by the US Army and USSOCOM to deliver unmatched performance and optical clarity when it matters most. TANGO6T riflescopes are MIL-STD810G tested and approved and are assembled in the U.S.A.

### STANDARD FEATURES

- ▲ 6x Super-Zoom Advanced Optical System
- ▲ First and Second Focal Plane Reticles
- ▲ Throwlever Included with all SKUs
- ▲ Fast Focus Eyepiece
- ▲ Waterproof (IPX-8 rated) and Fog-Proof Performance
- ▲ Night Vision Illuminated Reticle Settings with Locking Dial
- ▲ Laser Engraved Mounting Line to Align Riflescope to Scope Rings
- ▲ Flat Dark Earth (FDE) or Black Anodize Finish Options
- ▲ Assembled in the U.S.A.



### TANGO6T 1-6X24 FFP

30MM MAINTUBE  
SOT61231 / SOT61131 / SOT61234 / SOT61134 / SOT61239

- ▲ Designed for MSR/AR Platforms
- ▲ Ideal for Close to Mid-Range Tactical Engagements.
- ▲ Fiber Optic Power Indicator
- ▲ Multiple Reticle Options Available
- ▲ Daylight Bright Illumination with Locking Illumination Dial

1-6X24MM

5.56/7.62 Horseshoe Dot FFP  
7.62 Extended Range  
DWLR6 FFP  
M855A1 HELLFIRE  
MOA Milling HELLFIRE  
3 Gun HELLFIRE



### TANGO6T 1-6X24 SFP

30MM MAINTUBE  
SOT61233 / SOT61236 / SOT61238 / SOT61138

- ▲ Designed for MSR/AR Platforms
- ▲ Ideal for Close to Mid-Range Tactical Engagements.
- ▲ Fiber Optic Power Indicator
- ▲ Multiple Reticle Options Available
- ▲ Hellfire® Reticles: Fiber Optics to Vary Intensity of Central Aiming Point (SFP)
- ▲ Daylight Bright Illumination with Locking Illumination Dial

Available in  
FDE

### RETICLES




5.56MM / 7.62MM  
300 Blackout  
Horseshoe Dot




7.62  
Extended  
Range




DWLR6



M855A1  
HELLFIRE®



MOA MILLING  
HELLFIRE



3-Gun  
HELLFIRE

ELECTRO-OPTICS







# TANGO6™

## PRECISION TACTICAL RIFLESCOPES

The TANGO6 super-zoom 6x riflescope family has you covered for mid to long-range engagements, precision rifle competitions to big game hunting. From bolt actions to MSR's, the TANGO6 is built for versatility.

### STANDARD FEATURES

- ▲ 6x Super-Zoom Advanced Optical System
- ▲ Sunshade Included
- ▲ Fast Focus Eyepiece
- ▲ Hellfire® Reticles: Fiber Optics to Vary Intensity of Central Aiming Point
- ▲ Waterproof (IPX-7 rated) and Fog-Proof Performance
- ▲ T-120 Tactical Turret with 120 Clicks Per Revolution

**FREE** CUSTOM SBT®  
WITH SELECT TANGO6™ PURCHASES



Levelplex Digital Anti-Cant System utilizes an integrated digital level with user selectable reticle cant detection at +/- 0.5° or +/- 1° sensitivity.

### TANGO6 5-30X56 WITH LEVELPLEX™

34MM MAINTUBE  
SOT65111 / SOT65112 / SOT65113 / SOT65114

- ▲ Designed for MSR/AR and Bolt Action Platforms
- ▲ Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▲ Fiber Optic Power Indicator
- ▲ Offered in FFP with Multiple Reticle Options
- ▲ Levelplex Anti-Cant System




### TANGO6 3-18X44 WITH LEVELPLEX

34MM MAINTUBE  
SOT63111 / SOT63112 / SOT63113 / SOT63114

- ▲ Designed for MSR/AR and Bolt Action Platforms
- ▲ Ideal for Mid-Range Tactical Engagements and Hunting
- ▲ Offered in FFP with Multiple Reticle Options
- ▲ Levelplex Anti-Cant System

HDX®



Advanced optical systems comprising both High Definition (HD) and High Transmittance (HT) glass for ultra-high resolution, optical performance, and light transmission.

### RETICLES



MOA/MRAD MILLING



MOA/MRAD  
DEV-L

3-18X44MM	DEV-L MOA Milling, FFP
	DEV-L MRAD Milling, FFP
	MOA Milling, FFP
	MRAD Milling, FFP
5-30X56MM	DEV-L MOA Milling, FFP
	DEV-L MRAD Milling, FFP
	MOA Milling, FFP
	MRAD Milling, FFP

ELECTRO-OPTICS







# TANGO4™

## LONG RANGE PRECISION RIFLESCOPES

With a 4x zoom first-focal plane design, illuminated glass reticles, and revolutionary resettable zero turret, TANGO4 riflescopes are the ideal solution for mid to long-range tactical engagements, designated marksmen, competitive shooters, and hunters.

### STANDARD FEATURES

- ▲ 4x Super-Zoom Advanced Optical System
- ▲ Lensarmor™: Abrasion-Resistant Lens Coatings
- ▲ Built-in Throw Lever Included
- ▲ Resettable Zero Turret
- ▲ Low Dispersion (LD) Glass Provides Optical Clarity for any Situation
- ▲ Lenshield™: Proprietary Mil-Spec Oleophobic Coating for Clean Images
- ▲ Waterproof (IPX-7 rated) and Fog-Proof Performance
- ▲ Stealth ID™: Deflection Armor Surfacing for Less Detection



### TANGO4 6-24X50 RIFLESCOPE

30MM MAINTUBE  
SOT46111 / SOT46112 / SOT46113 / SOT46114

- ▲ Designed for MSR/AR and Bolt Action Platforms
- ▲ Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▲ Fiber Optic Power Indicator
- ▲ Offered in FFP with Multiple Reticle Options
- ▲ Lockdown® Zero System



### TANGO4 4-16X44

30MM MAINTUBE  
SOT44111 / SOT44112 / SOT44113 / SOT44114

- ▲ Designed for MSR/AR and Bolt Action Platforms
- ▲ Mid to Long-Range Tactical Engagements, Designated Marksmen, and Hunting
- ▲ Offered in FFP with Multiple Reticle Options
- ▲ Lockdown Zero System



### TANGO4 1-4X24


30MM MAINTUBE  
SOT41111 / SOT41112 / SOT41113 / SOT41114

- ▲ Designed for MSR/AR and Bolt Action Platforms
- ▲ Ideal for CQB / Mid-Range Tactical Engagements, 3-Gun Competitions, and Hunting
- ▲ Offered in FFP with Multiple Reticle Options

### RETICLES



5.56mm / 7.62mm  
300 Blackout  
Horseshoe Dot



MOA/MRAD MILLING



MOA/MRAD  
DEV-L

1-4X24 MM

3-12X42 MM

4-16X44 MM

6-24X50 MM

5.56/7.62 Horseshoe Dot FFP

300 Blackout Horseshoe Dot FFP

MOA Milling, FFP

MRAD Milling, FFP

DEV-L MOA Milling, FFP

DEV-L MRAD Milling, FFP

MOA Milling, FFP

MRAD Milling, FFP





Shot on location in the San Juan and Rio Grande National Forests, permission granted under special use authorization.



# WHISKEY5™

## PRECISION TACTICAL HUNTER RIFLESCOPES

Built to perform in the toughest hunting conditions, the WHISKEY5 super-zoom 5x riflescope line from SIG SAUER® brings the hardest of targets into sharp focus and features the proprietary HDX® optical system, for extreme clarity and low-light performance, and Hellfire® fiber optic illuminated reticles.

### STANDARD FEATURES

- ▲ 5x Super-Zoom Advanced Optical System
- ▲ Stealth ID™: Deflection Armor Surfacing
- ▲ Spectracote™: Reduces Surface Reflections
- ▲ HDX Optics: Unequaled Light Transmission and Optical Clarity
- ▲ Hellfire Reticles: Fiber Optics to Vary Intensity of Central Aiming Point
- ▲ Lenshield™: Proprietary Mil-Spec Oleophobic Coating for Clean Images
- ▲ Waterproof (IPX-7 rated) and Fog-Proof Performance
- ▲ Fast Focus Eyepiece
- ▲ Offered in Second Focal Plane (SFP) and Multiple Reticles



2019 OUTDOOR LIFE AWARDS  
Editor's Choice Riflescopes



## WHISKEY5 5-25X52 RIFLESCOPE WITH LEVELPLEX™


30MM MAINTUBE  
SOW55011 / SOW55017 / SOW55014

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Long Range Precision Shooting, and Long Range Hunting
- ▲ Fiber Optic Power Indicator
- ▲ Offered in SFP with Multiple Reticle Options
- ▲ Levelplex Anti-Cant System


### RETICLES



HELLFIRE  
QUADPLEX®



HELLFIRE  
TRIPLEX®



MRAD Milling  
Hunter



MOA Milling  
Hunter



## WHISKEY5 3-15X52MM WITH LEVELPLEX™

30MM MAINTUBE  
SOW53013 / SOW53016 / SOW53018

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Medium to Long Range Scenarios Across a Wide Range of Calibers
- ▲ Offered in SFP with Multiple Reticle Options
- ▲ Levelplex Anti-Cant System



## WHISKEY5 3-15X44MM WITH LEVELPLEX

30MM MAINTUBE  
SOW53011 / SOW53017 / SOW53015

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Medium to Long Range Scenarios Across a Wide Range of Calibers
- ▲ Offered in SFP with Multiple Reticle Options
- ▲ Levelplex Anti-Cant System



## WHISKEY5 2.4-12X56MM WITH LEVELPLEX

30MM MAINTUBE  
SOW52015 / SOW52018

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ European Hunting at Short to Medium Range Low Light Scenarios Across a Wide Range of Calibers
- ▲ Offered in SFP with Multiple Reticle Options
- ▲ Levelplex Anti-Cant System



## WHISKEY5 2-10X42MM

30MM MAINTUBE  
SOW52011 / SOW52017 / SOW52014

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Extended Long Range Scenarios, as well as Low Light Shooting, and Recreational Shooting Across a Wide Range of Calibers
- ▲ Offered in SFP with Multiple Reticle Options

ELECTRO-OPTICS





Shot on location in the San Juan and Rio Grande National Forests, permission granted under special use authorization.



# WHISKEY3™

## HUNTING RIFlescOPES

The WHISKEY3 riflescopes feature low dispersion glass, rugged chassis, and capped windage and elevation turrets. It's rugged industrial design provides reliability and protection from the elements.

### STANDARD FEATURES

- ▲ 3x Zoom Optical System
- ▲ Stealth ID™: Deflection Armor Surfacing
- ▲ Lensarmor™: Abrasion-Resistant Lens Coating
- ▲ Hellfire® Reticles: Fiber Optics to Vary Intensity of Central Aiming Point
- ▲ Low Dispersion (LD) Glass Provides Industry Leading Optical Clarity
- ▲ European Style Eyepiece for a Smooth, Fast, and Precise Reticle Adjustment
- ▲ Waterproof (IPX-7 rated) and Fog-Proof Performance
- ▲ 3x Optical Zoom, Illuminated, and Non-Illuminated Reticles
- ▲ Offered in Second Focal Plane (SFP) and Multiple Reticles



### WHISKEY3 3-9x40

1" MAINTUBE  
SOW33202 / SOW33204 / SOW33206

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Extended Long Range Scenarios, as well as Low Light Shooting, and Recreational Shooting Across a Wide Range of Calibers
- ▲ Offered in SFP with Multiple Reticle Options

### RETICLES



HELLFIRE®  
QUADPLEX®



QUADPLEX



BDC-1  
QUADPLEX



### WHISKEY3 4-12X50

1" MAINTUBE  
SOW34201 / SOW34203 / SOW34205

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Medium and Long-Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ Offered in SFP with Multiple Reticle Options



### WHISKEY3 4-12X40

1" MAINTUBE  
SOW34202 / SOW34204 / SOW34206

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Medium and Long-Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ Offered in SFP with Multiple Reticle Options



### WHISKEY3 3-9X50

1" MAINTUBE  
SOW33201 / SOW33203 / SOW33205

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Short, Medium, and Long-Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ Offered in SFP with Multiple Reticle Options



### WHISKEY3 2-7X32

1" MAINTUBE  
SOW32201 / SOW32202

- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ Offered in SFP with Multiple Reticle Options







# KILO<sup>®</sup>

## DIGITAL LASER RANGEFINDERS

The KILO family of Digital Laser Rangefinders is engineered for extreme accuracy. KILO products are the most advanced, and yet simple to use, rangefinders on the market today. Updating at 4x per second in HyperScan mode, all KILO rangefinders come with proprietary LightWave™ DSP technology, are lightning fast, and amazingly accurate.



### KILO2400ABS™ RANGEFINDER

7X25MM  
SOK24701

- ▲ Ranges up to 2 miles with the Revolutionary Lightwave DSP Technology for the Fastest and Longest Distance Rangefinder Engine
- ▲ Advanced Rangefinder Featuring an Embedded Applied Ballistics® Elite Calculator and Bluetooth® for Synchronizing with a Free Applied Ballistics App. Available on Both IOS and Android Platforms
- ▲ Integrated Temperature, Humidity, Pressure, and Compass
- ▲ New Milling Reticle with 2.4 MRAD Inner Diameter and 3 MRAD Outer Diameter Center Aiming Circle. Milling Features are 5 MRAD to the Dots and 10 MRAD to the Lines.
- ▲ Includes a Tripod Adapter, Smartphone Jack WindMETER, Ballistic Nylon Molle Kit Bag, Nylon Carry Pouch, Tactical Pen/Stylus, Lanyard, and 3 Spare Batteries
- ▲ Assembled in U.S.A.

RANGES	Up to 1400 YDS DEER	Up to 1800 YDS TREES	Up to 3400 YDS REFLECTIVE
--------	---------------------------	----------------------------	---------------------------------

#### KILO2400ABS DISPLAY



Configurable reticle with 3 options: Center Aiming Circle only, Center Aiming Circle and Horizontal Milling Grid, and Center Aiming Circle and Horizontal and Vertical Milling Grid



### KILO1600™ RANGEFINDER

6X22MM  
SOK16608

- ▲ Ranges up to 2000 Yards with the Revolutionary Lightwave DSP Technology for the Fastest and Longest Distance Rangefinder Engine
- ▲ Features Line of Sight (LOS) or Angle Modified Range (AMR). Units in Yards or Meters to Tenth Y/M Resolution
- ▲ Transparent OLED Display
- ▲ User-Selectable Target Modes Featuring LAST or BEST for Pinpoint Accuracy
- ▲ Simplified User Interface with RANGE and MODE Buttons Only

RANGES	Up to 1000 YDS DEER	Up to 1200 YDS TREES	Up to 2000 YDS REFLECTIVE
--------	---------------------------	----------------------------	---------------------------------



### KILO1000™ RANGEFINDER

5X20MM  
SOK10001

- ▲ Ranges up to 1200 Yards with the Revolutionary Lightwave DSP Technology for the Fastest and Longest Distance Rangefinder Engine
- ▲ Features Line of Sight (LOS) or Angle Modified Range (AMR). Units in Yards or Meters to Tenth Y/M Resolution
- ▲ High Transmittance LCD display
- ▲ User-Selectable Target Modes Featuring LAST or BEST for Pinpoint Accuracy
- ▲ Simplified User Interface with RANGE and MODE Buttons Only

RANGES	Up to 800 YDS DEER	Up to 1000 YDS TREES	Up to 1200 YDS REFLECTIVE
--------	--------------------------	----------------------------	---------------------------------







# ROMEOZero™

## MICRO OPEN REFLEX SIGHT

The fastest, most accurate, ultra-compact micro reflex sight. The ROMEOZero optimized for everyday concealed carry, and pistols with slim slide profiles. The sight features a ruggedized, WeaponsGrade™ textured polymer body and the Spectracoat™ HD Polymer lens system. The ROMEOZero enables rapid target acquisition in an everyday carry package at an iron sight price.



### ROMEOZERO

1x24MM  
SOR01300 / SOR01600

- ▲ Spectracoat HD Polymer Lens with 10 Times the Impact Resistance over Traditional Glass Lenses
- ▲ WeaponsGrade™ Ultralite Polymer Housing Optimized for use with Polymer Pistols, Concealed-Carry and also Slim Slide Profiles such as Single-Stack 1911s, and Subcompact Firearms.
- ▲ Stippling Pattern on the Housing Matches P365® and P365XL Grip Pattern, for an Integrated Look
- ▲ 8 vivid, User Configurable Daytime Illumination Levels
- ▲ MOTAC™ (Motion Activated Illumination System) that Powers Up when it Senses Motion and Powers Down when it does not
- ▲ Parallax Free
- ▲ Highly Efficient, Point Source LED Emitter for a Crisp Dot that is 8 Times more Efficient than Conventional Red Dots
- ▲ 10 Year Battery Life – Unrivaled in a Micro Reflex Sight
- ▲ Assembled in U.S.A.




Designed for use on  
SIG SAUER® P365 Pistols  
with Optics Ready Slides

ELECTRO-OPTICS



Rear View

### RETICLES



3 MOA

6 MOA







# ROME01™

## MINIATURE OPEN REFLEX SIGHT

Designed for fast, responsive target acquisition, and accuracy. The miniature open-reflex ROME01 Red Dot sight was engineered to withstand the punishment of diverse environments.

### STANDARD FEATURES

- ▲ Molded Glass Aspheric Lens for Superior Light Transmittance and Zero Distortion
- ▲ Manual Illumination Controls that Remember your Last-Used Settings
- ▲ 3 or 6 MOA Red Dot with Multiple Brightness Settings for Rapid Target Engagement Under a Full Range of Lighting Conditions
- ▲ MOTAC™ (Motion Activated Illumination) Powers up when it Senses Motion and Powers down when it does not
- ▲ Top-loading CR1632 Battery. Allowing for Quick Battery Replacement Without Removal from the Firearm
- ▲ Waterproof (IPX-7 Rated for Complete Immersion up to 1 Meter) and Fog-Proof Performance
- ▲ Designed for Modern Semi-Automatic Pistols, MSR Platforms and Shotguns
- ▲ TruHold™ Lockless Zeroing System that Utilizes Twin Adjustment Springs Designed to Endure Handgun Recoil and Return to Zero Shot after Shot



## ROME01PRO™

1x30MM  
SOR1P100 / SOR1P101 / SOR1P103

- ▲ Aircraft Grade CNC Aluminum Housing Ensures a Lifetime of Reliable Service
- ▲ Ruggedized Protective Steel Shroud Included for Extreme Durability
- ▲ New Emitter offers a Brighter Dot, More Brightness Settings (10 Daylight and 2NV), and a Longer Battery Life (20,000 hours)
- ▲ Designed to Fit Newer SIG SAUER® R2 Slides



Available  
in Black



ROME01PRO is Compatible With:

M17, P320-M17, P320 X-FIVE LEGION, P320 X-COMPACT, P320 X-FULL, All PRO-CUT Slides, P320 Pro Series

Please note, this product is not compatible with slides cut to accept a standard ROME01



## ROME01

1x30MM  
SOR11000 / SOR11001 / SOR11005 / SOR11600 (EMOA)

- ▲ ROME01 is compatible with legacy optics-ready SIG SAUER® pistols, such as the original P320RX, Classic Line RX, and P320 X-FIVE® pistols. It is not compatible with newer SIG SAUER optics-ready pistols that have the "PRO" slide cut. Those pistols accept the new ROME01PRO.




ROME01 Shroud Kit  
Also Available.  
(SOR1SK001)



Adapter Pack Option Available for Glock, CZ-75, Springfield XD, S&W M+P, S&W Core, HK P2000, 1911 Standard, SIG SAUER 1911, P220\*, P226\*, P227, P229\*, P239\*, P225\*, and P320. Please see [sigsauer.com](http://sigsauer.com) for Additional Options.

SORIMK001 / SORIMK002 / SORIMK003 / SORIMK004 / SORIMK005 / SORIMK006 / SORIMK007 / SORIMK008 / SORIMK009 / SORIMK010 / SORIMK011 / SORIMK012 / SORIMK013 / SORIMK014

## RETICLES



3 MOA RED DOT

6 MOA RED DOT







# ROME03™

## COMPACT OPEN REFLEX SIGHTS

The open reflex ROME03 Red Dot sight is the ideal sighting solution for MSR rifles, shotguns, carbines, submachine guns, and full-size handguns; designed with competitive shooters in mind.

### STANDARD FEATURES

- ▲ High Transmittance Red Notch Reflector for Excellent Brightness and Zero Distortion
- ▲ MOTAC™ (Motion Activated Illumination) Powers up or down when Sensing Motion
- ▲ Extremely Strong and Lightweight Aircraft Grade CNC Aluminum Housing Ensures a Lifetime of Reliable Service
- ▲ Side-Loading CR2032 Battery, Allowing for Quick Battery Replacement without Removal from the Firearm
- ▲ Waterproof (IPX-7 Rated for Complete Immersion up to 1 Meter) and Fog-Proof Performance



## ROME03MAX™ COMPACT REFLEX SIGHT

1x30MM  
SOR31003 / SOR32003

- ▲ Developed in Collaboration with Team SIG Captain, 8-Time Carry Optics National Champion Max Michel
- ▲ Compact, Open Reflex Sight Featuring a 30mm Wide, Round Lens Design for Superior Field-of-View
- ▲ 3 MOA or 6 MOA Dot with Multiple Intensity Settings for Rapid Target Engagement under a Full Range of Lighting Conditions
- ▲ Comes with a Low-Profile M1913 Picatinny Mount. An Absolute Co-Witness Riser Mount is also Available as an Accessory
- ▲ Red-notch Filter for Vivid Red Dot and Unrivaled Optical Clarity

Used by Max Michel to win the 2019 USPSA Nationals in Carry Optics.



## ROME03XL™ COMPACT REFLEX SIGHT

1x35MM  
SOR31004 / SOR32004


- ▲ The ideal Sighting Solution for MSR Rifles, Shotguns, Carbines, Submachine Guns, and Full-Size Handguns
- ▲ Comes with a Low-Profile M1913 Picatinny Mount. An Absolute Co-Witness Riser Mount is also Available as an Accessory
- ▲ Crisp 3 or 6 MOA Red Dot for Fast and Accurate Shooting
- ▲ Up to 25,000 Hours of Runtime on a Single CR2032 Battery
- ▲ Massive 35mm Wide Lens for Superior Field of View and Fast Target Transition



## ROME03 COMPACT REFLEX SIGHT

1x25MM  
SOR31002

- ▲ Designed for MSR Rifles, Shotguns, Carbines, Submachine Guns, and Full-Size Handguns
- ▲ Proprietary Red-Notch Coating Ensures Bright Red Dot
- ▲ Manual Illumination Controls









# ROME08™

## RUGGEDIZED MIL-SPEC RED DOT

Designed for the most severe conditions, the battle hardened ROME08 is ideal for rapid target acquisition in any environment.

### STANDARD FEATURES

- ▲ High Performance Coatings for Excellent Light Transmittance and Red Dot Contrast in all Situations
- ▲ Quad Ballistic Circle Dot reticle with ballistic holds and 10 Daytime and NV Settings
- ▲ MOTAC™ (Motion Activated Illumination Systems) Powers Up When it Senses Motion and Powers Down when it does not
- ▲ 1.53" Optical Center Height for Optical Device Compatibility
- ▲ 38mm Rectangular Viewing Window for Unmatched Situational Awareness and Target Identification
- ▲ .5MOA Adjustments for Zeroing, with Ballistic Drops Built into the Reticle for Distance Shooting without Dialing
- ▲ CR123A Battery Provides 100,000 Hours at High-Brightness Setting
- ▲ 1/2" Hex Bolt at 85 in/lb Provides Retention of Zero During Extreme Conditions
- ▲ Assembled in the U.S.A.

## ROME08T™ MIL-SPEC RED DOT SIGHT

1X38MM  
SOR81002 (BLACK) / SOR81003 (FDE)

- ▲ T10 Torx Screws Attach a Titanium Shroud for Ultimate Optic Protection
- ▲ Removable Titanium Shroud for Ultimate Optic Protection from Hard Use
- ▲ Flip Caps and Anti-Reflective Device Included
- ▲ Dependable IPX-8 Waterproof: Submersible to 20m for 30 Minutes
- ▲ 7075 CNC Aluminum Housing Ensures a Lifetime of Reliable Service

Available  
in FDE




## ROME08H™ RED DOT SIGHT

1X38MM  
SOR81001 (BLACK)

- ▲ Slim Design for Low Profile Footprint
- ▲ Dependable IPX-7 Waterproof: Submersible to 1m for 30 Minutes

### RETICLES



2 MOA Red Dot Ballistic Circle Dot





**ROME04T OPTIC HAS BEEN SELECTED BY:**

The U.S. ARMY Special Operations  
Federal Bureau of Investigations (FBI)  
Department of Homeland Security, Customs and Border Protection (CBP)  
The U.S. Federal Government Bureau of Prisons



# ROME04™

## CLOSED RED DOT / GREEN DOT SIGHTS

Chosen by elite government and military agencies, the ROME04 is the ultimate Red Dot sight when fast, accurate target acquisition is a must, regardless of lighting conditions, weather conditions, or terrain. Whether it's a moving target, dangerous game at full charge, or a fast-breaking tactical situation at close quarters, the rugged ROME04 Red Dot sight can handle the job. Battery and solar powered options available.

### STANDARD FEATURES

- ▲ Unlimited Eye-Relief to Acquire Aiming Point and Target, Regardless of Eye Position Behind Sight
- ▲ MOTAC™ (Motion Activated Illumination) Powers up When Sensing Motion
- ▲ Utilizes an Ultra-Efficient Red LED Illumination for Daylight Visibility and Extended Runtime
- ▲ Strong and Lightweight Aircraft Grade CNC Aluminum Housing (7075 Grade on ROME04T)
- ▲ Absolute Co-Witness QR Mount and Low Mount Included (Absolute Co-Witness 1/2" Hex Nut on ROME04T)
- ▲ Users can Select from 4 Different Onboard Reticle Options, Per Model (Dot, CircleDot, Dot with Holds, CircleDot with Holds)
- ▲ Assembled in the U.S.A.

## ROME04T™ MIL-SPEC RED DOT SIGHT


1X20MM  
SOR43031 (BLACK) / SOR43032 (BLACK) / SOR43131 (FDE)

- ▲ Designed for AR Platform Pistols, MSR Platforms, and Shotguns
- ▲ Short and Medium Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ MIL-SPEC 810G Tested and Approved
- ▲ Lightweight CNC 7075 Aluminum Housing Ensures a Lifetime of Reliable Service
- ▲ Runtime In Excess Of 100,000 Hours with Solar and Battery Usage
- ▲ Waterproof (IPX-8 rated) and Fog Proof

Available  
in Black



### RETICLES



Green Horse Shoe Ballistic Dot (ROME04H Only)

2 MOA Red Dot Ballistic Circle Dot

1 MOA Red Dot Ballistic Circle QUADPLEX™



## ROME04DR™ CLOSED RED DOT SIGHT

1x20MM  
SOR41111

- ▲ Short and Medium Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ Extremely Strong and Light CNC Aluminum Housing
- ▲ Runtime in Excess of 100,000 Hours with Solar and Battery Usage
- ▲ Comes Standard with Lens Caps and Mount
- ▲ Waterproof (IPX-7 rated) and Fog-Proof



## ROME04S™ CLOSED RED DOT SIGHT

5x20MM  
SOR43021 / SOR43022

- ▲ Short and Medium Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▲ Extremely Strong and Light CNC Aluminum Housing
- ▲ Runtime in Excess of 100,000 Hours with Solar and Battery Usage
- ▲ Comes Standard with Lens Caps and Quick-Release Mount
- ▲ Waterproof (IPX-7 rated) and Fog-Proof



## ROME04H™ CLOSED RED DOT SIGHT

5x20MM  
SOR43011 / SOR43012 / SOR43013

- ▲ Comes standard with Lens Caps and Quick-Release Mount
- ▲ 50,000+ Hour Battery Life and the Readily Available CR2032 Battery is Side Loading for Quick Battery Replacement
- ▲ Waterproof (IPX-7 rated) and Fog-Proof







# ROME05™

## CLOSED RED DOT / GREEN DOT SIGHTS

The ROME05 Red Dot Sight mounts on any platform, and even though its small, its tough. The solid, lightweight aluminum design will give peak performance and years of service, making it a trusted companion for the military and civilians alike.

### STANDARD FEATURES

- ▲ Ultra-Low Parallax so Point-of-Aim is Point-of-Impact and the Red Dot Remains Parallel to the Bore of Your Firearm, no Matter What Your Viewing Angle is Relative to the Optical Axis of the Sight
- ▲ Unlimited Eye Relief to Acquire Aiming Point and Target, Regardless of Eye Position Behind Sight
- ▲ MOTAC™ (Motion Activated Illumination) Powers Up or Down When Sensing Motion
- ▲ Ultra-Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 Meter) and Fog-Proof Performance
- ▲ Runs on a Single AAA Battery for up to 50,000 Hours of Runtime Under Normal Use
- ▲ Dual Reticle (5XDR) Quad Reticle (Predator)


## ROME05XDR™ CLOSED RED/GREEN DOT SIGHT

1X20MM  
SOR52122 (PREDATOR) / SOR52102 (XDR) / SOR521XXX (FDE)


- ▲ 2 MOA Red Dot with 65 MOA Circle Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- ▲ Modular M1913 Picatinny Riser Mount for 1.41" (Absolute Co-Witness) or 1.63" (1/3 Lower Co-Witness) Sight Heights
- ▲ Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 Meter) and Fog-Proof Performance
- ▲ Green Predator Reticle Model Available with 4 Green Reticles (Dot, Dot with Triangle, Dot with Lower Triangle, and Triangle only)

Available in  
FDE (5XDR only)

### RETICLES




Circle-Dot  
(65 MOA Circle/  
2 MOA Dot)



PREDATOR  
Dot




PREDATOR  
Dot with Triangle



PREDATOR  
Dot with Lower  
Triangle




PREDATOR  
Triangle Only



### ROME05X™

1x20MM  
SOR52101

- ▲ 2 MOA Red Dot Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- ▲ Modular M1913 Picatinny Riser Mount for 1.41" (Absolute Co-Witness) or 1.63" (1/3 Lower Co-Witness) Sight Heights
- ▲ Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 Meter) and Fog-Proof Performance
- ▲ Runs on a Single AAA Battery for up to 50,000 Hours of Runtime Under Normal use



### ROME05 TREAD®

1x20MM  
SOR52010

- ▲ 2 MOA Red Dot Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- ▲ Integrated M1913 Picatinny Interface Provides Industry-Standard Mounting Options for a Wide Range of Applications
- ▲ Side-loading CR2032 Battery Allowing for Quick Battery Replacement Without Having to Remove the Sight From the Firearm
- ▲ TREAD Logo Laser Engraved



### ROME05

1x20MM  
SOR52001

- ▲ 2 MOA Red Dot Provides 10 Illumination Settings (8 Daylight Plus 2 NV) for Visibility in all Light Conditions
- ▲ Integrated M1913 Picatinny Interface Provides Industry-Standard Mounting Options for a Wide Range of Applications
- ▲ Side-loading CR2032 Battery Allowing for Quick Battery Replacement Without Having to Remove the Sight From the Firearm







# ROMEO-MSR™

## COMPACT RED DOT SIGHT

The ROMEO-MSR is a sealed, compact red dot or green dot sight intended for MSR, carbine, shotgun, and air rifle. Brightness is adjusted with a top-mounted rotary dial, featuring 10 daytime and 2 night vision settings for quick target engagement in any condition.

### STANDARD FEATURES

- ▲ Ultra-Compact Size and Weight with Unlimited Eye-Relief and Parallax-Free Operation.
- ▲ Precise 2 MOA Dot
- ▲ Slipover, See-Through Flip-Backs
- ▲ Top Loading Battery Compartment with Integral Brightness Control Featuring 10 Daytime and 2 NV Settings
- ▲ Aircraft Grade Aluminum Housing and Mount
- ▲ Dependable IPX-7 Waterproof and Fog-Proof Performance




### ROMEO-MSR

1X20MM  
SOR72001 (RED) / SOR72002 (GREEN)


- ▲ High-Performance Lens Coatings for Excellent Light Transmission and Dot Contrast in any Situation.
- ▲ 1 MOA Adjustments for Zeroing
- ▲ 1.41" T10 Torx M1913 Skeletonized Lightweight Riser Mount for Absolute Co-Witness
- ▲ Over 20,000 Hours Runtime on a CR1632 Battery



### RETICLES



2 MOA Red Dot



2 MOA Green Dot







# ROME07™

## CLOSED RED DOT SIGHT

The ROME07 full-size Red Dot sight provides the civilian and armed professional with a robust 1x aiming solution optimized for today's MSR platforms, regardless of caliber.




### ROME07™

1x30MM  
SOR71001

- ▲ Designed for MSR Platforms for the Civilian and Armed Professional
- ▲ High Performance Lens Coating for Excellent Light Transmission and Zero Distortion
- ▲ Manual Illumination Controls
- ▲ 2 MOA Red Dot is Optimal for Close Quarters Battle to Mid-Range Engagement
- ▲ Side Loading AA Battery Compartment for Ease of Replacement
- ▲ 62,500 Hours of Continuous Battery Life in Medium Setting
- ▲ IPX-7 Rated for Complete Immersion up to 1 Meter

### RETICLE









# JULIET®

## MAGNIFIERS

Easily transition between close quarters and medium range targets with a flip of our JULIET magnifier. When used in conjunction with a Red Dot, the JULIET features a quick-release PowerCam mount which flips easily to one side when not in use. Built-in recoil lugs ensure zero-hold even after removing and reinstalling.

### STANDARD FEATURES

- ▲ Quick Release Mount with Built-In Recoil Lugs for a Repeatable Zero
- ▲ PowerCam 90° Mount Pivots to the Side When not Needed
- ▲ Adjustable Height Using Included Spacers
- ▲ Aerospace Grade 6061 Aluminum Housing Ensures a Lifetime of Reliable Service
- ▲ Waterproof Rated IPX-8 (20 Meters for 1 Hour)
- ▲ Assembled in the U.S.A.

#### POWERCAM 90° MOUNT



JULIET4 Magnifier Pivoted 90° with PowerCam Mount for Rapid, single-hand use.



### JULIET6™ MAGNIFIER

6X24MM  
SOJ61001

- ▲ Designed for MSR Platforms and Shotguns
- ▲ Power and Versatility of a 1-6x Scope, in a Modular System That is Lighter Weight
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination



### JULIET3™ MAGNIFIER

3x24MM  
SOJ31001

- ▲ Designed for MSR Platforms and Shotguns
- ▲ Power and Versatility of a 1-3x Scope, in a Modular System
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination



### JULIET4™ MAGNIFIER

4x24MM  
SOJ 41001 / SOJ41002

- ▲ Designed for MSR Platforms and Shotguns
- ▲ Power and Versatility of a 1-4x Scope, in a Modular System
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination

Available in  
FDE

### ROMEO® AND JULIET COMBO KITS

JULIET4 AND ROMEO4 COMBO KIT (SORJ43111)  
JULIET3 AND ROMEO5™ COMBO KIT (SORJ53101)








# ECHO3™

## THERMAL REFLEX SIGHT

The most innovative, direct view thermal sight in the world. The ECHO3 uses SIG SAUER® BDX® technology and can record both video and images in 11 different color palettes.



Active Reticle



Custom Fixed Reticle

### STANDARD FEATURES

- ▲ Compact Thermal Reflex Style Sight (Don't get Stuck "Behind" a Scope)
- ▲ BDX Enabled WiFi/Bluetooth®, Allowing Active Reticles that Change with KIL0® Rangefinder Input, and Customizable Fixed Reticles that are Configured from the BDX Mobile Application
- ▲ Uncooled 320x240 12um VOx LWIR Core Operating at 30Hz (ITAR Controlled)
- ▲ Levelplex™ Anti-Cant System with Scope Cant Sensitivity down to 0.5°
- ▲ MOTAC™ (Motion Activated Display) Powers up when it Senses Motion
- ▲ Video and Image Recording (including recoil activation) with 11 Color Palettes
- ▲ Greater than 6 Hours of Run Time with Heavy Use
- ▲ Easy to Adjust Lens with Optional Throw Lever Attachment
- ▲ Optional Quick Disconnect Mount
- ▲ Designed and Assembled in the U.S.A. to Withstand IPX-6 Conditions



## ECHO3 THERMAL REFLEX SIGHT

1-6X23MM  
SOEC31001


- ▲ Aspheric Lens (10° FOV) with up to 6X Digital Magnification
- ▲ Designed for Predator and Hog hunters
- ▲ Improved Situational Awareness



Ballistic Data Xchange



11 Color Palettes, 6 Brightness Settings









# BRAVO<sup>®</sup>

## BATTLESIGHTS

The BRAVO battlesights combine crystal-clear fixed-power optics, intuitive reticles, super-bright illumination, and a rugged aluminum housing into one attractive package. Featuring 5.56/.308 and .300 Blackout reticles, this family of optics is the perfect addition for any MSR/AR platform.

### STANDARD FEATURES


- ▲ MOTAC™ (Motion Activated Illumination) Powers Up When it Senses Motion and Powers Down when it Does Not
- ▲ Lensarmor™: Abrasion-Resistant Lens Coatings to Withstand the Harshest of Conditions
- ▲ MEGAVIEW Advanced Prism and Ocular Design Yields 40% Greater Field of View Than the Competitive Prism-Based Battle Sights
- ▲ Low dispersion (LD) Glass Provides Industry Leading Optical Clarity
- ▲ Adjustable Eyepiece with +/- 2 Diopter Correction

### BRAVO3™ BATTLESIGHT

3X24MM  
SOB33101 / SOB33102

- ▲ Designed for Professionals and Civilian MSR/AR Shooters
- ▲ 40% Wider Field of View Than Current Battlesights
- ▲ Distortion Free Image, Edge-to-Edge Clarity
- ▲ Integrated Picatinny Rails for Accessories
- ▲ Waterproof (IPX-7 rated) and Fog-Proof Performance

### MEGAVIEW™



Massive 10° Field of View, 40% Wider Than Standard 6° Sights. That's 53 Feet of View at 100 Yards vs. 37 Feet




### BRAVO5™ BATTLESIGHT

5x30MM  
SOB53101 / SOB53102


- ▲ Designed for Traditional / Dangerous Game Hunting and MSR/AR Platforms
- ▲ Short, Medium, and Long Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions



### RETICLES



5.56MM / 7.62MM  
Horseshoe Dot



300 Blackout  
Horseshoe Dot







# ZULU<sup>®</sup>

## BINOCULARS

Next to a zeroed rifle, a clear and bright pair of binoculars is the best piece of gear to have on hand. ZULU binoculars perform in the harshest conditions, giving unmatched performance in inclement weather or rugged terrain.

### ZULU9<sup>™</sup> HDX<sup>®</sup> ABBE-KOENIG PRISM

9x45 / 11x45 / 15x56  
SOZ99001 / SOZ99002 / SOZ99003

- ▲ Combines Superior Optical Performance with In-the-Field Utility
- ▲ High Quality Glass, Fully Multi-Coated Spectracote<sup>™</sup> Lenses
- ▲ Phase-Coated Abbe-Koenig Prisms Provide Maximum Brightness, Contrast and Crisp Resolution
- ▲ Performs in the Harshes Conditions, Giving Unmatched Performance in Inclement Weather or Rugged Terrain
- ▲ Superior Low Light Performance



### ZULU7<sup>™</sup> HDX OPEN-BRIDGE

8x42mm HDX SOZ78001 / 10x42mm HDX SOZ71001 / 12x50mm HDX SOZ71201

- ▲ Multi-Position Twist-Up Eyecups Provide a Custom Fit for Each User
- ▲ Fully Multi-Coated Roof Prism Binocular Incorporates Super High Reflectance Phase-Coated BAK4 Prisms for Unmatched Resolution and Image Contrast
- ▲ Field & Stream Best of the Best Winner 2016



### ZULU5<sup>™</sup> HD OPEN-BRIDGE

8x42mm HD SOZ52081 / 10x42mm HD SOZ52101 / 12x50mm HD SOZ52121 / 12x42mm HD SOZ52122

- ▲ HD Glass for Superior Clarity and Color Correctness
- ▲ Silver Deposition Phase-Coated BAK4 Prisms
- ▲ Lightweight and Durable Magnesium Alloy Body



### ZULU3<sup>™</sup> COMPACT OPEN-BRIDGE

8x32mm SOZ38001 / 10x32mm SOZ31001

- ▲ Our Low Dispersion Glass Offers Maximized Clarity and Color
- ▲ Uniquely Compact, Can Easily be Held for Extended Periods
- ▲ Rugged Polymer Frame and Non-Slip Rubber Armor







# OSCAR®

## SPOTTING SCOPES

The OSCAR family of spotting scopes delivers unmatched image clarity and performance when it matters most. The OSCAR3 mini spotting scope puts a powerful optic in the palm of your hand, and features the advanced Optical Image Stabilization (OIS) technology, for improved image quality at the highest magnification, to make spotting your target faster and easier. Ideal for backpacking, hunting, wildlife and sports observation, along with law enforcement and military reconnaissance. The new OSCAR8 angled eyepiece spotting scope is the newest addition to the OSCAR family of spotting scopes from SIG SAUER®. Featuring the industry-leading HDX® optical design, extra-low dispersion glass with high light transmittance glass, and full multi-coated lenses to deliver unmatched resolution, image contrast, and color clarity. When spotting in the field for long periods, the ergonomic design and durable rubber armor of the OSCAR8 delivers unmatched results in all conditions.



### OSCAR3™

10-20X30MM  
SOV31001

- ▲ Advanced Electronic Image Stabilization Technology that Fits in the Palm of a Hand
- ▲ OIS Optical Image Stabilization Removes Human Motion and Jitter for Improved Image Quality and Target Identification under High Magnification
- ▲ Ideal for Backpacking, Hunting, Wildlife and Sports Observation, Law Enforcement, and Military Reconnaissance
- ▲ The Small Size and Capability of the OSCAR3 is Ideal for Backpacking, Spot/Stalk and Tree Stand Archery, or Long Range Rifle Hunting in Open Country or Mountains as well as Concealed Viewing Situations for LE or Military Use

### new OSCAR8™

27-55X80MM  
SOO82001

- ▲ HDX Advanced optical system comprising both High Definition (ED) and High Transmittance (HT) glass for ultra-high resolution, optical performance, and light transmission
- ▲ SCHMIDT-PECHAN prism, combined with HD glass, provide unmatched chromatic and spherical aberration correction for clear, vibrant images
- ▲ Spectracote™ highly efficient, ultra-wide broadband, anti-reflection lens coatings reduce surface reflections to extremely low levels across the entire visible spectrum providing superior light transmission
- ▲ Angled eyepiece, combined with rotating tripod collar, provides the user with multiple viewing angles, to accommodate setup and usage in any terrain
- ▲ Comes equipped with a variable power eyepiece. This eyepiece can be locked into place or removed so that the OSCAR8 can accept other variable or fixed power eyepieces.
- ▲ Waterproof and fog proof, the OSCAR8 will provide unmatched performance in all environmental conditions
- ▲ Adjustable eyecups allow the user to optimize eye relief for use with or without glasses
- ▲ Lightweight and robust aircraft grade aluminum housing, combined with rubberized non-slip grip armor, ensures a lifetime of use in the worst conditions
- ▲ Custom SIG SAUER fitted neoprene cover included
- ▲ Assembled in U.S.A.





# LIMA<sup>®</sup>

## LASER SIGHTS

The most advanced red or green lasers on the market, the proprietary LIMA Laser Grip Module and low-profile LIMA Laser integrate seamlessly with your SIG SAUER<sup>®</sup> pistol.

### Standard Features

- ▲ Latest Generation 5 MW Red or Green Lasers for Unmatched Runtime
- ▲ Ambidextrous Laser Activation Supports All Grip Types
- ▲ Windage and Elevation adjustments
- ▲ Powered by Lithium 1/3N Battery
- ▲ Instant Activation Tact Switch
- ▲ Assembled in U.S.A.



**new**

### LIMA1<sup>™</sup>

RED/GREEN PISTOL LASER  
SOL11001 / SOL11002

- ▲ Ideal for Target Shooting, Conceal Carry and Personal Defense
- ▲ Designed to fit M1913 and SIG Rails
- ▲ Powered by Lithium 1/3N Battery
- ▲ Instant Activation Left and Right Tact Switches
- ▲ Shown with M17 Pistol, (Not Included)



### LIMA320<sup>™</sup>

RED/GREEN LASER GRIP  
SOL51001 / SOL51002

- ▲ Integrates and Fits Perfectly with our P320<sup>®</sup> and P250<sup>®</sup> Pistol Platforms
- ▲ State-of-the-Art Laser Targeting in a Package that is Stealth and Virtually Invisible to the Operator
- ▲ Same Material as SIG SAUER Standard Polymer Frames and Textured to Match
- ▲ Seamlessly Integrates Either a Red (Oclaro) or Direct Green (Osram) High Quality and High Efficiency Laser Module for Extreme Accuracy
- ▲ Works with Carry, Compact and Full Size
- ▲ Shown with P320 Slide, Magazine, and Trigger Group, (Not Included)
- ▲ Assembled in the U.S.A.



### LIMA38<sup>™</sup>

RED PISTOL LASER  
SOL13801

- ▲ Ideal for Target Shooting, Concealed Carry and Personal Defense
- ▲ Precision Engineered to fit SIG P238 and P938 Pistols, Including Rubber Grip Variants
- ▲ Powered by Lithium 1/3N Battery
- ▲ Dual-sided Switch Supports Ambidextrous Operation
- ▲ Momentary or Continuous Activation with 5 Minute Auto-Timeout Shown with P238 Pistol, (Not Included)



### LIMA365<sup>™</sup>

RED/GREEN PISTOL LASER  
SOL36501 / SOL36502

- ▲ Ideal for Target Shooting, Conceal Carry and Personal Defense
- ▲ Designed to perfectly fuse against the SIG P365<sup>®</sup> trigger guard for seamless fit
- ▲ Powered by Lithium 1/3N Battery
- ▲ Instant Activation Tact Switch
- ▲ Shown with P365 Pistol, (Not Included)
- ▲ Assembled in the U.S.A.



# FOXTROT®

## WEAPON MOUNTED LIGHTS

The FOXTROT series of pistol lights provide bright, crisp, white light and come ready to mount on your SIG SAUER® pistol.



### FOXTROT365™

WEAPON MOUNTED LIGHT  
SOF36501

- ▲ Up to 100 Lumens and 3 Hour Run Time
- ▲ Ideal for Law Enforcement, Concealed Carry and Personal Defense
- ▲ Designed to Perfectly Fuse with the SIG P365® Trigger Guard for a Seamless Fit
- ▲ Latest Generation Cree LEDs for Maximum Brightness and Runtime
- ▲ Instant Activation Tact Switch
- ▲ Powered by Lithium 1/3N Batteries
- ▲ Shown with P365 Pistol (Not Included)
- ▲ Assembled in the U.S.A.



### FOXTROT1™

WEAPON MOUNTED LIGHT  
SOF11001

- ▲ White LED Runs for Over Two Hours at 200 Lumens on a CR123 Battery
- ▲ Ideal for Home Defense, Law Enforcement or Military Applications
- ▲ Mounts to Any Picatinny 1913 or SIG SAUER Proprietary Rails
- ▲ Dual, Finger-Actuated Tact Switches Support Ambidextrous Use
- ▲ Latest Generation Cree LEDs for Maximum Brightness and Runtime
- ▲ User-Selectable Output from 100 / 200 / 300 Lumens
- ▲ Momentary or Continuous On with 5 Minute Auto-Timeout
- ▲ Battery Changed Through the LED Bezel with Quarter Turn Lockout
- ▲ Dependable Waterproof (IPX-7 Rated for Complete Water Immersion up to 1 meter) and Fog-Proof Performance

ELECTRO-OPTICS



# X-RAY®

## ENHANCED DAY/NIGHT SIGHTS

The X-RAY family of pistol sights make target acquisition intuitive and fast in any lighting condition. The high contrast front sights paired with the glare reducing rear sights keep your focus on the front sight. The X-RAY1 front sight combines a durable light pipe with a photoluminescent ring providing a bright dot in daylight and a glowing ring that will see you through the dusk transition. The X-RAY3 line uses a 3-dot tritium system for the most demanding low light environments.



### X-RAY3™ ENHANCED DAY/NIGHT SIGHTS

**PISTOL SIGHTS**  
SOX10001 (SQUARE) / SOX10002 (ROUND U) / SOX10003 (SQUARE) / SOX10004 (ROUND U)  
SOX10005 (SQUARE) / SOX10006 (ROUND U) / SOX10007 (SQUARE) / SOX10008 (ROUND U)  
SOX10009 (SUPPRESSOR HEIGHT)

- ▲ With a Half-Life of 12 years, the 3-Dot Tritium System Allows for Fast Target Acquisition in Low-Light Conditions
- ▲ Oversized Chemical Resistant Fluorescent Polymer Front Dot Provides Confidence in all Environments
- ▲ X-RAY3 come in SIG SAUER® sizes of #6 and #8, Square or Round (U) notched rear sight

## X-RAY1™ SIGHT SET

### PISTOL SIGHTS

SOX11011 (GREEN) / SOX11012 (GREEN) / SOX11013 (GREEN) /  
SOX11014 (GREEN) SOX11015 (RED) / SOX11016 (RED) / SOX11017 (RED) /  
SOX11018 (RED)

- ▲ Three Dot Fiber Optic Sight for Fast Target Acquisition
- ▲ Luminescent Front Sight Ring Glows in the Dark for up to 1 Hour
- ▲ Available in Red or Green Light Pipe
- ▲ Round (U) Notch Sight

### Standard Features

- ▲ Oversized Chemical-Resistant Fluorescent Polymer Front Dot Sight Gives Confidence in any Environment
- ▲ Torture Tested to 20,000 Rounds, the Steel Housing Provides a Tough, Reliable Sight that Lasts as Long as the Firearm
- ▲ Rear Sight comes in Standard SIG SAUER® sizes of #6 and #8
- ▲ Fits SIG SAUER P238®, P938®, P250®, P320® and Classic Line Models



ASSEMBLED IN USA



# ALPHA™

## RIFLESCOPE MOUNTS/RINGS

Our hard black anodized, precision-machined, ALPHA Tactical Rings are crafted from aircraft grade aluminum. Built with the same unique industrial design as our electro-optics, our rings and mounts not only look tough, but are tough. Our proprietary steel alloy ALPHA Hunting Rings are machined with an exactness that is both strong and ductile, which allows our rings to form around a riflescope, and will not cause damage with proper installation. The steel rings are epoxy powder coated to prevent oxidation and resist gun oils, cleaning solutions, and outdoor exposure.



### ALPHA3™ SCOPE MOUNT

#### SCOPE MOUNT

SOA30001 | 30MM 0 CANT  
SOA30003 | 30MM 0 MOA  
SOA30005 | 34MM 0 CANT  
SOA30006 | 30MM 20 MOA CANT  
SOA30007 | 34MM 20 MOA CANT

- ▲ Lightweight Cantilever Design Optimized for use on MSR Platforms
- ▲ Precision Machined to Exacting Standards from 7075 Aluminum
- ▲ Titanium Hardware for Superior Performance
- ▲ Available Heights Ranging From 1.375" - 1.535"
- ▲ Available Weights Ranging from 4.6oz - 4.7oz



ASSEMBLED IN U.S.A.



### ALPHA2™ TACTICAL

#### SCOPE MOUNT

SOA20001 | 30MM 0 CANT (BLACK)  
SOA20002 | 30MM 20 MOA CANT (BLACK)  
SOA20003 | 34MM 0 CANT (BLACK)  
SOA20004 | 34MM 20 MOA CANT (BLACK)  
SOA20005 | 30MM 20 MOA CANT (FDE)



Available in  
FDE

- ▲ Cantilever Design for Use on MSR Platforms
- ▲ 0 or 20 MOA Cant Options
- ▲ 1.53" High
- ▲ Available Weights Ranging from 5.2oz - 5.5oz



### ALPHA1™ TACTICAL

#### SCOPE RINGS

SOA10001 / SOA10002

- ▲ Aluminum 1-Piece Cantilever Design with HELICOILS for Locking Down with Confidence Same Industrial Design as our Electro-Optics
- ▲ 1.5" High
- ▲ Available Weights Ranging from 5.2oz - 5.4oz



### ALPHA1 HUNTING

#### SCOPE RINGS

SOA10011 / SOA10012 / SOA10013 / SOA10014 / SOA10015 / SOA10016  
SOA10017 / SOA10018 / SOA10019 / SOA10020 / SOA10021 / SOA10022  
(MACHINED ALUMINUM)  
SOA10003 / SOA10004 / SOA10005 / SOA10006 / SOA10007 /  
SOA10008 (MACHINED STEEL)

- ▲ Proprietary Weaver Style Rings that are Epoxy Powder-Coated to Prevent Oxidation and Resist Gun Oils, Cleaning Solutions, and Outdoor Exposure, Set of 2
- ▲ Available Heights Ranging From 0.75" - 1.25"
- ▲ Available Weights Ranging from 1.3oz - 6.7oz

ELECTRO-OPTICS



# SUPPRESSORS







**ELITE PERFORMANCE AMMUNITION**  
20 **Match Grade** Centerfire Rifle Cartridges  
**S&W SAUER**  
Made in the USA  
WARNING: KEEP OUT OF REACH OF CHILDREN



# SUPPRESSOR TECHNOLOGY

WELCOME TO THE FUTURE OF SILENCE.

SIG SAUER engineers have developed the next generation of pistol suppressors. With decades of product design and R&D experience under our belts, suppressors are not treated as bolt-on accessories. At SIG it is understood that suppressors interact with your firearm's system and can affect accuracy, reliability, back-pressure, and other critical factors. We design our suppressors to be part of a completely integrated system to maximize overall performance, and as a result we build the most advanced, most dependable suppressors the world has ever seen, or heard.







MOD-X9 P226 Using 147gr



MOD-X45 P220 Using 233gr FMJ







# PISTOL

## SUPPRESSORS

The pistol suppressor line from SIG SAUER features completely modular and configurable titanium baffles for the ultimate in lightweight performance that allows the user to personalize their suppressor for overall length, weight, and sound. The MOD-X9 and MOD-X45 provide class-leading sound performance and can be easily disassembled and reconfigured with fewer baffles when your priority is size over sound. The MOD-X suppressors feature 21 points of impact adjustment and come with a fixed barrel spacer for carbine use. Each MOD-X suppressor includes the most popular inch and metric piston for its given caliber.



### MODX-45

45<sup>AUTO</sup>  
MODX-45

- ▲ Segmented Titanium 3D Printed
- ▲ .578X28 and M16X1LH
- ▲ Multi-Caliber Capable with Accessory Pistons



### MODX-9

9mm  
MODX-9

- ▲ User-Serviceable
- ▲ Titanium Baffles
- ▲ Shooter can Adjust the Number of Baffles to make the Overall Length when Size is More Important than Sound Performance
- ▲ Includes Two Pistons (1/2"x28tpi & M13.5x1LH) and Fixed Barrel Spacer









# RIFLE

## SUPPRESSORS

The next generation of suppressor technology has arrived. The SLX series of rifle suppressors from SIG SAUER was born out of today's military requirements and is designed to deliver cutting edge performance. The new Clutch-LOK QD mounting system is easy to use, repeatable, and extremely durable. The cross flow baffle design delivers an entirely new shooting experience while reducing harmful toxic gases to the user, allowing gases to expand and cool at a faster rate than the traditional baffle design, while minimizing increase in bolt speed.



### SLX762TI-QD

7.62<sup>NATO</sup>  
SLX762TI-QD

- ▲ 7.62mm
- ▲ 5/8x24 Muzzle Device Included
- ▲ Titanium Construction
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 8.1" L x 1.75" W



### SLX556-QD

5.56<sup>NATO</sup>  
SLX556-QD

- ▲ 1/2x28 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7" L x 1.57" W



### SLX762-QD

7.62<sup>NATO</sup>  
SLX762-QD

- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7.4" L x 1.57" W



### SLX556

5.56<sup>NATO</sup>  
SLX556

- ▲ Direct Thread
- ▲ Inconel and Stainless Steel Construction
- ▲ 1/2x28 TPI
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7" L x 1.57" W



### SLX762

7.62<sup>NATO</sup>  
SRD762

- ▲ Direct Thread
- ▲ Inconel and Stainless Steel Construction
- ▲ 5/8x24 TPI
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7.4" L x 1.57" W



### SLX762TI

7.62<sup>NATO</sup>  
SLX762TI

- ▲ Direct Thread
- ▲ Titanium Construction
- ▲ 5/8x24 TPI
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 8.1" L x 1.75" W







# RIMFIRE

## SUPPRESSOR

The SIG SAUER rimfire suppressor features a rugged titanium tube and stainless steel baffles that are fully user-serviceable for increased durability, reliability, and accuracy.



### SRD22X

22 LR / 22 MAG  
SRD22X

- ▲ User Serviceable
- ▲ Grade 9 Titanium Tube
- ▲ All 17-4 Stainless Baffles
- ▲ Rated from 22 LR to 22 MAG



SIG AIR®













# SIG AIR®

## BY SIG SAUER

From the most elite name in firearms comes the most innovative line of airguns and airsoft guns that combines the unmatched reliability, performance, and exacting standards of SIG SAUER.

The SIG AIR product line includes a series of traditional CO<sub>2</sub> pellet and BB rifles and pistols, that are designed to imitate the look, weight, balance, and handling characteristics of their traditional firearms counterparts. SIG AIR has developed a precision line of break barrel, pre-charged pneumatic (PCP), and single stroke pneumatic rifles and pistols, all meeting the high standards of SIG SAUER firearms.

SIG AIR has expanded to training products with the PROFORCE® line of airsoft pistols, rifles, and accessories. Designed and developed from the ground up to deliver a realistic training experience that allows the user access to achieve a new level of unrealized performance potential. The SIG AIR PROFORCE series of pistols and rifles allows for flexibility in your training environment and is an economical alternative to training with firearms.

A heavy emphasis on consistency was the focus when developing the SIG AIR PROFORCE line. Each PROFORCE model closely matches its real steel complement in model specs and delivers an authentic user experience. The PROFORCE line is also engineered to SIG quality standards using authentic materials and, where necessary, patented performance innovations.

Perfected for muscle memory exercises, shooting drills, and tactical training, these airsoft and airgun models are the economic and authentic answer to training more often, more effectively, and more affordably.

The full line of SIG AIR products delivers a completely authentic SIG handling experience with the firepower you can rely on for all of your hunting, sporting, and practical training needs.

Shoots like a SIG, Because it is One.

•SIG AIR products are recommended for ages 18 plus.

The logo features the word "SIG" in a bold, black, sans-serif font, followed by the word "AIR" in a white, outlined, sans-serif font.







# PROFORCE<sup>®</sup> MCX

## AUTOMATIC ELECTRIC GUN (AEG)

Modeled after its real steel counterpart, the PROFORCE release of the SIG SAUER MCX VIRTUS<sup>®</sup> Airsoft AEG (Auto Electric Gun) Rifle does not disappoint. With a Full CNC machined receiver, integrated M-LOK<sup>®</sup> handguard, 3-position telescoping stock, open full-length picatinny rail for the addition of sights, and a modular locking accessory mounting system. The MCX Virtus is a polymer airsoft BB slinging brute with 120 round mid-cap magazine that keeps you active and engaged on the firing line.



new

### PROFORCE VIRTUS MCX

6mm AIRSOFT BB

AIR-PF-MCX-AEG

- ▲ All Metal CNC Machined Receiver and Handguard
- ▲ M-LOK Handguard and Picatinny Rail
- ▲ 3-Position Telescoping Stock
- ▲ 120rd BB Magazine
- ▲ Safe, Semi, Full-Auto Mode
- ▲ Quick Change Tuning Springs (110mm & 120mm included)
- ▲ 11.1v LiPo Battery (not included)
- ▲ Velocity Up to 375 FPS\*

\*Velocity achieved with .20g BB's and 120 mm tuning spring







# PROFORCE® PISTOLS

## AIRSOFT PISTOLS

For the first time the SIG SAUER Modular Handgun System (MHS) is available in an airsoft platform for the training professional. The SIG AIR® PROFORCE M17® and M18® has the same look, feel, and action as the official sidearm selected by all branches of the U.S. Military.



### PROFORCE M18

6mm AIRSOFT BB  
AIR-PF-M18GG

- ▲ Optic Ready Slide (AIR-REFLEXSIGHT)
- ▲ Full Blowback Metal Slide
- ▲ Field Strippable with Similar Balance and Weight as Firearm Counterpart
- ▲ Compatible with M17 CO<sub>2</sub> Magazine
- ▲ 21rd BB Magazine
- ▲ Velocity up to Up to 320 fps\* Green Gas / 410 fps\* CO<sub>2</sub>



GREEN GAS  
Only

Based on the M18 firearm selected by the U.S. Military



### PROFORCE M17

6mm AIRSOFT BB  
AIR-PF-M17 / AIR-PF-M17-GG

- ▲ Optic Ready Slide (AIR-REFLEXSIGHT)
- ▲ Full Blowback Metal Slide
- ▲ Field Strippable with Similar Balance and Weight as Firearm Counterpart
- ▲ Compatible with CO<sub>2</sub> and Green Gas Magazine
- ▲ 21rd BB Magazine
- ▲ Velocity up to Up to 320 fps\* Green Gas / 410 fps\* CO<sub>2</sub>



GREEN GAS  
version Available



### PROFORCE P229®

6mm AIRSOFT BB  
AIR-PF-P229

- ▲ Full Blowback Metal Slide
- ▲ All Metal Slide and Frame
- ▲ Field Strippable with Similar Balance and Weight as Firearm Counterpart
- ▲ Picatinny Rail Mount
- ▲ 23rd BB Magazine
- ▲ Up to 295 fps\* Green Gas Only



GREEN GAS  
Only

Selected by the U.S. Coast Guard as an official training weapon.



SIG AIR  
Reflex Sight  
Page 180



\*Velocity achieved with .20g BB's







# MCX VIRTUS PCP

## SEMI-AUTOMATIC PRE-CHARGED PNEUMATIC RIFLE

The MCX VIRTUS PCP rifle is the latest expansion to the SIG AIR® precision line of airguns, and the introduction of SIG AIR products to the pre-charged pneumatic (PCP) category of airguns. The MCX VIRTUS PCP doubles the muzzle energy of classic CO<sub>2</sub> models and uses the SIG Rapid Pellet Magazine making it ideal for target training and varmint hunting.

NEW



SIG AIR ACCESSORIES  
Page 180-181



## VIRTUS MCX

.22cal

AIR-VIRTUS-22

- ▲ 3,000 psi, 13 cu.in. Removable Tank
- ▲ 1,100 psi Regulated Output
- ▲ 30rd RPM™ Rapid Pellet Magazine
- ▲ Flip-Up Front and Rear Sights
- ▲ 17.5" Barrel
- ▲ 12FP Muzzle Energy
- ▲ Velocity Up to 700 fps\*

\*Velocity achieved with 13.7g Pellets



## SIG RPM™

RAPID PELLET MAGAZINE

The unparalleled performance of SIG SAUER patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifles come standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.







# ASP20

## BREAK BARREL AIR RIFLES

Shoot with less effort and greater accuracy with the SIG AIR® ASP. The most advanced break barrel air rifle to hit the marketplace with consistent barrel lock-up, lower cocking effort, smooth trigger pull, and the premium rifling that can only come from SIG SAUER.



### ASP20 WOOD STOCK

.177 / .22 CAL

AIR-ASP20-1711 / AIR-ASP20-2211

AIR-ASP20-1711SC / AIR-ASP20-2211SC (SCOPE OPTIONS)

- ▲ Smooth and Consistent 2-Stage MATCHLITE Trigger
- ▲ Glidelite Cocking Mechanism Ensures Lightest Cocking Effort in this Power Level
- ▲ Custom European Hardwood Stock
- ▲ Optional Scope Combo with WHISKEY3 ASP 4-12x44 scope
- ▲ Single Shot Pellet Rifle
- ▲ Energy: 20 FP in .177 cal / 23 FP in .22 cal
- ▲ Velocity up to 1020 fps\* in .177 cal/ 840 fps\*\* in .22 cal
- ▲ Built in U.S.A.



### ASP20 SYNTHETIC STOCK

.177 / .22cal

AIR-ASP20-1721 / AIR-ASP20-2221

AIR-ASP20-1721SC / AIR-ASP20-2221SC (SCOPE OPTIONS)

- ▲ Smooth and Consistent 2-Stage MATCHLITE™ Trigger
- ▲ Glidelite™ Cocking Mechanism Ensures Lightest Cocking Effort in this Power Level
- ▲ Synthetic Stock with QD Mounts for Sling Usage
- ▲ Optional Scope Combo with WHISKEY3™ ASP 4-12x44 scope
- ▲ Single Shot Pellet Rifle
- ▲ Energy: 20 FP in .177 cal / 23 FP in .22 cal
- ▲ Velocity up to 1020 fps\* in .177 cal/ 840 fps\*\* in .22 cal
- ▲ Built in U.S.A.



SIG AIR  
DAGGER / ZERO  
Lead Pellets Page 181

\*Velocity achieved with 8.64gr lead pellet  
\*\*Velocity achieved with 14.65gr lead pellet







# SUPER TARGET

## SINGLE STROKE PNEUMATIC PISTOL

A match-grade, single-shot pneumatic air pistol that features a 7.5 inch rifled barrel for exceptional accuracy and a fully-adjustable two-stage trigger. The SIG AIR® Super Target lives up to its name delivering match-grade performance with every shot.



## SUPER TARGET

.177 CAL PELLETS

AIR-ST-177

- ▲ Single-Stroke Pneumatic
- ▲ Entry Level 10 Meter Target Pistol
- ▲ Two-Stage Adjustable Trigger
- ▲ Custom Wood Grips
- ▲ Single Shot Precision Pistol
- ▲ Up to 350 fps\*



SIG AIR  
VENOM Lead Pellets  
Page 181

\* Using 7.71 match lead pellet







# AIR MCX RIFLE

## SEMI-AUTOMATIC CO<sub>2</sub> AIR POWERED

Just like the SIG SAUER MCX redefined the modern pistol caliber carbine, the SIG AIR® line of MCX rifles redefines the CO<sub>2</sub> category of air rifles by delivering authentic SIG performance, handling, and rapid-fire capability.

### AIR MCX SCOPE

#### .177 CAL PELLETT

AIR-MCX-SCOPE-177-88G-30-BLK  
AIR-MCX-SCOPE-177-88G-30-FDE

- ▲ Metal Housing with Polymer Handguard and Stock
- ▲ 30rd RPM Pellet Magazine
- ▲ 1-4 x 24 Scope
- ▲ Picatinny Rail
- ▲ Vertical Foregrip
- ▲ 90g CO<sub>2</sub> Power Source (sold separately)
- ▲ 18" Rifled Barrel
- ▲ Velocity Up to 700 fps\*



Available in  
Black

\* Results may vary based on ammo weight, temperature, and altitude.



### AIR MCX

#### .177 CAL PELLETT

AIR-MCX-177-88G-30-BLK / AIR-MCX-177-88G-30-FDE  
AIR-MCX-MRD-177-88G-30-BLK / AIR-MCX-MRD 177-88G-30-FDE

- ▲ Metal Housing with Polymer Handguard and Stock
- ▲ 30rd RPM Pellet Magazine
- ▲ Flip up Front and Rear Sights
- ▲ Picatinny Rail
- ▲ Vertical Foregrip
- ▲ 90g CO<sub>2</sub> Power Source (sold separately)
- ▲ 18" Rifled Barrel
- ▲ Available with Red Dot Sight
- ▲ Velocity Up to 700 fps\*



Available with  
Red Dot Sight

Available in  
FDE



### SIG RPM™

#### RAPID PELLETT MAGAZINE

The unparalleled performance of SIG SAUER patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifles come standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.

SIG AIR







# AIR MPX RIFLE

## SEMI-AUTOMATIC CO<sub>2</sub> AIR POWERED

Just like the SIG SAUER MPX redefined the modern pistol caliber carbine, the SIG AIR® line of AIR MPX rifle redefines the CO<sub>2</sub> category of air rifles by delivering authentic SIG performance, handling, and rapid-fire capability.



### AIR MPX

.177 CAL PELLET

AIR-MPX-177-88G-30-BLK / AIR-MPX-177-88G-30-FDE

- ▲ Metal Housing with Polymer Handguard, and Stock
- ▲ 30rd RPM Pellet Magazine
- ▲ Flip up Front and Rear Sights
- ▲ Picatinny Rail
- ▲ Tactical Handstop
- ▲ 90g CO<sub>2</sub> Power Source (sold separately)
- ▲ 8" Rifled Barrel
- ▲ Velocity Up to 575 fps\*

Available in  
FDE



### AIR MPX MRD

.177 CAL PELLET

AIR-MPX-MRD-177-88G-30-FDE /  
AIR-MPX-MRD-177-88G-30-BLK

- ▲ Metal Housing with Polymer Handguard, and Stock
- ▲ 30rd RPM Pellet magazine
- ▲ Includes a 20mm 20R Micro Red Dot Optic
- ▲ Flip up Front and Rear Sights
- ▲ Picatinny Rail
- ▲ Tactical Handstop
- ▲ 90g CO<sub>2</sub> Power Source (sold separately)
- ▲ 8" Rifled Barrel
- ▲ Velocity Up to 575 fps\*

Available in  
Black

\* Results may vary based on ammo weight, temperature, and altitude.



### SIG RPM™

RAPID PELLET MAGAZINE

The unparalleled performance of SIG SAUER patented pellet drive system smoothly feeds up to 30 rounds in 3.5 seconds. Rifles come standard with one magazine and refillable belt. Accessory RPM (purchased separately) includes three spare belts.







# AIR PISTOLS

## SEMI-AUTOMATIC CO<sub>2</sub> AIR POWERED

SIG AIR® Pistols are inspired by SIG SAUER centerfire pistols and designed with metal slides, rifled steel barrels, and the built-in performance advantages that are synonymous with SIG. With a SIG AIR Pistol you have the ability to train anywhere, anytime.



### AIR M17®

.177 CAL PELLETT

AIR-M17-177

- ▲ Based on the M17 Firearm Selected by the U.S. Military
- ▲ Optic Ready Slide (AIR-REFLEXSIGHT)
- ▲ Full Blowback Metal Slide and Polymer Frame
- ▲ Ambidextrous Manual Safety
- ▲ 20rd RPM Pellet Magazine
- ▲ Cam Lever CO<sub>2</sub> magazine system
- ▲ Velocity up to 430 fps\*

Based on the M17 firearm selected by the U.S. Military

\* Results may vary based on ammo weight, temperature, and altitude.

### AIR P320®

.177 CAL PELLETT

AIR-P320-177-30R-CYT / AIR-P320-177-30R-BLK

- ▲ Full Blowback Metal Slide and Polymer Frame
- ▲ 30rd RPM Pellet Magazine
- ▲ Picatinny Accessory Rail
- ▲ Manual Safety
- ▲ 12g CO<sub>2</sub> Power Source
- ▲ Velocity up to 430 fps\*



Available in  
Black

### AIR P226®

.177 CAL PELLETT

AIR-226F-177-12G-16-BLK / AIR-226F-177-12G-16-FDE

- ▲ Full Metal Blowback Pistol
- ▲ Cam Lever CO<sub>2</sub> Loading
- ▲ Picatinny Accessory Rail
- ▲ 16rd Dual Rotary Magazine
- ▲ Up to 480 fps\*



Available  
in FDE

### AIR X-FIVE®

.177 CAL PELLETT

AIR-X5-177-BLK

- ▲ Full Metal Blowback Pistol
- ▲ 20rd RPM Pellet Magazine
- ▲ Adjustable Rear Sight
- ▲ Cam Lever CO<sub>2</sub> System
- ▲ Up to 430 fps\*



SIG AIR  
Reflex Sight  
Page 180









# BB PISTOLS

## SEMI-AUTOMATIC CO<sub>2</sub> POWERED

The SIG AIR® BB pistols feature a full array of the most desired SIG SAUER centerfire pistols in a 4.5mm BB platform for the ability to train anywhere, anytime.



### **P365 BB**

4.5 MM STEEL BB

AIR-P365-BB

- ▲ Blowback Metal Slide and Polymer Frame
- ▲ 12rd Magazine w/Integrated 12g CO<sub>2</sub> system
- ▲ Ambidextrous Manual Safety
- ▲ Green High Visibility 3-dot Fixed Sights
- ▲ SIG Accessory Rail
- ▲ 3.5" Smooth Bore Barrel
- ▲ Velocity up to 295 fps\*

### **1911 SPARTAN BB**

4.5 mm Steel BB

AIR-1911BB-SPARTAN

- ▲ Full Metal Blowback Pistol
- ▲ "MOLON LABE" on Oil-Rubbed Bronze slide
- ▲ Custom Spartan Grips
- ▲ Skeletonized Trigger
- ▲ 16rd Magazine
- ▲ 12g CO<sub>2</sub> System
- ▲ Manual Safety
- ▲ 5" Smooth Bore Barrel
- ▲ Velocity up to 410 fps\*



### **1911 WE THE PEOPLE BB**

4.5 mm Steel BB

AIR-1911WTP-BB

- ▲ Full Metal Blowback Pistol
- ▲ "We The People" on Slide
- ▲ Distressed Finish
- ▲ 17rd Magazine w/Integrated 12g CO<sub>2</sub> system
- ▲ Ambidextrous Manual Safety
- ▲ 5" Smooth Bore Barrel
- ▲ Velocity up to 410 fps\*



\* Results may vary based on ammo weight, temperature, and altitude.



# SIG AIR® ACCESSORIES

ENGINEERED TO A NEW STANDARD OF PERFORMANCE

## SPEC1

**PREMIUM AIRGUN AND AIRSOFT ESSENTIALS**  
SIG AIR is pleased to introduce SPEC1 non-toxic, nonhazardous, pure synthetic-based lubricants to keep your airgun and airsoft products protected and running smoothly. Free from Teflon, silicone and petroleum, SPEC1 lubricants contain an anti-wear agent that reduces friction and wear by 95-98%. They will not harden or become sticky or tacky and do not freeze or gum up when used with CO2. Excellent at displacing moisture, they will not attract dust, dirt, or sand. SPEC1 cleans, lubricates, and protects.

## REFLEX SIGHT

Designed for fast, responsive target acquisition with the M17/M18 PROFORCE® and M17 pellet pistol with a 23mm field of view. Mounting plates included to quickly and easily upgrade your SIG AIR pistol.



SIG AIR  
Reflex Sight

## HAND PUMP

The SIG AIR High-Pressure Hand Pump provides an affordable, reliable, and inexpensive method for filling your PCP airguns. For use with the 13 cu.in tank on the SIG Virtus PCP rifle, but made to work with any brand of PCP gun with a male Foster quick-disconnect fitting. The 3-stage pump goes up to 4500 psi and includes an integral air pressure gauge.



## SHOOTING TARGETS

Whether you are training in your garage, basement, or back yard, there is a SIG AIR Target to suit your training needs.





## PELLETS

### PRECISION MEETS PERFORMANCE

SIG AIR® lead pellets offer a variety of shapes for all uses and differing levels of shooters. Options for shooting paper targets, or metal field targets and silhouettes, SIG AIR pellets will fit the needs and performance required for every shooter.



## AIR CYLINDERS

### PREMIUM AIRGUN PERFORMANCE

Available high quality, CO<sub>2</sub> cylinders and PCP air tank provide solid platforms for consistency and reliability. The use of SIG premium air cylinders for your SIG AIR products will ensure long lasting SIG performance.



## MAGAZINES

### ELEVATE YOUR FIREPOWER

Utilizing a variety of different style magazines with innovative features, such as cam lever loading and the patented Rapid Pellet Magazine (RPM), SIG AIR magazines are engineered to elevate performance and firepower in all of your SIG AIR products.





# SIG SAUER ACADEMY









# SIG SAUER ACADEMY

TRAIN WITH THE PROFESSIONALS



Learn more at [sigsaueracademy.com](https://sigsaueracademy.com)

**SIG SAUER**  
ACADEMY



## WE'LL MAKE YOU A BETTER SHOOTER. GUARANTEED

With a team of world class instructors, from a broad range of backgrounds, the SIG SAUER Academy provides the finest firearms and tactics training available today. Using our objective and performance-based training methods we can help develop and expand the abilities of virtually any level of firearms user.

Our expert staff of instructors have the unique ability and experience that allows them to train all types of firearms users, from beginners to experts, from civilians to elite military, and law enforcement agencies. The SIG SAUER Academy is committed to delivering the best, most realistic, fundamentally sound training experience possible. We'll make you a better shooter. Guaranteed.

For course descriptions, schedules, and more, visit **[sigsaueracademy.com](https://sigsaueracademy.com)**



## FACILITIES

The SIG SAUER Academy<sup>SM</sup> offers 140 acres of state-of-the-art indoor and outdoor training facilities. We have developed a variety of ranges and infrastructure allowing us to create almost any type of environment and to prepare for practically any situation. Facilities include:

- 26 Different Live Fire Ranges
- 270 Degree Range
- 1,000 Yard Rifle Range
- Tactical Training with Breaching Capabilities
- 2 Live Fire Shoothouses
- Obstacle Course
- Indoor Pistol and Rifle Ranges
- Vehicle Defense Range

Additionally, the SIG SAUER Academy is home to the **factory-direct SIG SAUER Pro Shop**, displaying the entire line of SIG SAUER pistols, rifles, electro-optics, suppressors, ammunition, air guns, accessories, and apparel.

## PRIVATE AND MOBILE TRAINING

The SIG SAUER Academy is dedicated to providing the highest level of training available, tailored to fit any individual or organized group needs. We provide customized private classes at our Academy, or we can take our expert training to a private location upon request.

Private classes for corporate and executive clients, as well as government agencies and private groups, or individuals, are available either as a standard course listed on our website or as a custom class designed to your specific needs. Private instruction ranges from foundational shooting tutorials to advanced dynamic tactics in a one-on-one or group learning environment.

## INTERNATIONAL CUSTOMERS

The SIG SAUER Academy has a diverse staff of expert, bilingual instructors that provide the highest level of training and instruction to international civilian and military/law enforcement customers.

SIG SAUER Academy staff have consistently trained with some of the world's most elite counterterrorism units, providing expert instruction across a wide range of training needs. Our staff and facilities can provide any level of instruction needed to international clients, and can provide all of the necessary equipment and materials, including all tactical equipment and firearms no matter what manufacturer or platform is required.



## ABOUT OUR COURSES

### PISTOL/RIFLE/SHOTGUN/PRECISION SCOPED RIFLE

The SIG SAUER Academy has programs that are designed to achieve results across a broad range of platforms, from pistols and rifles, to shotguns and precision long-range shooting. All courses are taught from a foundational level and have a progression structure allowing students to develop their skills at their own pace. Depending on your personal training objectives, we offer classes for personal and home defense, individual skill building, and instructor certification.

### ADVANCED TRAINING

Advanced training courses are designed to take a student's skills to an extremely high level. These classes help provide students the knowledge, skills, and confidence to improve their performance and decision-making in a high-risk, high-stress environment. These courses include specific subjects such as low light pistol and rifle, advanced medical training, executive protection, as well as vehicle and scenario-based training.

### ARMORER

SIG SAUER is one of the many major manufacturers that offers civilian armorers courses. Our armorer's certification gives students a complete and thorough understanding of SIG SAUER firearms, proper maintenance techniques, and inspection processes. These courses are designed to provide all of the necessary information to preserve the firearms factory warranty. Students who successfully complete these courses receive a three year armorer certification.

### LAW ENFORCEMENT/MILITARY

SIG SAUER Academy is dedicated to providing the highest level of global training for military and law enforcement professionals. Courses include specific subjects such as bus and vehicle assault, night vision, breaching, and direct threat care. Any course can be conducted remotely or customized to meet agency or department needs. Custom course design and implementation allow for any desired capability and duration of training. The SIG SAUER Academy also has physical fitness facilities available to visiting groups at no charge.





**SIGSAUER**  
ACADEMY




## MORE THAN TRAINING. A DESTINATION.

SIG SAUER ACADEMY<sup>SM</sup> is located in the Seacoast region of New Hampshire, just an hour north of Boston, and an hour south of Portland, Maine. New Hampshire is home to 18 miles of New England coastline and beaches, and is situated approximately an hour away from several top-rated ski resorts in the White Mountains. Nearby historic Portsmouth is a favorite tourist destination, featuring nationally-recognized restaurants and cuisine, outdoor sight-seeing activities, local boutiques, tax-free shopping, and a thriving nightlife. There are several major transportation hubs allowing easy access along with a wide variety of accommodations available nearby.

## PRO SHOP

The SIG SAUER Academy Pro Shop is a full-service, factory-direct retail store open to the public, located on the grounds of the SIG SAUER Academy. The Pro Shop features the entire line of SIG SAUER pistols, rifles, electro-optics, suppressors, ammunition, airguns, accessories, and apparel and also has armorers services available on-site. The Pro Shop staff are highly trained and can provide expert advice on all of the latest SIG SAUER products.



## ACCOMODATIONS

Through partnership with SIG SAUER®, we offer special rate arrangements with local hotels in Exeter, Dover, and Portsmouth NH, all within 10-30 minutes of the Academy.

## TRANSPORTATION

The SIG SAUER Academy is about 30 minutes east of Manchester, New Hampshire Airport (MHT), and about an hour north of Boston International Airport (BOS) in Massachusetts. Some SIG SAUER partner hotels also offer students free shuttle access to and from the Academy.

## EXETER


Boasting tree-lined streets and a wealth of historical architecture, Exeter is a quick 10 minutes from the Academy and hosts three of our preferred hotels. With ample restaurants, shopping and night life, this picturesque river town is a convenient place to stay while training at the Academy and is roughly 10 miles inland from the coast.

## PORTSMOUTH

Venture into downtown Portsmouth, where you'll find a steady mix of modern and historic flair. From cobblestone-lined streets and historic buildings, to waterfront dining and local breweries, Portsmouth is not to be missed while here.



# TEAM SIG



## A TEAM OF THE HIGHEST CALIBER, COMMITTED TO EXCELLENCE

The mission of Team SIG is to support the development and production of the SIG SAUER® P320® pistol platform, the complete SIG SAUER rifle product line, SIG SAUER Electro-Optics, and SIG SAUER Ammunition. Team SIG works closely with the SIG SAUER engineers throughout the development and design of all SIG SAUER products to ensure every shooter enjoys the features that the Team SIG professional shooters demand.



## ABOUT OUR SHOOTERS



### MAX MICHEL - TEAM CAPTAIN

Max Michel, Jr. is one of the most dominant shooters in the world today and is recognized as a top-tier athlete and instructor. Max is a Guinness World Record holder and International Practical Shooting Confederation World Champion. He holds 8 World Speed Shooting Championships, 12 USPSA National Championships, 5 US Steel National Championships, is a 4-time Carry Optics National Champion, and holds more than 200 additional major championship victories. As an international competitor Max has represented the U.S.A. in the last seven IPSC World Shoots and returned home bearing gold each time and is set to compete once again in 2020 for Team U.S.A..

For Team SIG Max focuses primarily on carry optics competition, and as Team SIG Captain he serves as a mentor for Team SIG and is a premier brand ambassador for SIG SAUER®. Max is a U.S. Army Veteran.

**Pistol:** P320® XFIVE®  
**Optic:** ROMEO1™ or ROMEO3MAX™  
**Ammo:** Match Elite (9mm)



### LENA MICULEK - PRO SHOOTER

Regarded as the top female 3-Gun competitor in the world, Lena dominates both 3-Gun and PCC competition. Lena entered into the competitive shooting world in 2005 with five consecutive Sportsman's Team Challenge Sub-junior and Junior Division national titles, and at 17 years old she won her first World Champion title. Since turning pro, Lena has earned more than 75 major wins including back-to-back NRA World Shoot "High Lady" titles, a "High Lady" title for carry optics, and 8 world titles. Additionally, in pistol caliber carbine (PCC) competition Lena is breaking barriers for female professional shooters. She is a two-time national female champion for PCC and was the first female to earn a top-five finish in PCC and was the first female to win Master Class for PCC.

For Team SIG Lena competes primarily in pistol caliber carbine (PCC) and 3-Gun competition.

**Pistol:** P320 XFIVE  
**Rifle:** SIG MPX® PCC  
**Optic:** ROMEO3™ and TANGO6T™  
**Ammo:** Match Elite (9mm), Match (.223), Varmint (.223)



### DANIEL HORNER - PRO SHOOTER

Daniel Horner is a multi-discipline World Champion shooter having captured over 125 championship titles at the world, national, regional, and state level. His titles include: 2019 All Army Champion, 10 USPSA Multi-Gun National Championships, 4 3-Gun National Championships, 2 International Sniper Competitions, 2 IDPA National Championships, an IPSC Shotgun National Championship, an NRA World Shooting Championship, and many more. Daniel is a U.S. Army Veteran and was recruited to the Army to join the U.S. Army Marksmanship Unit (USAMU), where he became one of the most decorated shooters in team history. He served as the Coach of the USAMU Action Shooting Team, and during his service was twice selected as the Military Marksmanship Association Soldier of the Year.

For Team SIG Daniel competes primarily in 3-gun and long-range rifle competition.

**Pistol:** P320 XFIVE with iron sights  
**Rifle:** SIGM400®  
**Optic:** TANGO6T™  
**Ammo:** Match Elite (9mm), Match (.223), Varmint (.223)



# PISTOL ACCESSORIES

new

## P320® PRO CUT SLIDES

Factory replacement PRO-CUT slide assembly for the P320 9mm.

- ▲ Optic Ready with Sight Cover Plate (ROME01PRO™ and DeltaPoint® Pro Footprint)
- ▲ XRAY3™ Night Sights
- ▲ Stylized Relief Cuts
- ▲ Available in Black, Coyote, and Stainless Finishes



## P320 X-CHANGE KITS

The modular pistol has arrived. Removing P320 fire control group unlocks hundreds of combinations.

- ▲ Includes: Complete Slide, Barrel, Recoil Spring Assembly, Grip Module, and Magazine
- ▲ Reflex Optic Compatible
- ▲ Not Available for Manual Safety



## P320 GRIP MODULES

Engineered to fit your hand and your P320.

- ▲ Full-Size, Carry, Compact, and Sub-Compact
- ▲ XFIVE; XFull, XCarry, XCompact
- ▲ Black, M17 Coyote, and White
- ▲ Large, Medium, and Small (Not Available in All Colors and XSERIES)
- ▲ XFIVE Grip Module Includes Weight and Magazine Funnel



new

## P320 TXG™ GRIP MODULE

The weight of steel and the flex of polymer

- ▲ Requires Complete P320 Fire Control Unit and XFIVE or Full-Size Slide Assembly
- ▲ Overall Weight is 16.6oz
- ▲ Tungsten-Infused Polymer
- ▲ Available with Extended Magwell and Internal Weight
- ▲ Patent Pending Technology







Now you can purchase small parts for select SIG SAUER Firearms quickly and easily online at the SIG SAUER Webstore.

The SIG SAUER Small Parts Shopper is exclusive to sigsauer.com and intuitively navigates for upper or lower components of select SIG SAUER firearms so you can get the parts you need.

new

### P320® STIPPLED GRIP

These grips put the "tac" in tactical. Hand stippled by craftsmen in the U.S.A. for those that want more gripping power.

- ▲ Carry-Size XSERIES Grip
- ▲ Black Finish
- ▲ Compatible with Grip Weights and Magazine Funnels



### PISTOL MAGAZINES

Original factory magazines designed specifically for SIG SAUER® pistols.

- ▲ Capacities from 6 to 21 Rounds
- ▲ .380 ACP, 9mm, .357 SIG, .40 S&W, 10mm, and .45 ACP



P365 15rd Magazine

### PISTOL BARRELS

SIG SAUER factory made pistol barrels.

- ▲ Offered in P238, P938, P210, P220, P226, P229, 1911, P320, and P365 Firearms Families
- ▲ Threaded and Non-Threaded Versions



### PISTOL TRIGGER UPGRADES

Introduce the next level in precision to Classic and P320 pistols.

- ▲ Made in Flat and Curved Trigger Configurations



### PISTOL PART KITS

Keep your favorite firearm running like new.

- ▲ Replacement Parts Kits for Classic, P320, and P365 Models
- ▲ Factory Approved Parts for Every Need





# RIFLE ACCESSORIES

## SIG MCX® AR UPGRADE KIT

Transform any MIL-SPEC AR lower receiver into the adaptive and modular SIG MCX® VIRTUS.

- ▲ Complete SIG MCX Upper Receiver Assembly
- ▲ Lower Receiver Stock Adapter
- ▲ Side-Folding AR Buffer Tube Knuckle
- ▲ Two-Stage Match Duo Trigger



## SIG MCX & SIG MPX® STOCKS

Options as diverse as your mission.

- ▲ M4 Adjustable Folding
- ▲ Dual-Rod Collapsible
- ▲ Skeletonized Mini
- ▲ Skeletonized Plus (not pictured)
- ▲ Pivoting Contour Brace
- ▲ Tele-Stock (not pictured)



## SIG MCX RATTLER CONVERSION KIT

Convert any MIL-SPEC AR Lower into a MCX Rattler

- ▲ Complete SIG MCX Rattler Upper Receiver Assembly
- ▲ Lower Receiver Stock Adapter
- ▲ Side-Folding AR Buffer Tube Knuckle
- ▲ Two-Stage Match Duo Trigger



## SIG MCX VIRTUS® HANDGUARDS

Change the barrel and modify the VIRTUS handguard to match.

- ▲ PDW, Carbine, Rifle, and DMR Lengths Available
- ▲ Offered in Black, FDE, and Virtus Gray
- ▲ Suppressor Adaptable Configurations



## SIG MCX VIRTUS/RATTLER CALIBER EXCHANGE KIT

Move swiftly and easily between calibers and barrel lengths.

- ▲ 16" Barrels (5.56 NATO/.300 BLK)
- ▲ 11.5" Barrel (5.56 NATO)
- ▲ 9" Barrels (.300 BLK)
- ▲ 6.75" Barrels (.300 BLK)
- ▲ Rattler Only 5.5" (.300 BLK / 5.56 NATO)





## SIG MATCHLITE™ TRIGGER

A trigger made for a SIG SAUER rifle, and perfect for any AR.

- ▲ Match Grade Performance
- ▲ Non-Adjustable
- ▲ Includes Hammer and Trigger Pins



## SIG MPX® CALIBER EXCHANGE KIT

Transition between barrel lengths efficiently.

- ▲ 16", 8", 6.5", and 4.5" Barrels (9mm)
- ▲ Available for Gen2 MPX Only



## SIG MPX HANDGUARDS

Configure the MPX for the barrel and the activity of your choice.

- ▲ K, PDW, and Carbine Lengths Available
- ▲ Offered in Black Anodized



The TREAD® rifle is easily customizable with a full line of purpose-built accessories, designed in the U.S.A. Some items will fit most AR rifles.

## TREAD SINGLE STAGE FLAT TRIGGER

Factory Upgrade Single Stage Trigger Kit for TREAD

- ▲ Flat Blade Profile
- ▲ Crisp Break



## TREAD ROME05™ 1X20 MM

Robust, Compact Red Dot Sight

- ▲ 1x20 Aiming Solution for TREAD
- ▲ 2 MOA Red-Dot
- ▲ 10 Illumination Settings
- ▲ TREAD Logo



## TREAD 3-CHAMBER COMPENSATOR

- ▲ Reduce Recoil and Muzzle Rise
- ▲ 5.56 mm, 1/2 x 28



## TREAD AMBI CHARGING HANDLE

- ▲ Full Ambidextrous Design
- ▲ Medium-Sized Latches and Dual Roll Pin
- ▲ Aircraft Grade Aluminum



## TREAD M-LOK® HANDGUARDS

- ▲ Available in 10", 13", and 15" Lengths
- ▲ M-LOK Free Float Aluminum
- ▲ Two Screw Replacement



**TREAD**

## TREAD FLIP UP SIGHTS

Factory Replacement Sights Set for TREAD

- ▲ Tool-Less Adjustment
- ▲ Button-Less Flip-Up and Lock
- ▲ Includes Sight Rail



## TREAD VERTICAL GRIP KIT

- ▲ M-LOK Compatible
- ▲ Dual Angle Vert Grip
- ▲ Includes Barricade Stop



## TREAD M-LOK FORWARD GRIP KIT

- ▲ Vertical Grip, Barricade Stop, Handstop, Long and Short Rail Sections
- ▲ M-LOK Compatible



\*Visit sigsauer.com for additional items



# SPEC1

## COMPLETE PREMIUM CARE SYSTEM

SIG SAUER is pleased to introduce SPEC1, a premium firearm cleaning system. SPEC1 is a non-toxic, non-hazardous, pure synthetic-based lubricant with no Teflon™, silicones, or petroleum distillates. SPEC1 is formulated to reduce heat and wear, and to keep firearms running smoother and lasting longer. SPEC1 will not attract dust, dirt and sand, or feel sticky and tacky like most petroleum-based products on the market today. This synthetic lubricant will not dry up, freeze in cold temperatures, or allow carbon, copper, and plastic wad fouling to stick in the barrels or to gun parts. This non-toxic, non-hazardous formula is completely safe for the end user during application, cleaning, and firing.

### SPEC1 PREMIUM BLEND

- ▲ Pure Synthetic Based Lubricant with no Teflon™, Silicones, or Petroleum Distillates
- ▲ Available in a 2oz and 4oz Bottles



### SPEC1 PREMIUM BLEND 30 HEAVY DUTY

- ▲ Pure Synthetic Based Lubricant with no Teflon™, Silicones, or petroleum distillates
- ▲ Available in a 2oz and 4oz Bottles
- ▲ 30 WT Equivalent



### SPEC1 PREMIUM CLEANING SYSTEM

- ▲ Premium Bore Solvent that Removes Carbon, Lead, and Plastic
- ▲ Premium Firearm Cleaner / Degreaser
- ▲ Premium Blend Firearm Lubricant



### SPEC1 PREMIUM BLEND GREASE

- ▲ Similar Properties as the Premium Blend but in a Grease for Difficult Service Areas or Areas that Require Grease.
- ▲ 100% Synthetic





# SIG MERCHANDISE

Show your SIG pride with a full line of SIG SAUER apparel, hats, and branded accessories. Choose from a wide range of sizes, men's or women's, and a variety of styles. There's something for everyone.

## SIG MITCH ROSEN® LEATHER HOLSTERS

- ▲ Superior Quality Gunleather
- ▲ Professional Level Concealed Carry
- ▲ Custom Fit and Function
- ▲ Handmade in the U.S.A.



## SIG BLACKPOINT™ TACTICAL HOLSTERS

- ▲ BlackPoint Manufactured Kydex
- ▲ Quality, Comfort and Concealability
- ▲ Built Specifically for SIG Pistols
- ▲ Made in the U.S.A.



## SIG BRANDED HATS

- ▲ SIG Trucker Hat
- ▲ SIG Camo OHT Hat
- ▲ Flexfit Hats
- ▲ Snap Back Hats



## SIG EYE PROTECTION

- ▲ SIG SAUER Branded
- ▲ Clear Polymer
- ▲ Adjustable Arms
- ▲ Ballistic Rated



## SIG ELECTRONIC HEARING PROTECTION

- ▲ Noise Reduction Rating of 23dB
- ▲ Sound Activated Compression of 0.02 Seconds
- ▲ Compress Gun Shots Down to a Safe Level
- ▲ Uses 2 AAA Batteries (Included)



## SIG APPAREL

- ▲ SIG SAUER T-Shirts
- ▲ Pullover Hoodies
- ▲ Zipper Pullovers
- ▲ Belts



## KERSHAW® DROP POINT FOLDER

- ▲ Produced by Kershaw and RJ Martin
- ▲ 8Cr13MoV Steel 3" Blade
- ▲ Folds to 4"
- ▲ Brushed Nickel Latch
- ▲ SpeedSafe Assisted Flipper





# PISTOL AMMUNITION



## ELITE CARRY

### V-CROWN

Caliber	Bullet Weight (grains)	Velocity in FPS	Energy in FT.-LBS	Trajectory in Inches	Product SKU
		MUZZLE   25 YDS   50 YDS   100 YDS	MUZZLE   25 YDS   50 YDS   100 YDS	25 YDS   50 YDS   100 YDS	
380 AUTO	90	980   947   921   871	192   180   169   152	1.0   0.0   -9.8	E380A1-20
9MM LUGER (365)	115	1050   1008   972   912	282   259   241   212	0.8   0.0   -8.7	E9MMA1-365-20
9MM LUGER+P (M17)	124	1198   1137   1086   1006	395   356   325   279	N/A   -0.0   -6.7	E9MMA2P-M17-20
9MM LUGER	115	1185   1126   1076   1000	359   324   296   255	0.6   0.0   -7.0	E9MMA1-20
	124	1165   1102   1051   973	374   334   304   261	0.6   0.0   -7.3	E9MMA2-20
	147	985   958   934   891	317   300   285   259	0.9   0.0   -9.5	E9MMA3-20
357 SIG	125	1356   1271   1197   1080	511   449   398   324	0.4   0.0   -5.6	E357S1-20
38 SUPER +P	125	1230   1156   1095   1004	420   371   333   280	0.6   0.0   -6.7	E38SU1-20
38 SPL +P	125	900   936   910   863	258   243   230   207	1.0   0.0   -10.0	E38SP1-20
357 MAG	125	1450   1346   1252   1106	584   503   435   340	0.3   0.0   -5.1	E357M1-20
40 S&W	165	1090   1048   1013   954	435   403   376   334	0.7   0.0   -8.0	E40SW1-20
	180	985   958   934   890	388   367   348   317	0.9   0.0   -9.4	E40SW2-20
10MM AUTO	180	1250   1174   1111   1017	624   551   493   413	0.5   0.0   -6.5	E10MM1-20
45 AUTO	185	995   953   917   855	407   373   345   300	0.9   0.0   -9.8	E45AP0-20
	200	918   900   884   853	374   360   347   323	0.8   0.0   -10.1	E45AP1-20
	230	830   810   791   755	352   335   319   291	1.4   0.0   -13.4	E45AP2-20
44 S&W SPL	200	700   685   671   643	218   208   200   184	2.1   0.0   -18.8	E44SP1-20
44 REM MAG	240	1300   1231   1171   1075	901   807   730   615	0.5   0.0   -5.8	E44MA1-20
45 LONG COLT	230	850   829   809   771	369   351   334   304	1.3   0.0   -12.7	E45LC1-20

## MATCH

### V-CROWN

Caliber	Bullet Weight (grains)	Velocity in FPS	Energy in FT.-LBS	Trajectory in Inches	Product SKU
		MUZZLE   25 YDS   50 YDS   100 YDS	MUZZLE   25 YDS   50 YDS   100 YDS	25 YDS   50 YDS   100 YDS	
9MM LUGER	147	880   860   842   807	254   243   233   214	0.8   0.0   -11.4	E9MMA3-COMP-50



# ELITE TRAINING

## FMJ

Caliber	Bullet Weight (grains)	Velocity in FPS MUZZLE   25 YDS   50 YDS   100 YDS	Energy in FT.-LBS MUZZLE   25 YDS   50 YDS   100 YDS	Trajectory in Inches 25 YDS   50 YDS   100 YDS	Product SKU
380 AUTO	100	910   879   859   800	184   172   161   142	1.2   0.0   -11.5	E380B1-50
9MM +P LEAD-FREE FRANGIBLE	90	1335   1210   1112   983	356   293   247   193	0.49   0.00   -6.51	E9MMLFF1-50
9MM LUGER (365)	115	1050   1011   978   922	282   261   244   217	0.8   0.0   -8.6	E9MMB1-365-50
9MM LUGER+P (M17)	124	1198   126   1067   979	395   349   314   264	N/A   0.0   -7.0	E9MMB2P-M17-50
9MM LUGER	115	1185   1125   1076   999	359   323   296   255	0.6   0.0   -7.0	E9MMB1-50
	124	1165   1111   1065   993	374   340   312   272	0.6   0.0   -7.1	E9MMB2-50
	147	985   960   936   895	317   301   286   261	0.6   0.0   -9.4	E9MMB3-50
357 SIG	125	1356   1246   1154   1024	506   427   367   389	0.5   0.0   -6.0	E357B1-50
38 SUPER +P	125	1230   1166   1111   1026	420   377   343   292	0.5   0.0   -6.5	E38SUB-50
38 SPL	125	900   881   863   829	225   215   207   191	1.2   0.0   -11.2	E38SB1-50
357 MAG	125	1450   1330   1225   1072	584   491   417   319	0.4   0.0   -5.3	E357MB-50
40 S&W	180	985   959   935   893	388   367   349   319	0.9   0.0   -9.4	E40SB2-50
10MM AUTO	180	1250   1185   1129   1042	624   561   510   434	0.5   0.0   -6.3	E10MB1-50
45 AUTO	230	830   816   803   777	352   340   329   308	1.4   0.0   -12.9	E45BA3-50
		Velocity in FPS MUZZLE   100 YDS   200 YDS   300 YDS	Energy in FT.-LBS MUZZLE   100 YDS   200 YDS   300 YDS	Trajectory in Inches MUZZLE   100 YDS   200 YDS   300 YDS	Product SKU
223 REM	55	3240   2875   2538   2225	1282   1009   787   605	0.0   -1.2   -7.9	E223B1-20
308 WIN	150	2900   2667   2447   2236	2801   2370   1993   1665	0.0   -6.7   -25.9	E308B1-20
300 BLK	125	2145   1899   1672   1469	1277   1001   776   598	0.0   -1.2   -7.9	E300B1-20



## SPECIFICATIONS



# RIFLE AMMUNITION



## ELITE MATCH

### MATCH GRADE

Caliber	Bullet Weight (grains)	Bullet Type	
223 REM	77	OTM	
6 MM CREEDMOOR	107	OTM	
6.5 CREEDMOOR	140	OTM	
260 REM	140	OTM	
308 WIN	168	OTM	
	175		
30-06	175	OTM	
300 WIN MAG	190	OTM	
300 BLK	125	OTM	
300 BLK SUBSONIC	220	OTM	

## ELITE HUNTING

### TIPPED V&P

Caliber	Bullet Weight (grains)	Bullet Type	
223 REM	40	TIPPED	
22-250 REM	40	TIPPED	
243 WIN	55	TIPPED	
300 BLK SUBSONIC (9" BARREL)	205	TIPPED	



	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE   100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	Energy in FT.-LBS MUZZLE   100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	Trajectory in Inches 100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	Product SKU
	0.362	2750   2499   2262   2038   1828   1633	1293   1068   875   710   571   456	0.0   -4.1   -15.0   -34.3   -64.1	E223M1-20
	0.527	2950   2771   2600   2434   2273   2118	2067   1824   1605   1407   1227   1066	0.0   -1.5   -8.2   -20.8   -40.1	E6MMCM2-20
	0.535	2690   2410   2251   2099   1952   1810	2061   1806   1576   1369   1184   1018	0.0   -3.0   -12.9   -30.6   -57.3	E65CM1-20
	0.527	2750   2579   2414   2255   2102   1955	2351   2067   1811   1580   1373   1188	0.0   -2.2   -10.4   -25.5   -48.4	E260M2-20
	0.462	2719   2505   2314   2132   1967   1805	2720   2340   2003   1705   1443   1215	0.0   -4.1   -14.6   -32.8   -59.9	E308M1-20
	0.496	2600   2424   2256   2094   1938   1791	2626   2284   1977   1703   1460   1246	0.0   -2.9   -12.7   -30.4   -57.4	E308M2-20
	0.496	2700   2518   2342   2174   2013   1859	2833   2464   2132   1837   1575   1343	0.0   -1.7   -8.9   -22.3   -42.9	E3006M2-20
	0.533	2850   2674   2505   2343   2186   2035	3426   3017   2648   2315   2016   1748	0.0   -3.4   -12.3   -27.5   -50.1	E3WMM1-20
		Velocity in FPS MUZZLE   25 YDS   50 YDS   100 YDS	Energy in FPS MUZZLE   25 YDS   50 YDS   100 YDS	Trajectory in Inches 25 YDS   50 YDS   100 YDS	
	0.338	2150   2140   2080   1964	1343   1270   1201   1071	-1.1   -0.2   0.0	E300A1-20
	0.608	1000   992   983   968	488   480   472   457	1.5   3.2   0.0	E300A2-20

	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE   100 YDS   200 YDS   300 YDS	Energy in FT.-LBS MUZZLE   100 YDS   200 YDS   300 YDS	Trajectory in Inches 100 YDS   200 YDS   300 YDS	Product SKU
	0.196	3650   3089   2570   2093	1183   847   587   389	0.0   -0.7   -6.7	E223V1-20
	0.196	3975   3390   2844   2346	1403   1021   718   489	0.0   -0.1   -4.5	E225V1-20
	0.225	3880   3377   2928   2496	1838   1393   1047   761	0.0   -0.1   -4.2	E243V1-20
		Velocity in FPS MUZZLE   25 YDS   50 YDS   100 YDS	Energy in FPS MUZZLE   25 YDS   50 YDS   100 YDS	Trajectory in Inches 25 YDS   50 YDS   100 YDS	
	0.445	922   914   905   897   890	387   380   373   367   360	-0.2   0.0   -7.6	E300H2-20



# RIFLE AMMUNITION



## ELITE HUNTING

### COPPER

CALIBER	Bullet Weight (grains)	Bullet Type	
223 REM	60	HT	
300 BLK	120	HT	
243 WIN	80	HT	
6MM CREEDMOOR	80	HT	
6.5 CREEDMOOR	120	HT	
308 WIN	150	HT	
260 REM	120	HT	
270 WIN	130	HT	
30-06 SPRG	150	HT	
300 WIN MAG	165	HT	

## ELITE HUNTER

### TIPPED

CALIBER	Bullet Weight (grains)	Bullet Type	
243 WIN	90	Lead Core Tipped	
6 MM CREEDMOOR	100		
6.5 CREEDMOOR	130		
260 REM	130		
270 WIN	150		
7MM REM MAG	165		
308 WIN	165		
30-06 SPRG	165		
300 WIN MAG	180		



	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE   100 YDS   200 YDS   300 YDS	Energy in FT.-LBS MUZZLE   100 YDS   200 YDS   300 YDS	Trajectory in Inches 100 YDS   200 YDS   300 YDS	Product SKU
	0.240	3100   2704   2340   2006	1280   974   730   536	0.0   -1.8   -10.0	E223H1-20
	0.290	2250   2190   2131   2015	1405   1331   1260   1127	-1.54   -.54   0.0	E300H1-20
	0.320	3425   3101   2800   2519	2083   1708   1393   1127	0.0   -0.6   -5.7	E243H1-20
	0.340	3375   3073   2779   2499	2024   1678   1372   1109	0.0   -0.7   -5.9	E6MMCH1-20
	0.380	2825   2586   2359   2143	2126   1781   1748   1224	0.0   -2.2   -10.7	E65CH1-20
	0.400	2900   2669   2449   2239	2801   2372   1997   1670	0.0   -1.9   -9.6	E308H1-20
	0.380	2880   2638   2408   2190	2210   1854   1545   1278	0.0   -2.0   -10.0	E260H1-20
	0.380	3050   2798   2560   2335	2685   2260   1892   1573	0.0   -1.4   -8.2	E270H1-20
	0.342	2920   2644   2385   2140	2841   2329   1895   1526	0.0   -2.0   -10.0	E3006H1-20
	0.410	3110   2873   2649   2435	3543   3024   2570   2172	0.0   -1.2   -7.4	E3WMH1-20

	Ballistic Coefficient (G1)	Velocity in FPS MUZZLE   100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	Energy in FT.-LBS MUZZLE   100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	Trajectory in Inches 100 YDS   200 YDS   300 YDS   400 YDS   500 YDS	Product SKU
	0.400	3115   2916   2725   2543   2367   2199	1939   1699   1484   1292   1120   966	0.0   -1.1   -6.9   -18.0   -35.4	E243TH2-20
	0.515	2970   2786   2610   2441   2277   2120	1958   1724   1512   1322   1151   998	0.0   -1.5   -8.1   -20.5   -39.7	E6MMCTH2-20
	0.510	2850   2670   2496   2329   2169   2015	2344   2057   1798   1566   1357   1171	0.0   -1.9   -9.4   -23.3   -44.5	E65CMTH1-20
	0.510	2820   2641   2468   2303   2143   1990	2295   2013   1769   1530   1326   1143	0.0   -2.0   -9.7   -24.0   -45.8	E260TH1-20
	0.508	2950   2765   2587   2416   2252   2093	2705   2376   2084   1814   1576   1363	0.0   -1.6   -8.3   -21.0   -40.6	E270TH2-20
	0.575	3000   2834   2674   2520   2371   2227	2997   2675   2381   2115   1872   1651	0.0   -1.3   -7.5   -19.2   -37.1	E7RMTH2-20
	0.530	2840   2667   2500   2339   2184   2035	2955   2605   2289   2004   1747   1517	0.0   -1.9   -9.4   -23.2   -44.3	E308TH2-20
	0.530	2950   2772   2601   2437   2278   2126	3188   2815   2479   2175   1902   1655	0.0   -1.5   -8.2   -20.7   -40.0	E3006TH2-20
	0.515	2960   2777   2601   2432   2269   2112	3501   3081   2703   2363   2057   1783	0.0   -1.5   -8.2   -20.7   -40.0	E3WMTH3-20



# ELECTRO-OPTICS SPECIFICATIONS

## SIERRA6™ BDX

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length		
						FT @ 100 yards		M @ 100 M		INCH		MM			INCH	MM	OUNCE	GRAM				INCH	MM	
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH											
2-12 x 40 mm	Second	BDX-R2 Digital Focal Plane OLED	.25 MOA	8.4	3.3	52.5	8.7	16.0	2.7	3.7	3.9	94	99	M 42 x 0.75	1.6	40	21.4	606	60 MOA	60 MOA	8 daytime/ 2 NV	10.75	273	new
3-18 x 44 mm	Second	BDX-R2 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	8.2	2.4	34.9	5.8	10.6	1.8	3.7	3.9	94	99	M 46 X 0.75	1.7	44	23.8	674	60 MOA	60 MOA	8 daytime/ 2 NV	12.25	311	new
5-30 x 56 mm	Second	BDX-R2 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	8.1	1.9	21.0	3.5	6.4	1.0	3.7	3.9	94	99	M 58 x 0.75	2.2	56	30.4	862	60 MOA	60 MOA	8 daytime/ 2 NV	14.75	375	new

## SIERRA3™ BDX

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length	
						FT @ 100 yards		M @ 100 M		INCH		MM			INCH	MM	OUNCE	GRAM				INCH	MM
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		LOW	HIGH	INCH	MM				OUNCE	GRAM
2.5-8 x 32 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic	.25 MOA	8.8	4.0	39.8	13.2	12.1	4.0	4.2	3.5	106.9	87.9	M 25.5 x 0.5	0.9	24	19.4	550	80 MOA	80 MOA	10 daytime/ 2 NV	12.75	324
3.5-10 x 42 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic	.25 MOA	8.8	4.2	27.8	9.4	8.47	2.9	4.2	3.5	106.9	87.9	M 25.5 x 0.5	0.9	24	20.9	593	55 MOA	55 MOA	10 daytime/ 2 NV	12.75	324
4.5-14 x 44 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	6.9	3.1	19.9	6.7	6.06	2.0	4.2	3.4	106.9	86	M 46 x 0.75	1.7	42	23.2	658	55 MOA	55 MOA	10 daytime/ 2 NV	12.6	320
4.5-14 x 50 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	8.9	3.6	19.9	6.7	6.06	2.0	3.6	4.2	85.1	106.9	M 46 X 0.75	1.8	44	24.9	706	55 MOA	55 MOA	10 daytime/ 2 NV	12.75	324
6.5-20 x 52 mm	Second	BDX-R1 Digital Focal Plane OLED Ballistic w/ Side Focus	.25 MOA	6.1	2.6	14.1	4.7	1.4	1.4	4.2	3.5	106.9	87.1	M 52 x 0.75	2.0	50	25.9	734	40 MOA	40 MOA	10 daytime/ 2 NV	14.25	362



## KILOBDX™

Model	Magnification	Objective Clear Aperature	Exit Pupil MM	Eye Relief MM	Angular (FOV)	FOV@ 100 YDS	Range Response Time	Laser Divergence	Scanning	Range Resolution Under 100 YDS	Max Range			Weight with Battery		Length	
											REFLECTIVE	DEER	TREES	OZ	G	IN	MM
KILO3000™ BDX	10x	42 mm	4.2	18	6.1	32.0 ft	.25 sec	1.5 MRAD	yes	+/- 0.1 yds	Up to 5000 yds	Up to 1500 yds	Up to 2000 yds	32.0	907	5.2	145
KILO2400™ BDX	7x	25 mm	3.6	15	6.8	35.7 ft	.25 sec	1.4 MRAD	yes	+/- 0.1 yds	Up to 3400 yds	Up to 1400 yds	Up to 1800 yds	7.5	215	4.4	112
KILO2200™ BDX	7x	25 mm	3.6	15	6.8	35.7 ft	.25 sec	1.4 MRAD	yes	+/- 0.1 yds	Up to 3400 yds	Up to 1300 yds	Up to 1600 yds	7.5	215	4.4	112
KILO1800™ BDX	6x	22 mm	3.7	17	6.0	34.2 ft	.25 sec	1.3 MRAD	yes	+/- 0.1 yds	Up to 2000 yds	Up to 1000 yds	Up to 1200 yds	7.9	225	4.0	103
KILO1600™ BDX	6x	22 mm	3.7	17	6.0	34.2 ft	.25 sec	4.00 MRAD	yes	+/- 0.1 yds	Up to 2000 yds	Up to 1000 yds	Up to 1200 yds	6.4	180	4.3	109
KILO1400™ BDX	6x	20 mm	3.3	15	6.5	34.2 ft	.25 sec	3.33 MRAD	yes	+/- 0.1 yds	Up to 1600 yds	Up to 750 yds	Up to 950 yds	5.3	150	3.7	95
KILO1000™ BDX	5x	20 mm	4.0	18	7.5	39.5 ft	.25 sec	2.00 MRAD	yes	+/- 0.1 yds	Up to 1200 yds	Up to 800 yds	Up to 1000 yds	5.2	147	4.3	109

## KILO™

KILO2400ABS™	7x	25 mm	3.6	15	6.8	35.7 ft	.25 sec	1.4 MRAD	yes	+/- 0.1 yds	Up to 2000 yds	Up to 1400 yds	Up to 1800 yds	7.5	215	4.2	107
KILO1600™	6x	22 mm	3.7	17	6.0	34.1 ft	.25 sec	4.00 MRAD	yes	+/- 0.1 yds	Up to 2000 yds	Up to 1000 yds	Up to 1200 yds	6.4	180	4.3	109
KILO1000™	5x	20 mm	4.0	18	7.5	39.5 ft	.25 sec	2.00 MRAD	yes	+/- 0.1 yds	Up to 1200 yds	Up to 800 yds	Up to 1000 yds	5.2	147	4.3	109

## ECHO™

Model	Magnification	Eye Relief	Field of View	Frame Rate	Runtime	Color / Contrast Settings	Close Focus Distance	Spectral Response	Digital Elevation Adjustment Range	Weight		Length		Width		Height	
										OZ	G	IN	MM	IN	MM	IN	MM
ECHO3™	1-6 x 23mm	Unlimited	10°	30Hz	6 hrs	11 Color Palettes 6 Brightness Levels	3 ft	9-14 um, 320x240-12 um VOx LWIR Core	150 MOA x 150 MOA	14.3	405	4.3	109	2.6	66	3.3	84

## XRAY™

Model	Housing	Illumination	Front Sight	Rear Sight	Sight Picture
X-RAY3™	Steel	Tritium	High Contrast Green Outline	Subtle Black Outline	3 Dot
X-RAY1™	Steel	Fiber Optic	Luminescent	Luminescent	3 Dot



# ELECTRO-OPTICS SPECIFICATIONS

## TANGO6™

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length	
						FT @ 100 yards		M @ 100 M		INCH		MM										INCH	MM
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		INCH	MM							
1-6X24 mm	First	5.56MM / 7.62MM 300 Blackout Horseshoe Dot	0.2 MOA	11.4	4.0	105.8	17.7	35.3	5.9	3.93	4.09	100	104	M 25.5 x 0.6	0.9	24	22.0	626	106.5 MOA 31 MRAD	106.5 MOA 31 MRAD	9 Daylight/ 2 NV	10.8	275
		7.62 Extended Range	0.2 MOA																				
		DWLR6	0.2 MOA																				
1-6X24 mm	Second	M855A1 HELLFIRE®	0.2 MOA	11.4	4.0	106.9	17.7	35.6	5.9	4.05	4.09	103	104	M 25.5 x 0.6	0.9	24	20.8	590	106.5 MOA 31 MRAD	106.5 MOA 31 MRAD	9 Daylight/ 2 NV	10.5	268
		MOA MILLING HELLFIRE	0.5 MOA																				
		3-Gun HELLFIRE	0.2 MOA																				

## TANGO6™

3-18 x 44 mm	First	MOA Milling	.25 MOA	12	2.4	32	5.8	10.7	1.9	3.74	3.7	95	94	M 46 X 0.75	1.7	44	37.57	1065	95 MOA 27.6 MRAD	95 MOA 27.6 MRAD	7 Daytime/ 2 NV	12.38	315
		MRAD Milling	0.1 MRAD																				
		MOA DEV-L	0.25 MOA																				
		MRAD DEV-L	0.1 MRAD																				
5-30 x 56 mm	First	MOA Milling	.25 MOA	8.9	1.9	18.9	3.3	6.3	1.1	3.6	3.5	92	89	M 58 x 0.75	2.2	56	42	1191	80 MOA 23.2 MRAD	50 MOA 14.5 MRAD	7 Daytime/ 2 NV	14.38	365
		MRAD Milling	0.1 MRAD																				
		MOA DEV-L	0.25 MOA																				
		MRAD DEV-L	0.1 MRAD																				

## TANGO4™

1-4X24 mm	First	5.56/7.62 Horseshoe Dot	0.5 MOA	15.4	6.1	98	24	32.7	8	3.3	3.3	84	84	M 46 x 0.75	0.9	24	15.9	450	180 MOA 52 MRAD	180 MOA 52 MRAD	8 Daylight/ 2 NV	10.0	275
		300 Blackout Horseshoe Dot	0.5 MOA																				
		MOA Milling	0.5 MOA																				
		MRAD Milling	0.2 MRAD																				
4-16X44 mm	First	DEV-L MOA	0.25 MOA	10.6	2.7	24.1	6.3	6.3	24.1	3.3	3.3	84	84	M 46 x 0.75	0.9	24	20.5	581	90 MOA 26 MRAD	80 MOA 23 MRAD	8 Daylight/ 2 NV	13.6	345
		DEV-L MRAD	0.1 MRAD																				
		MOA Milling	0.25 MOA																				
		MRAD Milling	0.1 MRAD																				
6-25X50 mm	First	DEV-L MOA	0.25 MOA	8	2.1	14.7	3.7	5.3	1.4	3.3	3.3	84	84	M 52 x 0.75	2.0	50	22.9	649	60 MOA 17 MRAD	30 MOA 8.5 MRAD	8 Daylight/ 2 NV	15.6	307.2
		DEV-L MRAD	0.1 MRAD																				
		MOA Milling	0.25 MOA																				
		MRAD Milling	0.1 MRAD																				



**WHISKEY5™**

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Filter Thread	Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Illumination Settings	Length	
						FT @ 100 yards		M @ 100 M		INCH		MM											
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH		LOW	HIGH							
2-10 X 42 mm	Second	Hellfire Quadplex	0.25 MOA	10.7	4.2	49.1	9.8	16.4	3.3	4	4.1	101	104	M46 x .75	1.7	44	21.9	623	100	100	9 daylight/ 2 NV	11.5	292
		MRAD Milling Hunter	0.1 MRAD																				
		MOA Milling Hunter	0.5 MOA																				
2.4-12 X 56 mm	Second	Hellfire Triplex	0.1 MRAD	11.6	4.7	43.1	9.3	14.3	3.1	3.9	4	98	100	M58 x .75	2.2	56	28.8	816	62	62	7 daylight/ 2 NV	14.8	376
		MRAD Milling Hunter	0.1 MRAD																				
3-15 X 44 mm	Second	Hellfire Quadplex	0.25 MOA	10	2.9	34.1	6.8	11.4	2.3	3.9	4	98	100	M46 x .75	1.7	44	25.1	712	70	45	7 daylight/ 2 NV	12.5	317
		MRAD Milling Hunter	0.1 MRAD																				
		MOA Milling Hunter	0.25 MOA																				
3-15 X 52 mm	Second	Hellfire Quadplex	0.25 MOA	10	3.5	34.1	6.8	6.7	2.3	3.9	3.9	98	99	M54 x .75	2	52	27.8	788	75	75	7 daylight/ 2 NV	12.5	317
		MRAD Milling Hunter	0.1 MRAD																				
		MOA Milling Hunter	0.25 MOA																				
5-25 X 52 mm	Second	Hellfire Quadplex	0.25 MOA	10	2.1	20.2	4	1.3	1.3	3.8	3.8	97	97	M54 x .75	2	52	28.8	816	50	50	7 daylight/ 2 NV	13.5	343
		MRAD Milling Hunter	0.1 MRAD																				
		MOA Milling Hunter	0.25 MOA																				

**WHISKEY3™**

Model	Focal Place	Reticle	ADJ.	Exit Pupil MM		Linear Field of View				Eye Relief				Objective Clear Aperture		Weight		Elevation Adjustment Range	Windage Adjustment Range	Length	
						FT @ 100 yards		M @ 100 M		INCH		MM									
				LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	LOW	HIGH	INCH	MM	OUNCE	GRAM			INCH	MM
2-7 X 32 mm	Second	Quadplex	0.25 MOA	10.6	4	47.1	13.75	15.7	4.5	3.6	3.6	88.9	88.9	1.2	32	14.3	405	90	90	11.5	292
		BDC-I Quadplex																			
3-9 X 40 mm	Second	Quadplex		13.3	4.4	35	11.89	11.7	4					1.6	40	15.3	434	80	80	12.4	315
		Hellfire Quadplex														16.4	465				
		BDC-I Quadplex														15.3	434				
3-9 X 50 mm	Second	Quadplex		16.6	2.9	35	11.89	11.7	4					1.9	50	18.1	513	80	80	12.6	320
		Hellfire Quadplex														18.9	536				
		BDC-I Quadplex														18.1	513				
4-12 X 40 mm	Second	Quadplex		10	3.5	24.8	8.27	8.24	2.74					1.6	40	16.6	470	60	60	12.5	318
		Hellfire Quadplex														17.6	495				
		BDC-I Quadplex														16.6	470				
4-12 X 50 mm	Second	Quadplex		12.5	2.1	24.8	8.27	8.24	2.74					2	50	17.5	500	60	60	12.6	322
		Hellfire Quadplex														18.5	525				
		BDC-I Quadplex														17.6	500				



# ELECTRO-OPTICS SPECIFICATIONS

## ROMEO™

Model	Magnification	Eye Relief	Objective Clear Aperature	Red Dot Size	Illumination Settings	Elevation Adjustment Range	Windage Adjustment Range	Weight		length		width		height		
								oz	g	in	mm	in	mm	in	mm	
ROMEOZero™	1x	Unlimited		3 MOA / 6 MOA	8 Daytime / 2 NV	90 MOA	120 MOA	.4	14	1.6	40.8	.93	23.7	.93	28.7	new
ROMEO1PRO™	1x	Unlimited	30 mm	3 MOA / 6 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	1.0	28	1.8	46.5	1.2	31.7	1.1	27.4	new
ROMEO1™	1x	Unlimited	30 mm	3 MOA	5 Daytime / 2 NV	100 MOA	100 MOA	.8	24	1.8	44.9	1.3	32.8	1.1	27.4	
ROMEO3™	1x	Unlimited	25 mm	3 MOA	8 Daytime / 2 NV	100 MOA	100 MOA	1.4	40	2.4	60	1.1	28	1.65	42	
ROMEO3XL™	1x	Unlimited	35 mm	3 MOA / 6 MOA	10 Daytime / 2 NV	80 MOA	80 MOA	1.5	43	2.0	54	1.41	36	1.4	35	new
ROMEO3MAX™	1x	Unlimited	30 mm	3 MOA / 6 MOA	10 Daytime / 2 NV	80 MOA	80 MOA	1.5	43	2.0	54	1.29	33	1.4	35	new
ROMEO4T™	1x	Unlimited	20 mm	2 MOA / 1 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	3.2	91	3.3	84.6	1.86	47.85	2.46	62.6	
ROMEO4DR™	1x	Unlimited	20 mm	2 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	7.6	215	3.4	86	1.82	46.2	2.5	63.5	
ROMEO4S™	1x	Unlimited	20 mm	2 MOA / 1 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	7.6	215	3.4	85.6	1.8	46	2.5	63.5	
ROMEO4H™	1x	Unlimited	20 mm	2 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	7.6	215	3.4	86	1.82	46.2	2.5	63.5	
ROMEO5XDR™	1x	Unlimited	20 mm	2 MOA or 2 MOA DOT	8 Daytime / 2 NV	+/- 40 MOA	+/- 40 MOA	5.6	159	2.5	63.5	1.4	35.6	2.6	66	
ROMEO5X™	1x	Unlimited	20 mm	2 MOA	8 Daytime / 2 NV	100 MOA	100 MOA	5.6	159	2.5	63.5	1.4	35.6	2.6	66	
ROMEO5 TREAD™	1x	Unlimited	20 mm	2 MOA	8 Daytime / 2 NV	100 MOA	100 MOA	5.1	145	2.5	62.7	1.5	38.1	1.5	38.6	
ROMEO5™	1x	Unlimited	20 mm	2 MOA	8 Daytime / 2 NV	+/- 60 MOA	+/- 60 MOA	4.8	136	2.9	75	1.6	41	1.4	36	
ROMEO7™	1x	Unlimited	30 mm	2 MOA	8 Daytime / 2 NV	200 MOA	150 MOA	12.5	356	4.8	120	2	51	3	76.2	
ROMEO8T™	1x	Unlimited	1.25 in x .91 in	5.56 mm / 7.62 mm	10 Daytime / 2 NV	+/- 70 MOA	+/- 70 MOA	13.7	388	3.5	89.4	1.97	50	2.8	71	
ROMEO8H™	1x	Unlimited	1.25 in x .91 in	5.56 mm / 7.62 mm	10 Daytime / 2 NV	+/- 70 MOA	+/- 70 MOA	10.3	292	3.5	89.4	1.97	50	2.8	71	
ROMEO-MSR™	1x	Unlimited	20 mm	2 MOA	10 Daytime / 2 NV	100 MOA	100 MOA	4.9	139	3.1	79	1.5	38	2.6	66	new

## JULIET™

Model	Magnification	Field of View	Clear Aperture	Exit Pupil	Eye Relief	Diopter Range	Adjustment Range	Weight		Length		Width		Height	
								oz	g	in	mm	in	mm	in	mm
JULIET6™	6x	4°	24 mm	4 mm	59 mm	+/- 2	+/- 30 MOA	14.7	416	5.4	137.16	1.95	49.3	2.9	73.6
JULIET4™	4x	6.25°	24 mm	6 mm	65 mm	+/- 2	+/- 45 MOA	12.5	257	4.2	107	2.1	53	2.6	66
JULIET3™	3x	8°	24 mm	8 mm	65 mm	+/- 2	+/- 55 MOA	12.5	257	4.2	107	2.0	71	2.8	70

## BRAVO™

Model	Magnification	Field of View	Eye Relief	Prism Coating	Illumination	Motion Sensor	Waterproof	Weight		Length		Width		Height	
								oz	g	in	mm	in	mm	in	mm
BRAVO5™	5x	6°	60 mm	Dielectric	12 Settings, RED	Yes, MOTAC, 2 Min Auto-Off	IPX-7	23	652	6.4	163.3	2.6	65.4	2.9	74.9
BROVO3™	3x	10°	60 mm	Dielectric	12 Settings, RED	Yes, MOTAC, 2 Min Auto-Off	IPX-7	22	624	6.4	163.3	2.6	65.4	2.9	74.9

## OSCAR™

Model	Magnification	Exit Pupil	Clear Aperture	Close Focus Distance	Eye Relief	Linear FOV M at 1000 Yards	Linear FOV M at 1000 M	Angular FOV	Waterproof Level @ 1 M Eye Piece Attached	Weight		Length		Width		Height	
										oz	g	in	mm	in	mm	in	mm
OSCAR8™	27-50 x 80	2.96 mm / 1.45 mm	80 mm	5 m	17-16 mm	105-73 ft	35-24 m	2° - 1.4°	5 min	68	1928	15.27	388	4.0	102	6.11	155
OSCAR3™	10-20 x 30	3.0 mm / 1.5 mm	30 mm	6 m	23-15 mm	179-126 ft	54.6-38.4 m	3.4° / 2.4°		16	454	6.7	170.2				

## LIMA™

Model	Laser	Operating Mode	Run Time		Adjustment	Spot Size	Weight		Length		Width		Height	
			Red	Green			oz	g	in	mm	in	mm	in	mm
LIMA1™	Class 3R Red or Green	Momentary or Continuous	> 5 Hours	> 2 Hours	Windage + Elevation	.5 @ 50 ft	1.6	45	2.0	51	1.2	31	0.85	22
LIMA320™	Class 3R Red or Green	Momentary	> 5 Hours	> 3 Hours	Windage + Elevation	.5 @ 50 ft	4.0	113.4	7.1	180.5	1.32	33.6	4.2	106.3
LIMA38™	Class 3R Red or Green	Momentary or Continuous	> 8 Hours	NA	Windage + Elevation	.5 @ 50 ft	0.6	17	2.5	63.5	0.7	18.3	1.4	34.3
LIMA365™	Class 3R Red or Green	Instant Activation	> 4 Hours	> 2 Hours	Windage + Elevation	.5 @ 50 ft	1.3	37	3.8	96.5	1.0	25.4	1.9	48.3



# ELECTRO-OPTICS SPECIFICATIONS

## ZULU™

Model	Magnification	Exit Pupil	Clear Aperature	Close Focus Distance	Interpupillary Distance	Diopter Range	Eye Relief	Linear FOV M @ 1000 Yards	Linear FOV M @ 1000 M	Angular FOV	Weight		Length	
											oz	g	in	mm
ZULU9™	9 X 45	5 mm	45 mm	6 ft	56 mm - 79 mm	+/- 3	17.3 mm	378 ft	126 m	7.2°	33	950	7.5	190.5
	11 X 45	4.1 mm	45 mm	6 ft	56 mm - 74 mm	+/- 3	16.7 mm	315 ft	105 m	6.0°	33	950	7.5	190.5
	15 X 56	3.8 mm	56 mm	9 ft	56 mm - 79 mm	+/- 3	17.8 mm	236 ft	78.7 m	4.5°	43	1220	7.5	190.5
ZULU7™	8 x 42	5.3 mm	42 mm	5.9 ft	56 mm - 74 mm	+/- 3	20 mm	378 ft	126 m	7.2°	33	950	5.8	147.3
	10 x 42	4.2 mm	42 mm	5.9 ft	56 mm - 74 mm	+/- 3	17 mm	341 ft	114 m	6.5°	33	950	5.8	147.3
	12 x 50	4.2 mm	50 mm	6.5 ft	56 mm - 75 mm	+/- 3	16.6 mm	273 ft	91.0 m	5.2°	31.9	905	6.8	172.7
ZULU5™	8 x 42	6.3 mm	42 mm	6.5 ft	56 mm - 74 mm	+/- 3	17 mm	393 ft	131 m	7.5°	24.5	694.5	6.0	152.4
	10 x 42	4.2 mm	42 mm	8.2 ft	56 mm - 74 mm	+/- 3	15 mm	315 ft	105 m	6.0°	24.5	694.5	6.0	152.4
	12 x 42	3.5 mm	42 mm	8.2 ft	56 mm - 74 mm	+/- 3	15 mm	252 ft	84.0 m	4.8°	21.5	609	5.7	145
	12 x 50	4.2 mm	50 mm	8.2 ft	56 mm - 74 mm	+/- 3	15.5 mm	252 ft	84.0 m	4.8°	29.5	836	6.6	168
ZULU3™	8 x 32	4.0 mm	32 mm	8.2 ft	56 mm - 74 mm	+/- 3	14.5 mm	393 ft	131 m	7.5°	14.0	397	5.5	139.7
	10 x 32	3.2 mm	32 mm	8.2 ft	56 mm - 74 mm	+/- 3	14.5 mm	341 ft	114 m	6.5°	16.0	454	5.5	139.7

## FOXTROT™

Model	Led Output	Operating Mode	Runtime @ 200 Lumens	Weight		Length		Width		Height	
				oz	g	in	mm	in	mm	in	mm
FOXTROT365™	100 + Lumens	Instant Activation	> 30 mm / 3 hours	1.3	37	3.8	96.5	1.0	25.4	1.9	48.3
FOXTROT1™	100 / 200 / 300 Lumens	Momentary or Continuous	> 2 Hours	3.0	84	3.1	79.0	1.2	31.0	1.2	31



# SIG AIR SPECIFICATIONS

## SIG AIR PISTOLS

Model	Caliber / Mag Cap.			Velocity (up to)		Measurements (in)				Weight (lb)	Operating System	Construction	Sights
	.177 cal	.22 cal	6.0 mm	FPS	FPE	Length	Height	Width	Barrel Length				
SUPER TARGET	1			350	2.0	10.0	6.3	1.4	7.5	3.5	Single Stroke Pneumatic	Metal / wood grips	Rear Adjustable
M17	20			430	3.0	8.0	6.5	1.3	5.0	2.15	CO2	Metal / Poly	White Dot
365 BB	12			295	0.07	5.75	4.5	1.0	3.2	1.0	CO2	Metal / Poly	3 DOT High Visibility Fixed Sights
WTP BB			17	410	2.0	8.8	6.0	1.2	4.6	2.8	CO2	Metal	White Dot
1911 BB			16	410	2.0	8.7	6.0	1.4	4.6	2.6	CO2	Metal	White Dot
XFIVE <sup>®</sup>	20			430	3.0	9.0	6.5	1.5	4.6	3.0	CO2	Metal	White Dot
P226 <sup>®</sup>	16			480	4.0	8.0	5.2	1.5	3.9	2.6	CO2	Metal	White Dot
P320 <sup>®</sup>	30			310	2.0	7.9	5.6	1.3	5.0	1.7	CO2	Metal / Poly	White Dot
M17 PROFORCE			21	410 / 320	0.07 / 0.05	8.5	6.5	1.3	5.0	2.25	CO2 / GG	Metal / Poly	White Dot / Mount Plate
M18 PROFORCE			21	410 / 320	0.07 / 0.05	7.5	6.5	1.3	4.0	2.0	CO2 / GG	Metal / Poly	White Dot / Mount Plate
229 PROFORCE			23	295	0.04	7.5	5.2	1.25	4.5	2.5	GG	Metal / Poly	White Dot

## SIG AIR RIFLES

Model	Caliber / Mag Cap.			Velocity (up to)		Measurements (in)				Weight (lb)	Operating System	Construction	Sights / Optics			
	.177 cal	.22 cal	6.0 mm	FPS .177 / .22 CAL	FPE .177 / .22 CAL	Length	Height	Width	Barrel Length				Flip-Up	20mm SIG 20R Red Dot Optic	1-4 x24 Scope	WHISKEY ASP Scope
ASP20	1	1		1020 / 840	20/23	45.5	6.0	1.5	14.0	8.5 lb	Gas Piston	Steel and Wood / Syn Stock				•
VIRTUS		30		700	12	37.5	9.0	2.3	18.0	7.5 lb	Pre-Charged Pneumatic	Metal / Poly	•			
MCX	30			700	5.71	34.7	8.8	1.5	18.0	7.0 lb	CO2	Metal / Poly	•	•	•	
MPX	30			575	3.86	25.7	8.5	1.3	8.0	6.0 lb	CO2	Metal / Poly	•	•		
MCX PROFORCE			120	375	0.06	29.0	9.0	1.5	11.5	7.0 lb	Automatic Electric Gun	Metal				



# PISTOL SPECIFICATIONS

Pistol Models	Caliber / Magazine Capacity						Action Type				Measurements					Weight w/Mag		
	.380ACP	9mm	.357SIG	.40S&W	.45ACP	10mm	DA/SA	SRT™ (DA/SA)	SAO	STRIKER	Length (in)	Height (in)	Width (in)	Barrel Length (in)	Sight Radius (in)	Alloy/Poly (oz)	Stainless (oz)	
P210™ TARGET		8							•		8.4	5.3	1.6	5.0	6.7		36.9	
P220™					8			•	•		7.7	5.5	1.3	4.4	6.3	30.4	39.1	
P220 R5 (5" BARREL)						8	•	•	•		8.3	5.5	1.5	5.0	6.9		44.0	
P226™		15					•	•	•		7.7	5.5	1.5	4.4	6.3	34.4	42.2	
P229™		15					•	•	•		7.1	5.4	1.5	3.9	5.7	32.0		
P320™ M17		17/21								•	8.0	5.5	1.6	4.7	6.6	29.5		
P320 M18		17/21								•	7.2	5.5	1.6	3.9	5.8	26.5		
P320 FULL-SIZE		17								•	8.0	5.5	1.3	4.7	6.6	29.5		
P320 COMPACT		15	13	13	9					•	7.2	5.3	1.3	3.9	5.8	25.8		
P320 RXP FULL-SIZE		17/21								•	8.0	6.2	1.4	4.7	6.6	30.3		
P320 RXP COMPACT		15								•	7.2	6.0	1.4	3.9	5.8	26.1		
P320 XFIVE LEGION		17/21								•	8.5	5.8	1.6	5.0	6.9	43.5		
P320 XFULL		17/21								•	8.2	5.5	1.3	4.7	6.6	29.5		
P320 XCOMPACT		15								•	7.0	5.3	1.3	3.6	5.5	25.3		
P320 XFULL RXP		17/21								•	8.2	5.5	1.4	4.7	6.6	29.5		
P320 XCOMPACT RXP		15								•	7.0	5.3	1.4	3.6	5.5	25.3		
P320 XCARRY TACOPS		17/21								•	8.1	5.8	1.6	4.6	5.8	28.5		
P320 XVTAC		17/21								•	8.2	5.6	1.3	4.7	6.6	29.5		
SP2022™		15		12			•				7.4	5.7	1.4	3.9	5.9	29.0		
1911					8	8			•		8.7	5.5	1.4	5.0	6.5		41.6	
1911 CARRY					8				•		7.7	5.5	1.4	4.2	5.7		38.8	
P938™		6/7							•		5.9	3.9	1.1	3.0	4.0	16.0		
P238™	6/7								•		5.5	3.9	1.1	2.7	3.8	15.2	18.0	
P365™		10/12								•	5.8	4.3	1.0	3.1	4.7	17.8		
P365 SAS		10/12								•	5.8	4.1	1.0	3.1	NA	17.8		
P365XL		12/15								•	6.6	4.8	1.1	3.7	5.6	20.7		
P365XL RXZ		12/15								•	6.6	5.5	1.1	3.7	5.6	20.7		

Sights				Grips				Frame Material			Frame Finish						Slide Material	Slide Finish				Other					
Contrast	Night Sights	Adj. Target	Red Dot Optic Equipped	Polymer	G10	Custom Wood	Rubber	Alloy	Stainless	Polymer	Black HC	Legion Gray	FDE / Coyote	Nitron <sup>®</sup>	Stainless	Polymer	Stainless	FDE / Coyote	Nitron	Legion Gray	Stainless	Accessory Rail	Threaded Barrel	Optic Ready / RX	Beavertail	Ambl-Safety	Magwell™
		•				•			•		•	•		•			•		•						•		
	•				•			•			•	•			•		•		•	•		•			•	•	
	•				•				•			•					•			•		•			•	•	
	•		•	•	•			•			•	•	•		•		•	•	•	•		•		•	•	•	
		•		•					•						•		•					•		•			
	•			•					•						•		•	•				•		•			
	•			•					•						•		•		•			•		•			
	•			•					•						•		•		•			•		•			
	•		•	•					•						•		•		•			•		•			
		•		•					•						•		•			•		•		•			•
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•					•						•		•					•		•			
				•																							



# RIFLE SPECIFICATIONS

Rifle Models	Caliber	Action Type	Operating System	Stock Type	Forend Type	Weight w/o Mag	Overall Length	Collapsed Length	Folded Length	Barrel Length	Rifling	Trigger Type	Mag Type	Mag Capacity
<b>SIG MCX VIRTUS</b>														
SIG MCX VIRTUS PATROL	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK®	7.9 lb	35.5"	N/A	26.5"	16.0"	1:7	2-Stage Match	AR-15 Type	30
PMCX with PCB 11.5"	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK®	7.4 lb	31.0"	N/A	22.0"	11.5"	1:7	2-Stage Match	AR-15 Type	30
PMCX with PCB 9"	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK®	7.0 lb	28.5"	N/A	19.5"	9.0"	1:5	2-Stage Match	AR-15 Type	30
<b>SIG MCX RATTLER</b>														
SIG MCX RATTLER SBR	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding	Free-Float M-LOK®	5.7 lb	23.5"	N/A	16"	5.5"	1:5	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER SBR	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding	Free-Float M-LOK®	5.7 lb	23.5"	N/A	16"	5.5"	1:7	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER PCB	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK®	5.7 lb	23.5"	N/A	16"	5.5"	1:5	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER PCB	5.56 NATO	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK®	5.7 lb	23.5"	N/A	16"	5.5"	1:7	2-Stage Match	AR-15 Type	30
SIG MCX RATTLER CANEBRAKE	300 BLK	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Free-Float M-LOK®	6.8 lb	29.0"	N/A	21"	5.5"	1:5	2-Stage Match	AR-15 Type	30
<b>SIG MPX</b>														
SIG MPX PCC	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Tele/Fold 5-Position	Free-Float M-LOK®	6.6 lb	35.0"	N/A	25.0"	16.0"	1:10	Single Stage Timney	MPX	30
SIG MPX K PCB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	Fixed Folding PCB	Alloy KeyMod	6.0 lb	22.5"	N/A	13.5"	4.5"	1:10	Single Stage Timney	MPX	30
SIG MPX COPPERHEAD PCB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	N/A	N/A	4.5 lb	14.5"	N/A	N/A	3.5"	1:10	MIL-SPEC	MPX	20
SIG MPX COPPERHEAD K PCB	9MM	Semi-Auto	Gas Piston, Rotating Bolt	N/A	N/A	4.5 lb	22.3"	N/A	N/A	4.5"	1:10	MIL-SPEC	MPX	30
<b>SIGM400</b>														
SIGM400 TREAD	5.56 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK®	6.5 lb	36.5"	N/A	N/A	16.0"	1:8	Hardened Polished	AR-15 Type	30
SIGM400 TREAD PISTOL	5.56 NATO	Semi-Auto	Direct Gas Impingement	Shockwave Brace	Free-Float M-LOK®	7.0 lb	38.0"	N/A	N/A	11.0"	1:9	2-Stage Match	AR-15 Type	5
<b>SIG716G2</b>														
SIG716 TREAD	7.62 NATO	Semi-Auto	Direct Gas Impingement	6-Position Telescoping	Free-Float M-LOK®	8.5 lb	37.0"	33.8"	N/A	16.0"	1:10	2-Stage Match	SR25 Type	20
SIG716 DMR G2	6.5 CM	Semi-Auto	Gas Piston, Rotating Bolt	6-Position Telescoping	Free-Float M-LOK®	8.8 lb	39.0"	33.8"	N/A	16.0"	1:9	2-Stage Match	SR25 Type	20
<b>CROSS BOLT RIFLE</b>														
CROSS BOLT	6.5 CM	Bolt Action	NA	SIG Precision Stock	Free-Float M-LOK®	6.4 lb	38.5"	36.5"	27"	18"	1:9	2-Stage Match	AI	5
CROSS BOLT	308 WIN 277 FURY	Bolt Action	NA	SIG Precision Stock	Free-Float M-LOK®	6.2 lb	36.5"	34.5"	25"	16"	1:10 / 1:8.5	2-Stage Match	AI	5







**SIG SAUER, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000**

**An ISO 9001:2015 Registered Company. Manufacturing in the U.S.A.**

[sigsauer.com](http://sigsauer.com)

MKT0008